Submit 1 Copy To Appropriate District State of New Mexico	Form C-103
Office District I – (575) 393-6161 HOBBSerey Minerals and Natural Resources	Revised July 18, 2013
1625 N. French Dr., Hobbs, NM 88240	WELL API NO.
District II – (575) 748-1283 811 S. First St., Artesia, NM 88210 OCT O GUI CONSERVATION DIVISION	<u>30-025-30679</u>
District III (505) 334 6178	5. Indicate Type of Lease
District IV – (505) 476-3460 1220 South St. Francis Dr. District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM	
87505 SUNDRY NOTICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	Leaker CC State
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH	8. Well Number 9
PROPOSALS.) 1. Type of Well: Oil Well 🖾 Gas Well 🗌 Other	
2. Name of Operator	9. OGRID Number
COG Operating, LLC	229137
3. Address of Operator	10. Pool name or Wildcat
600 W. Illinois Ave, Midland, TX 79701	Maljamar, Queen (Gas)
4. Well Location	· /
Unit Letter J: 1650 feet from the S line and 2	
Section 16 Township 17S Range 32E	NMPM County Lea
11. Elevation (Show whether DR, RKB, RT, GR, etc., 4062'GR	
12. Check Appropriate Box to Indicate Nature of Notice,	Report or Other Data /
	SEQUENT REPORT OF:
under bend is retained rending restantion and	
completion of the C-103 Specific for Subsequent	The second s
Report of Well Plugging, which may be found on CASING/CEMEN	
the OCD web page under forms.	
Restoration Due By 09-26-2019 OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and	
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.	
09/20/18 MIRU Plugging equipment. Unseated pump. POH w/ rods & pump. 09/21/18 Dug out cellar, ND well head, POH w/ rods	
& tbg. 09/24/18 RIH w/ tbg & tagged at 3582'. Set 5 ½" CIBP @ 3078'. Circulated hole w/ MLF. Pressure tested csg. Spotted 30 sx	
class C cmt w/ 2% CACL @ 3078-2775'. WOC. Tagged plug @ 2760'. 09/25/18 Perf'd csg @ 2135'. Pump'd into perfs @ 1 BBL	
per minute @ 1400 psi. Sqz'd 50 sx class C cmt w/ 2% CACL @ 1935-1700'. WOC. Tagged plug @ 1935'. Perf'd csg @ 875'. Pressured up to 1800 psi. Spotted 25 sx class C cmt @ 925-672'. WOC. <b>WACHER</b> agged plug @ 635'. Perf'd csg @ 226'. ND BOP.	
Sqz'd 60 sx class C cmt @ 226' & circulated to surface. Rigged down and moved off. 09/27/18 Moved in backhoe and welder. Dug	
out cellar. Cut off well head. Verified cement to surface. Welded on "Above Ground E	
deadmen. cleaned location, moved off.	
Spud Date: Rig Release Date:	
I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE (JANA (JANN) TITLE Uper Engr Te	<u>ch</u> <u>date</u> 10/4/18
Type or print name E-mail addresses	
For State Use Only	
APPROVED BY: Mach Whitehm TITLE P.E.S.	DATE 10/09/2018