Submit 1 Copy To Appropriate District Office	State of New Mexico		Form C-103	3
District I – (575) 393-6161	Energy, Minerals and Natural Resources		Revised July 18, 201	3
1625 N. French Dr., Hobbs, NM 88240			WELL API NO.	
District II - (575) 748-1283 811 S. First St., Artesia (M. 8) 210	OIL CONSERVATION DIVISION		30-025-40464	
District III - (50003746178	1220 South St. Francis Dr.		5. Indicate Type of Lease STATE FEE	j.
1000 Rio Parcos Kd., Aztec, NM 87410 <u>District IV</u> – (505) 476-3460 2000	Santa Fe, NM 87505		6. State Oil & Gas Lease No.	
1220 S. St. Francis Dr., Santa Fe, NM			0. State Off & Gas Lease No.	
8/303	IGDS AND DEPONTS ON WELLS			
SUPPLY NOTICES AND REPORTS ON WELLS (DO NOT USE THE STAND FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Lease Name or Unit Agreement Name		
(DO NOT USE THE COMM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		CENTRAL VACUUM UNIT		
PROPOSALS.)		8. Well Number 259		
 Type of Well: Oil Well Gas Well Other WAG INJECTOR Name of Operator 		J		
CHEVRON USA INC		9. OGRID Number 4323		
3. Address of Operator		10. Pool name or Wildcat		
6301 DEAUVILLE BLVD, MIDLAND, TEXAS 79706		VACUUM GRAYBURG SAN ANDRES		
4. Well Location				
	19 feet from the NORTH line	and 1514	feet from the WEST line	ار
Section 31 Township 17S Range 35E NMPM LEA County				
11. Elevation (Show whether DR, RKB, RT, GR, etc.)				
4003' KB				
				WENG
12. Check	Appropriate Box to Indicate N	lature of Notice.	Report or Other Data	
	••		report of outer Data	
NOTICE OF INTENTION TO: SUB			SEQUENT REPORT OF:	
PERFORM REMEDIAL WORK			-	l
TEMPORARILY ABANDON				
PULL OR ALTER CASING	MULTIPLE COMPL	CASING/CEMEN	T JOB	
DOWNHOLE COMMINGLE				
CLOSED-LOOP SYSTEM		OTUED.	DEDAID WELL WICHART	
OTHER:	Neted operations (Clearly state all	OTHER:	REPAIR WELL W/CHART	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of				
proposed completion or recompletion.				
THE SUBJECT WELL FAILED ITS MIT. PLEASE FIND PROCEDURE TO RETURN WELL TO INJECTION				
10/04/0010 \$ (1011 W/ODY)	OUTD DIG IND INDUITABLE			
10/04/2018 MIRU-WORKOVER RIG AND AUXILARY EQUIPMENT.				
10/05/2018 RIH W/ SL AND SET 1.43 F PROFILE PLUG IN SHORT STRING. PRESSURE TEST SHORT STRING. 10/06/2018 PRESSURE TEST CASING, N/D TREE AND N/U BOP.				
10/00/2018 PRESSURE TEST CASING, N/D TREE AND N/O BOP. 10/07/20018 NO OPERATIONS.				
10/08/2018 ATTEMPT TO PRESSURE TEST BOPE, DISPLACE W/BW, POOH AND L/D 23/8" SHORT STRING				
TUBING.				
CONTINUED ON	I NEXT PAGE, ORIGINAL MIT C	CHART AND A CO	PY ATTACHED.	
				
Spud Date:	Rig Release Da	ate:		
I hereby certify that the information	above is true and complete to the b	est of my knowledge	e and belief.	
			- 	
A . A . I	· · · · · · · · · · · · · · · · · · ·			
SIGNATURE DATE 10/16/2018 DATE 10/16/2018				
Type or print name Cindy Herrera-Murillo E-mail address: eeof@chevron.com PHONE: 575-263-0431				
For State Use Only AA I MR.				
APPROVED BY: Y VALUE DIOWN TITLE HOLL DATE 10/17/2018				
Conditions of Approval (if apy):				
······································				

RBDMS-CHART-V

REPAIR PROCEDURE

10/09/2018 RELEASE 2 3/8", L/S PACKER 2 3/8" FIBER LINED TUBING AND PACKER. CHANGE OUT PIPE RAMS. TES BOP RIH W/ KILL STRING.

10/10/2018 RIH W/ 6 1/8" BIT AND 2 7/8". TAG AT 5024', MILL 21' TO PBTD AT 5045'. POOH W/BHA AND WS, RIH W/ PACKER AND 2 7/8". WS. SET PACKER AT 4,625'.

10/11/2018 CIRCULATE PACKER FLUID. POOH AND L/D WS. RIH W/ 2 7/8", L-80 TK15 INJECTION TUBING, N/D BOP, N.U TREE. TEST CASING TO 518 PSI FOR 30 MINUTES. RIG DOWN MOVE OFF LOCATION.



