

SI Do no aband	UNDRY Not use this oned well	NOTICES AND REPOR s form for proposals to d l. Use form 3160-3 (APD)	13 ON WELLS	DEAD PHOSE Serial No. NMNM055953 OBDS 6. If Indian, Allettee	
			uctions on page 088	SOCO7: If Unit or CA/Agr	eement, Name and/or No.
1. Type of Well	🛛 Oil Well 🔲 Gas Well 🗋 Other		NOV 282018 8. Well Name an JAMES 19 F		d No. EDERAL 34H
2. Name of Operator CIMAREX ENERGY	COMPAN	Contact: A IY E-Mail: aeasterling@		EIVED 9. API Well No. 30-025-45020-	00-X1
			3b. Phone No. (include area code)10. Field and PoolPh:918.560.7060BONE SPRIN		
4. Location of Well (Foot	4. Location of Well <i>(Footage, Sec., T., R., M., or Survey Description</i> Sec 19 T23S R32E NWNE 330FNL 2390FEL 32.296329 N Lat, 103.712944 W Lon			11. County or Parish	
					NTY, NM
12. CHECK	THE AP	PROPRIATE BOX(ES) T	O INDICATE NATURE O	F NOTICE, REPORT, OR OT	HER DATA
TYPE OF SUBMISS	ION	TYPE OF ACTION			
X Notice of Intent			Deepen	Production (Start/Resume)	□ Water Shut-Off
		Alter Casing	Hydraulic Fracturing	Reclamation	Well Integrity
Subsequent Report		Casing Repair	New Construction	Recomplete	🔀 Other Change to Origina
Final Abandonment	Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Abandon Water Disposal	PD
If the proposal is to deepe Attach the Bond under wh following completion of t testing has been complete determined that the site is Cimarex respectfully	n directional nich the worl he involved d. Final Aba ready for fin requests	k will be performed or provide it operations. If the operation resu andonment Notices must be filed nal inspection. approval to send productio	ve subsurface locations and measure Bond No. on file with BLM/BIA lts in a multiple completion or reco	red and true vertical depths of all perti Required subsequent reports must b mpletion in a new interval, a Form 31 ing reclamation, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once
If the proposal is to deepe Attach the Bond under wh following completion of t testing has been complete determined that the site is	n directional nich the worl he involved d. Final Ab ready for fin requests as lift spe HP steel	Ily or recomplete horizontally, gi k will be performed or provide the operations. If the operation resu andonment Notices must be filed hal inspection. approval to send production CS:	ve subsurface locations and measure le Bond No. on file with BLM/BIA lts in a multiple completion or reco only after all requirements, include	red and true vertical depths of all perti Required subsequent reports must b mpletion in a new interval, a Form 31 ing reclamation, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p	n directional nich the work he involved d. Final Abs ready for fin requests as lift spe HP steel pressure: 2	Ily or recomplete horizontally, gi k will be performed or provide the operations. If the operation resu andonment Notices must be filed hal inspection. approval to send production CS:	ve subsurface locations and measure le Bond No. on file with BLM/BIA lts in a multiple completion or reco only after all requirements, include on to the James 19 Federal 3	red and true vertical depths of all perti Required subsequent reports must b mpletion in a new interval, a Form 31 ing reclamation, have been completed	nent markers and zones. e filed within 30 days 60-4 must be filed once
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme	n directional nich the worf he involved d. Final Aba ready for fir requests : as lift spe HP steel pressure: 2 ent for cha	Ily or recomplete horizontally, given will be performed or provide the operations. If the operation result andonment Notices must be filed that inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas lited to the flow lited to th	ive subsurface locations and measure le Bond No. on file with BLM/BIA lts in a multiple completion or reco only after all requirements, includ- on to the James 19 Federal 3 ft route.	red and true vertical depths of all perti Required subsequent reports must b mpletion in a new interval, a Form 31 ing reclamation, have been completed	inent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
If the proposal is to deepe Attach the Bond under wh following completion of d testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme Approved. Wh 14. Thereby certify that the f	n directional nich the worl he involved d. Final Abs ready for fir requests a cas lift spe HP steel oressure: 2 ent for chai $\underbrace{D D}$	Illy or recomplete horizontally, gives will be performed or provide the operations. If the operation result andonment Notices must be filed that inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas lither the flow lithert the flow lither the flow lither the flow lither the flow lithe	ve subsurface locations and measure le Bond No. on file with BLM//BIA lts in a multiple completion or reco lonly after all requirements, includ- on to the James 19 Federal 3 ft route.	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed B1H battery. 9-0097-EA Information System he Hobbs	inent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme AppCoved. Wh 14. Thereby certify that the for Name (Printed/Typed)	n directional nich the worl he involved d. Final Abs ready for fir requests a cas lift spe HP steel oressure: 2 ent for chai $\underbrace{D D}$	Illy or recomplete horizontally, gives will be performed or provide the operations. If the operation result andonment Notices must be filed that inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas lither the flow lithert the flow lither the flow lither the flow lithert the flow l	ve subsurface locations and measure le Bond No. on file with BLM//BIA lts in a multiple completion or reco lonly after all requirements, includ- on to the James 19 Federal 3 ft route.	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed B1H battery. B1H battery. Information System he Hobbs 108/02/2018 (18PP1569SE) ATORY ANALYST	inent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme AppCoved. Wh 14. Thereby certify that the formation of the second Name (Printed/Typed)	m directional hich the work he involved d. Final Abs ready for fir requests a cas lift spe HP steel oressure: 2 ont for chai boregoing is foregoing is CommaRICKA EA	Illy or recomplete horizontally, given will be performed or provide the operation result andonment Notices must be filed that inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas lither that is an anomenia of the flow line/Gas lither that is an anomenia of the formation of the fo	ve subsurface locations and measure le Bond No. on file with BLM/BIA lts in a multiple completion or reco- lonly after all requirements, includ- on to the James 19 Federal 3 ft route. ft route. Mergy Company , sent to t sing by PRISCILLA PEREZ or Title REGUL	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed 31H battery. 9-0097-EA IInformation System he Hobbs n 08/02/2018 (18PP1569SE) ATORY ANALYST	inent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme AppCoved. Wh 14. Thereby certify that the formation of the second Name (Printed/Typed)	m directional hich the work he involved d. Final Abs ready for fir requests a cas lift spe HP steel oressure: 2 ont for chai boregoing is foregoing is CommaRICKA EA	Illy or recomplete horizontally, given will be performed or provide the operation result andonment Notices must be filed that inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas lither that is an anomenia of the flow line/Gas lither that is an anomenia of the formation of the fo	ve subsurface locations and measure le Bond No. on file with BLM/BIA lts in a multiple completion or reco- lonly after all requirements, includ- on to the James 19 Federal 3 ft route.	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed 31H battery. 9-0097-EA IInformation System he Hobbs n 08/02/2018 (18PP1569SE) ATORY ANALYST	inent markers and zones. e filed within 30 days 60-4 must be filed once and the operator has
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme Approved NU Signature (1) Approved By Conditions of approval, if any,	n directional nich the work he involved. Gas lift speet HP steel pressure: 2 ont for chain D. D foregoing is Comma RICKA E2 Electronic St are attached legal or equi	Illy or recomplete horizontally, gives will be performed or provide the operation result operation. If the operation result andonment Notices must be filed and inspection. approval to send production of the operation operation of the operation operation of the operation operation of the operation operation operation operation operation operation operation operation. Approval of this notice does not table title to those rights in the set operation.	ve subsurface locations and measure le Bond No. on file with BLM/BIA hts in a multiple completion or reco- lonly after all requirements, includ- on to the James 19 Federal 3 ft route. Mercey Company , sent to t sing by PRISCILLA PEREZ or Title REGUL Date 07/25/20 R FEDERAL OR STATE (Title Mercey Title Mercey Title Mercey Title Mercey Title Mercey	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed 31H battery. 9-0097-EA IInformation System he Hobbs n 08/02/2018 (18PP1569SE) ATORY ANALYST	Stips attack
If the proposal is to deepe Attach the Bond under wh following completion of the testing has been complete determined that the site is Cimarex respectfully On lease Flow line/G Length: 2645? Size: Two 6? buried MAOP: 1500 psi Anticipated working p Please see attachme Please see attachme Approved Normal State Name (Printed/Typed) A Signature () Conditions of approval, if any, certify that the applicant holds which would entitle the applicant Title 18 U.S.C. Section 1001 at	n directional nich the work he involved d. Final Aba ready for fir requests : Gas lift spe HP steel pressure: 2 ent for chai D. D foregoing is Comma RICKA EA Electronic St Electronic St are attached legal or equi ant to conduc	Illy or recomplete horizontally, gi k will be performed or provide the operations. If the operation result andonment Notices must be filed nal inspection. approval to send production cs: 200-300 psi nges in the flow line/Gas li <u>OI-BLM-M</u> true and correct. Electronic Submission #42 For CIMAREX E mitted to AFMSS for process ASTERLING ubmission) THIS SPACE FOI Approval of this notice does not itable title to those rights in the s ct operations thereon. J.S.C. Section 1212, make it a cr	ve subsurface locations and measure le Bond No. on file with BLM//BIA hts in a multiple completion or reco- lonly after all requirements, includ- on to the James 19 Federal 3 ft route. Mercey COMPANY, sent to t saing by PRISCILLA PEREZ or Title REGUL Date 07/25/20 RFEDERAL OR STATE OF Title Mercey Date 07/25/20 RFEDERAL OR STATE OF Office Mercey	red and true vertical depths of all perti Required subsequent reports must b impletion in a new interval, a Form 31 ing reclamation, have been completed 31H battery. 9-0097-EA IInformation System he Hobbs n 08/02/2018 (18PP1569SE) ATORY ANALYST	Stips attack <i>for an attack of the operator has</i>

•





BURIED PIPELINE STIPULATIONS

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.

3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, <u>et seq</u>. or the Resource Conservation and Recovery Act, 42 U.S.C.6901, <u>et seq</u>.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

. .

• •

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

7. The maximum allowable disturbance for construction in this right-of-way will be $\underline{30}$ feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed <u>20</u> feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed <u>30</u> feet. The trench and bladed area are included in this area. (Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.)
- The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

() seed mixture 1	() seed mixture 3
() seed mixture 2	() seed mixture 4
(X) seed mixture 2/LPC	() Aplomado Falcon Mixture

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-ofway and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. <u>Escape Ramps</u> - The operator will construct and maintain pipeline/utility trenches [that are not otherwise fenced, screened, or netted] to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
- b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.
- 19. Special Stipulations:

Wildlife Mitigation Measures

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie-Chicken:

Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in lesser prairie-chicken habitat during the period from March 1st through June 15th annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 ft. from the source of the noise.

Timing Limitation Exceptions:

The Carlsbad Field Office will publish an annual map of where the LPC timing and noise stipulations and conditions of approval (Limitations) will apply for the identified year (between March 1 and June 15) based on the latest survey information. The LPC Timing Area map will identify areas which are Habitat Areas (HA), Isolated Population Area (IPA), and Primary Population Area (PPA). The LPC Timing Area map will also have an area in red crosshatch. The red crosshatch area is the only area where an operator is required to submit a request for exception to the LPC Limitations. If an operator is operating outside the red crosshatch area, the LPC Limitations do not apply for that year and an exception to LPC Limitations is not required.