Submit 1 Copy To Appropriate District State of New Mexico Form C-103 Office Revised August 1, 2011 Energy, Minerals and Natural Resources District I - (575) 393-6161 WELL API NO. 1625 N. French Dr., Hobbs, NM 88240 District II - (575) 748-1283 OIL CONSERVATION DIVISION 811 S. First St., Artesia, NM 88210 30-015-00966 District III - (505) 334-6178 1220 South St. Francis Dr. 5. Indicate Type of Lease 1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe. NM 87505 STATE X **FEE** District IV - (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 6. State Oil & Gas Lease No. 87505 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A (DO NOT USE THIS FURM FUR PRUPUSALS TO DRILL ON TO DELLE ON TO DEL Artesia Metex Unit 8. Well Number 051 1. Type of Well: Oil Well X Gas Well Other 2. Name of Operator DFC 052018 9. OGRID Number State of New Mexico formerly Canyon E&P Company 269864 3. Address of Operator 10. Pool name or Wildcat RECEIVED 1625 N. French Drive Hobbs, NM 88240 Artesia OU-GB-SA 4. Well Location _:__330___feet from the ___South____ line and ___330___feet from the __East___line Unit Letter___P_ 26 Township Section 18**S** Range 27E NMPM Eddy County 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING □ **TEMPORARILY ABANDON CHANGE PLANS** COMMENCE DRILLING OPNS. P AND A MULTIPLE COMPL PULL OR ALTER CASING П **CASING/CEMENT JOB** DOWNHOLE COMMINGLE OTHER: OTHER: 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. SEE ATTACHED

I hereby certify that the information above is t	rue and complete to the best of my knowledge	e and belief.
SIGNATURE	TITLE	DATE
Type or print name For State Use Only	E-mail address:	PHONE:
APPROVED BY: Malluttaln_TITLE P. E. S. Conditions of Approval (if any):		DATE 12/05/2018

Canyon E&P Company Artesia Metex Unit #51 30-015-00966 330' FSL & 330 FEL UL-P, Sec 26, T18S, R27E

8 5/8" csg set at 503' with 50 sx cement Open Hole 503'-2097' TD 2097'

- 1. MIRU and lay down production equipment.
- 2. RIH with tubing and spot 50 sx cement at 1350'
- 3. Tag cement and circulate MLF.
- 4. POOH to 553' and circulate cement to surface.
- 5. Cut off 3' below ground level and verify cement is to surface.
- 6. Install upright marker and cut off anchors.

State of New Mexico for Canyon E&P Company Artesia Metex Unit #51 API 30-015-00966 WBD Before PA 8 5/8" 24# casing set at 503' Cemented w/50 sx TD 2097' Open Hole 503'-2097'

