

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104
Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address BTA OIL PRODUCERS, LLC		² 260297
³ Reason for Filing Code/ Effective Date 104 S. Pecos, Midland TX 79701		⁴ Ogrid
⁵ API Number 30 - 025-44350	⁶ Pool Name BOBCAT DRAW; UPPER WOLFCAMP	⁷ Pool Code 97900
⁸ Property Code 320523	⁹ Property Name ROJO 7811 27 FED COM	¹⁰ 98094
		¹¹ 12H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
A	27	25S	33E		220	NORTH	1310	EAST	LEA

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	27	25S	33E		77	SOUTH	1637	EAST	LEA
¹² Lse Code	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	PLAINS MARKETING LP P.O. BOX 4648 HOUSTON, TX 77210-4648	
371058	ETC FIELD SERVICES LLC 8111 WESTCHESTER DR., DTE 600 DALLAS, TX. 75225	

IV. Well Completion Data

²¹ Spud Date 4/02/2018	²² Ready Date 9/14/2018	²³ TD 17,370	²⁴ PBDT	²⁵ Perforation 12700-17110	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
17 1/2"	13 3/8"	1157	945		
12 1/2"	9 5/8"	4962	1660		
8 1/2"	7"	12532	1280		
6 1/2"	4 1/4"	17354	380		
Itg exemption					

V. Well Test Data

³¹ Date New Oil 9/14/2018	³² Gas Delivery Date 9/22/2018	³³ Test Date 9/22/2018	³⁴ Test Length 24 HOURS	³⁵ Tbg. Pressure N/A	³⁶ Csg. Pressure 4250
³⁷ Choke Size 14	³⁸ Oil 531	³⁹ Water 1397	⁴⁰ Gas 704	⁴¹ Test Method	

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.
Signature: *Katy Reddell*

Printed name:
KATY REDDELL
Title: REGULATORY ANALYST
kreddell@btaoil.com 11/19/2018 432-682-3753

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

Karen Sharp
Staff Mgr
11-27-18

Documents pending BLM approvals will subsequently be reviewed and scanned

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. NMNM15091
2. Name of Operator BTA OIL PRODUCERS LLC		6. If Indian, Allottee or Tribe Name
Contact: KATY REDDELL E-Mail: kredell@btaoil.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 104 S PECOS STREET MIDLAND, TX 79701	3b. Phone No. (include area code) Ph: 432-682-3753	8. Well Name and No. ROJO 7811 27 FED COM 12H
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 27 T25S R33E 220FNL 1310FEL		9. API Well No. 30-025-44350
		10. Field and Pool or Exploratory Area BOBCAT DRAW; UPPER WOLFCAM
		11. County or Parish, State LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Drilling Operations
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

4/2/2018 SPUD WELLJ

4/4/2018 DRILLED 17 1/2" HOLE. SET 13 3/8" J-55 54.5# CASING @ 1157' WITH 945 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

4/5/2018 TEST 13 3/8" CASING TO 1000 PSI FOR 30 MIN. GOOD TEST.

4/6-8/2018 DRILLED 12 1/4" HOLE. SET 9 5/8" J-55 40# CASING @ 4962' WITH 1660 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

4/9/2018 TEST 9 5/8" CASING TO 2765 PSI FOR 30 MIN. GOOD TEST.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #438292 verified by the BLM Well Information System For BTA OIL PRODUCERS LLC, sent to the Hobbs	
Name (Printed/Typed) KATY REDDELL	Title REGULATORY ANALYST
Signature (Electronic Submission)	Date 10/04/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By _____	Title _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office _____

Documents pending BLM approvals will
subsequently be reviewed and scannedTitle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to
States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

or agency of the United

Additional data for EC transaction #438292 that would not fit on the form

32. Additional remarks, continued

4/10-16/2018 DRILLED 8 3/4" HOLE. SET 7" P-110 29# CASING @ 12,532' WITH 1280 SX CEMENT. CEMENT DID NOT CIRCULATE AND WAS CALUCATED TOC AT 2200'.

6/10-16/2018 RESUME DRILLING AND DRILLED 6 1/8" HOLE. SET 4 1/2" P-110 13.5# LINER FROM 11,814'-17,354' WITH 380 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

6/16/2018 RIG RELEASED.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM15091

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

8. Well Name and No.

ROJO 7811 27 FED COM 12H

2. Name of Operator

BTA OIL PRODUCERS LLC

Contact: KATY REDDELL

E-Mail: kreddell@btaoil.com

9. API Well No.

30-025-44350

3a. Address

104 S PECOS STREET
MIDLAND, TX 79701

3b. Phone No. (include area code)

Ph: 432-682-3753

10. Field and Pool or Exploratory Area

BOBCAT DRAW; UPPER WOLFCAM

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 27 T25S R33E 220FNL 1310FEL

County or Parish, State

LEA COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BTA OIL PRODUCERS, LLC. RESPECTFULLY REQUESTS AN EXEMPTION ON TUBING AT THIS TIME TO TEST THE WELL.

SPUD DATE: 4/2/2018

RIG RELEASE DATE: 6/16/2018

FIRST FLOW DATE: 9/14/2018

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #438299 verified by the BLM Well Information System
For BTA OIL PRODUCERS LLC, sent to the Hobbs

Name (Printed/Typed) KATY REDDELL

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 10/04/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Documents pending BLM approvals will
subsequently be reviewed and scannedTitle 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly at
States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Department or agency of the United

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

Form 3160-5
(August 2007)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

**Do not use this form for proposals to drill or to re-enter an abandoned well.
Use Form 3160-3 (APD) for such proposals.**

Bold* fields are required.

Section 1 - Completed by Operator

1. BLM Office* Hobbs, NM	2. Well Type* OIL
3. Submission Type* <input type="radio"/> Notice of Intent <input checked="" type="radio"/> Subsequent Report	4. Action* Drilling Operations
Operating Company Information	
5. Company Name* BTA OIL PRODUCERS LLC	
6. Address* 104 S PECOS STREET MIDLAND TX 79701	7. Phone Number* 432-682-3753

Administrative Contact Information

8. Contact Name* KATY _ REDDELL	9. Title* REGULATORY ANALYST
10. Address* 104 S PECOS STREET MIDLAND TX 79701	11. Phone Number* 432-682-3753 _ 12. Mobile Number _____
13. E-mail* kreddell@btaoil.com	14. Fax Number _____

Technical Contact Information

<input checked="" type="checkbox"/> Check here if Technical Contact is the same as Administrative Contact.	
15. Contact Name* KATY _ REDDELL	16. Title* _____
17. Address* _____ _____ _____	18. Phone Number* _____ 19. Mobile Number _____
20. E-mail* _____	21. Fax Number _____

Lease and Agreement

22. Lease Serial Number*	
---------------------------------	--

Documents pending BLM approvals will
subsequently be reviewed and scanned

NMNM15091

24. If Unit or CA/Agreement, Name and/or Number

25. Field and Pool, or Exploratory Area*
BOBCAT DRAW;UPPER WOLFCAM

County and State for Well

26. County or Parish, State*

LEA NM

Associated Well Information

27. Specify well using one of the following methods:

- a) Well Name, Well Number, API Number, Section, Township, Range, Qtr/Qtr, N/S Footage, E/W Footage
 b) Well Name, Well Number, API Number, Latitude, Longitude, Metes & Bounds description

Well Name*

ROJO 7811 27 FED COM

Well Number*

12H

API Number

30-025-44350

Section

27

Township

25S

Range

33E

Meridian

Qtr/Qtr

—

N/S Footage

220 FNL

E/W Footage

1310 FEL

Latitude

—

Longitude

—

Metes and Bounds

28. Describe Proposed or Completed Operation

Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all markers and zones. Attach the Bond under which the work will be performed or provide the Bond Number on file pertinent with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.

4/2/2018 SPUD WELLJ

4/4/2018 DRILLED 17 1/2" HOLE. SET 13 3/8" J-55 54.5# CASING @ 1157' WITH 945 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

4/5/2018 TEST 13 3/8" CASING TO 1000 PSI FOR 30 MIN. GOOD TEST.

4/6-8/2018 DRILLED 12 1/4" HOLE. SET 9 5/8" J-55 40# CASING @ 4962' WITH 1660 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

4/9/2018 TEST 9 5/8" CASING TO 2765 PSI FOR 30 MIN. GOOD TEST.

4/10-16/2018 DRILLED 8 3/4" HOLE. SET 7" P-110 29# CASING @ 12,532' WITH 1280 SX CEMENT. CEMENT DID NOT CIRCULATE AND WAS CALUCATED TOC AT 2200'.

6/10-16/2018 RESUME DRILLING AND DRILLED 6 1/8" HOLE. SET 4 1/2" P-110 13.5# LINER FROM 11,814'-17,354' WITH 380 SX CEMENT. CEMENT CIRCULATED TO SURFACE.

6/16/2018 RIG RELEASED.

I hereby certify that the foregoing is true and correct.

29. Name*

KATY _ REDDELL

30. Title

REGULATORY ANALYST

31. Date* (MM/DD/YYYY)10/04/2018 **32. Signature***

You have the ability to sign this form only if a SmartCard or digital certificate has been issued to you.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Section 2 - System Receipt Confirmation**33. Transaction**

438292

34. Date Sent

10/04/2018

35. Processing Office

Hobbs, NM

Section 3 - Internal Review #1 Status**36. Review Category**

Engineering

37. Date Completed

10/04/2018

38. Reviewer Name

JONATHON W SHEPARD

39. Comments**Section 4 - Internal Review #2 Status****40. Review Category**

N/A

41. Date Completed**42. Reviewer Name****43. Comments****Section 5 - Internal Review #3 Status****44. Review Category**

N/A

45. Date Completed**46. Reviewer Name****47. Comments****Section 6 - Internal Review #4 Status****48. Review Category**

N/A

49. Date Completed**50. Reviewer Name****51. Comments**

Section 7 - Final Approval Status

52. Disposition Accepted	53. Date Completed 10/04/2018	54. Reviewer Name JONATHON SHEPARD	55. Reviewer Title PETROELUM ENGINEER
56. Comments 10/04/2018: PRISCILLA PEREZ: 4/2/2018 SPUD WELLJ 4/4/2018 DRILLED 17 1/2" HOLE. SET 13 3/8" J-55 54.5# CASING @ 1157' WITH 945 SX CEMENT. CEMENT CIRCULATED TO SURFACE. 4/5/2018 TEST 13 3/8" CASING TO 1000 PSI FOR 30 MIN. GOOD TEST. 4/6-8/2018 DRILLED 12 1/4" HOLE. SET 9 5/8" J-55 40# CASING @ 4962' WITH 1660 SX CEMENT. CEMENT CIRCULATED TO SURFACE. 4/9/2018 TEST 9 5/8" CASING TO 2765 PSI FOR 30 MIN. GOOD TEST. 4/10-16/2018 DRILLED 8 3/4" HOLE. SET 7" P-110 29# CASING @ 12,532' WITH 1280 SX CEMENT. CEMENT DID NOT CIRCULATE AND WAS CALUCATED TOC AT 2200'. 6/10-16/2018 RESUME DRILLING AND DRILLED 6 1/8" HOLE. SET 4 1/2" P-110 13.5# LINER FROM 11,814'-17,354' WITH 380 SX CEMENT. CEMENT CIRCULATED TO SURFACE. 6/16/2018 RIG RELEASED.			

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard local area, or regional procedures and practices, either are shown below will be issued by, or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 27 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 28 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones, or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

This information is being collected to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0135), Bureau Information Collection Clearance Officer, (WO-630), Mail Stop 401 LS, 1849 C St., N.W., LS, Washington D.C. 20240

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM A | OVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.5. Lease Serial No.
NMNM15091

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
ROJO 7811 27 FED COM 12H9. API Well No.
30-025-4435010. Field and Pool or Exploratory Area
BOBCAT DRAW; UPPER WOLFCAM11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

BTA OIL PRODUCERS LLC

Contact: KATY REDDELL

E-Mail: kreddell@btaoil.com

3a. Address

104 S PECOS STREET
MIDLAND, TX 79701

3b. Phone No. (include area code)

Ph: 432-682-3753

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 27 T25S R33E 220FNL 1310FEL

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and : Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

BTA OIL PRODUCERS, LLC. RESPECTFULLY REQUESTS AN EXEMPTION ON TUBING AT THIS TIME TO TEST THE WELL.

SPUD DATE: 4/2/2018

RIG RELEASE DATE: 6/16/2018

FIRST FLOW DATE: 9/14/2018

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #438299 verified by the BLM Well Information System
For BTA OIL PRODUCERS LLC, sent to the Hobbs**

Name (Printed/Typed) KATY REDDELL

Title REGULATORY ANALYST

Signature (Electronic Submission)

Date 10/04/2018

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SI****ITED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
NMNM15091

1a. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			6. If Indian, Allottee or Tribe Name		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			7. Unit or CA Agreement Name and No. NMNM138717		
2. Name of Operator BTA OIL PRODUCERS LLC			Contact: KATY REDDELL E-Mail: kredell@btaoil.com		
3. Address 104 S. PECOS MIDLAND, TX 79701			3a. Phone No. (include area code) Ph: 432-682-3753 Ext: 139		
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NENE 220FNL 1310FEL 32.108176 N Lat, 103.555889 W Lon At top prod interval reported below NWNE 330FNL 1657FEL At total depth SWSE 077FSL 1638FEL 32.094477 N Lat, 103.556945 W Lon			8. Lease Name and Well No. ROJO 7811 27 FEDERAL COM 12H		
14. Date Spudded 04/02/2018			15. Date T.D. Reached 06/16/2018		9. API Well No. 30-025-44350-00-S1
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 09/14/2018			10. Field and Pool, or Exploratory BOBCAT DRAW-UPR WOLFCAMP		
18. Total Depth: MD 17370 TVD 12493			19. Plug Back T.D.: MD TVD		11. Sec., T., R., M., or Block and Survey or Area Sec 27 T25S R33E Mer NMP
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) GR			22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (Submit analysis)		
12. County or Parish LEA			13. State NM		
17. Elevations (DF, KB, RT, GL)* 3344 GL					

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
17.500	13.375 J55	54.5	0	1157		945		0	
12.250	9.625 J55	40.0	0	4962		1660			
8.750	7.000 P-110	29.0	0	12532		1280		2200	
6.125	4.500 P-110	13.5	11814	17354		380		0	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	12700	17110	12700 TO 17110			OPEN - WOLFCAMP
B)						
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12700 TO 17110	239,489 BBLS FLUID; 11,417,540 100 MESH AND 40/70 SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
09/14/2018	09/24/2018	24	→	503.0	627.0	533.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
12/64	SI	4450.0	→	503	627	533	1247	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #441281 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Documents pending BLM approvals will subsequently be reviewed and scanned

28b. Production - Interval C									
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D									
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):				31. Formation (Log) Markers	
Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.					
Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
WOLFCAMP	12700	17110	OIL;GAS;WATER	RUSTLER TOP SALT BASE OF SALT DELAWARE BELL CANYON CHERRY CANYON BRUSHY CANYON BONE SPRING	1045 1412 4778 4973 5003 6316 7655 9160

32. Additional remarks (include plugging procedure):
 FORMATION (LOG) MARKERS CONT:
 FIRST BONE SPRING SAND: 10098
 SECOND BONE SPRING SAND: 10853
 THIRD BONE SPRING SAND: 11213
 THIRD BONE SPRING CARBONATE: 11213
 TOP WOLFCAMP: 12277

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.)	2. Geologic Report	3. DST Report	4. Directional Survey
5. Sundry Notice for plugging and cement verification	6. Core Analysis	7. Other:	

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

**Electronic Submission #441281 Verified by the BLM Well Information System.
 For BTA OIL PRODUCERS LLC, sent to the Hobbs
 Committed to AFMSS for processing by DEBORAH HAM on 11/05/2018 (19DMH0011SE)**

Name (please print) KATY REDDELL Title REGULATORY ANALYST

Signature (Electronic Submission) Date 10/25/2018

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ** REVISED ****

• **Revisions to Operator-Submitted EC Data for Well Completion #441281**

	Operator Submitted	BLM Revised (AFMSS)
Lease:	NMNM15091	NMNM15091
Agreement:		NMNM138717 (NMNM138717)
Operator:	BTA OIL PRODUCERS LLC 104 S PECOS STREET MIDLAND, TX 79701 Ph: 432-682-3753	BTA OIL PRODUCERS LLC 104 S. PECOS MIDLAND, TX 79701 Ph: 4326823753
Admin Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com Ph: 432-682-3753 Ext: 139	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com Ph: 432-682-3753 Ext: 139
Tech Contact:	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com Ph: 432-682-3753 Ext: 139	KATY REDDELL REGULATORY ANALYST E-Mail: kreddell@btaoil.com Ph: 432-682-3753 Ext: 139
Well Name: Number:	ROJO 7811 27 FED COM 12H	ROJO 7811 27 FEDERAL COM 12H
Location: State: County: S/T/R: Surf Loc:	NM LEA Sec 27 T25S R33E Mer NMP 220FNL 1310FEL 32.108176 N Lat, 103.555889 W Lon	NM LEA Sec 27 T25S R33E Mer NMP NENE 220FNL 1310FEL 32.108176 N Lat, 103.555889 W Lon
Field/Pool:	BOBCAT DRAW;UPPER WOLFCAM	BOBCAT DRAW-UPR WOLFCAMP
Logs Run:	GR	GR
Producing Intervals - Formations:		WOLFCAMP
Porous Zones:	WOLFCAMP	WOLFCAMP
Markers:	RUSTLER TOP SALT BASE SALT DELAWARE BELL CANYON CHERRY CANYON BRUSHY CANYON BONE SPRING	RUSTLER TOP SALT BASE OF SALT DELAWARE BELL CANYON CHERRY CANYON BRUSHY CANYON BONE SPRING