Form 3160-5 (June 2015)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Carlsbad	Field	Office.	PDD OLVED
s OCI) THOM	OMB NO	APPROVED D. 1004-0137 nuary 31, 20

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			Lease Serial No. NMNM019452 G. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well Gas Well Other			II VI Limiter	8. Well Name and No. STONEWALL 28 FED COM 301H		
Name of Operator			9. API Well No. 30-025-44866-00-X1			
		o. Phone No. (include area code) h: 432-686-3658			10. Field and Pool or Exploratory Area RED HILLS-UP BONE SPRING SHALE	
4. Location of Well (Footage, Sec., T. Sec 28 T24S R34E NWNW 20 32.195251 N Lat, 103.481392			11. County or Parish, State LEA COUNTY, NM			
12. CHECK THE AF	PPROPRIATE BOX(ES) TO	INDICATE NATURE O	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION					
Notice of Intent	☐ Acidize	□ Deepen	☐ Producti	ion (Start/Resume)	☐ Water Shut-Off	
_	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclama	ation	■ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomp	lete	Other	
☐ Final Abandonment Notice	□ Change Plans	□ Plug and Abandon	☐ Tempora	Temporarily Abandon Production F Changes		
	☐ Convert to Injection	☐ Plug Back	☐ Water D	☐ Water Disposal		
13. Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi EOG requests permission to u Portable Lact #12 CORIOLIS SERIAL NUMBER Meter Code: 83F80-KQW2/0 LACT SERIAL NUMBER: 270 LACT MANUFACTURER- PM Estimated sales 2/13/2019 PLEASE CONTACT BRYAN M	ally or recomplete horizontally, give k will be performed or provide the operations. If the operation results andonment Notices must be filed or nal inspection. See a portable Lact on the Storage of t	subsurface locations and measur Bond No. on file with BLM/BIA in a multiple completion or reco nly after all requirements, includ- onewall 28 Federal Com C	red and true very red and true very red and true submeletion in a n ing reclamation TB	rtical depths of all pertin psequent reports must be new interval, a Form 316 n, have been completed a	ent markers and zones. filed within 30 days 0-4 must be filed once and the operator has	
Comn Name (Printed/Typed) KAY MAD	nitted to AFMSS for processing	ES INCORPORATED, sent t g by DUNCAN WHITLOCK o	to the Hobbs	(19DW0062SE)		
Traine (17 mea/1)pea/ 1041 WIAD	DOX	THE TEODE	ATOINT OF E	-OIALIO1		
Signature (Electronic S	ubmission)	Date 02/08/20	019			
	THIS SPACE FOR	FEDERAL OR STATE	OFFICE US)E		
Approved By_DUNCAN WHITLOCK		TitleTECHNICA	HNICAL LPET Da		Date 02/11/2019	
onditions of approval. If any, are attached. Approval of this notice does not warrant or entity that the applicant holds legal or equitable title to those rights in the subject lease thich would entitle the applicant to conduct operations thereon.		warrant or ject lease Office Hobbs				
itle 18 U.S.C. Section 1001 and Title 43			willfully to ma	ke to any department or	agency of the United	

Additional data for EC transaction #453985 that would not fit on the form

32. Additional remarks, continued

432-425-4487 TO WITNESS THE PROVING

Temporary Portable Coriolis Meter Conditions of Approval February 11, 2019 EOG Resources Inc. Stonewall 28 fed Com CTB 301H – 3002544866 Lease NM019452, Sec. 28, T24S, R34E

- 1. Approval is for meter numbers, <u>Model: Not given Serial No. JC043616000</u> and transmitter number <u>Not given- Serial No. 2705R</u>. Provide beginning totalizer reading prior to first load of oil being sold through meter. LACT ID code: <u>83F80-KQW2/0</u>, Manufacturer PMEC. Portable Lact #12
- 2. The Coriolis meter shall be designed, installed and operated in accordance with all applicable API standards, including API 5.6, as may be amended or revised from time to time.
- 3. The metering facility shall include a temperature probe to monitor the actual oil temperature during custody transfer. This information will be recorded and used in calculating the volume of oil metered during each transaction.
- 4. The meter shall have a non-resettable totalizer.
- 5. The custody transfer meter shall be proven during the first load of oil measured from the Antietam 9 Fed Com 708H and in conformance with Onshore Oil and Gas Order No. 4.III.D. or 43 CFR3174 as appropriate. The meter proving is to be Meter proving records shall be maintained for a period of six years from the date of generation and will be made available for audit upon request.
- 6. A copy of the monthly meter proving will be submitted to the appropriate BLM office within 30 days of proving.
- 7. The run ticket associated with each oil transfer shall include the measured or calculated BS&W, oil gravity, temperature recorded during the transfer and tran
- 8. A copy of run ticket shall be submitted to the appropriate BLM office within 30 days of ticket generation and will be made available for audit upon request.
- 9. Operator to maintain tank gauging data to be used as a comparison with the LACT meter readings.
- 10. All other provisions of Federal Regulations to include Onshore Oil and Gas Orders, 43 CFR 3173 & 3174, as appropriate to the production.
- 11. This approval may be subject to future review and if determined inadequate with regards to accurate measurement, the approval will be withdrawn.

JDW 1.29.19