<u>District II</u> 811 S. First St., A <u>District III</u> 1000 Rio Brazos <u>District IV</u>	Dr., Hobbs, NM 88240 Artesia, NM 88210 Road, Aztec, NM 87410 is Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources I Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Submit Original to Appropriate HOBBS OCD ^{District Office} APR 1 6 2019
		GAS CAPTURE PLAN	RECEIVED
X Original	Operator & OGRID No.:		
Amended Reasor	n for Amendment:	Dat	e: <u>11/16/2018</u>

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: A C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule 19.15.18.12.A

Well(s)/Production Facility - Salado Draw CTB 23

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location	Footages	Expected MCF/D	Flared or Vented	Comments			
		Location		IVICF/D	vented				
SD 14 23 FED P18 9H	Pending	UL:C, SEC 14, T26S- R32E	455' FNL, 1,380 FWL	5,000	0				
SD 14 23 FED P18 10H	Pending	UL:C, SEC 14, T26S- R32E	455' FNL, 1,405 FWL	5,000	0				
SD 14 23 FED P18 11H	Pending	UL:C, SEC 14, T26S- R32E	455' FNL, 1,430 FWL	5,000	0				
SD 14 23 FED P18 12H 76-025 -	Pending 4582 	UL:C, SEC 14, T26S- R32E	455' FNL, 1,455 FWL	5,000	0				
SD 14 23 FED P18 13H	Pending	UL:C, SEC 14, T26S- R32E	455' FNL, 1,970 FWL	5,000	0				
SD 14 23 FED P18 14H	Pending	UL:C, SEC 14, T26S- R32E	455' FNL, 1,505' FWL	5,000	0				

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, if gas transporter system is in place. The gas produced from production facility is dedicated to Delaware Basin Midstream, LLC (DBM) and will be connected to DBM's low pressure gathering system located in <u>LEA</u> County, New Mexico. The facility is already connected to a low pressure gathering system. Chevron provides (periodically) to DBM a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, Chevron and DBM have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at DBM's Ramsey Processing Plant located in <u>Sec.36</u>, Block 57-T1, Reeves County, Texas. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, wells will be turned to permanent production facilities. Wells will have temporary sand catchers that will be installed at the well location to prevent sand from getting into the flowlines. These sand separators will be blown down periodically which will result in minimal venting of gas. Gas sales will start as soon as the wells start flowing through the production facilities, unless there are operational issues on DBM's system at that time. Based on current information, it is Chevron's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines