District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Department

Submit Original to Appropriate District Office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Date: 4-5-18	AS CAPTURE PLAN
☐ Original ☐ Amended - Reason for Amendment:	Operator & OGRID No.: Mewbourne Oil Company - 14744

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility - Name of facility

The well(s) that will be located at the production facility are shown in the table below.

٠.	wen(s) that will be located at the production facility are shown in the table below.								
	Well Name	API	Well Location	Footages	Expected	Flared or	Comments		
			(ULSTR)		MCF/D	Vented			
	Paduca 7/6 W1GB Federal #2H	-015-452		2400 FNL & 1720 FE	0	NA	ONLINE AFTER FRAC		
			٠.						

Gathering S	<u>System</u>	and .	<u>Pipeli</u>	ne No	<u>tific</u>	ation

Well(s) will be	e connected to a produ-	ction facility after flow	wback operations a	are complete, if g	as transporter	system is in
place. The g	as produced from pro-	duction facility is ded	icated towester	n	and will be o	onnected to
Western	low/high press	ure gathering system	located in EDDY	County, New	Mexico. It	will require
3,400 of	pipeline to connect the	e facility to low/high	pressure gathering	system. Mewbox	ırne Oil Compa	any provides
(periodically) t	O Western	a drilling, completion	and estimated first	production date fo	r wells that are	scheduled to
be drilled in t	the foreseeable future.	In addition, Mewbou	rne Oil Company	and Western	• h	ave periodic
conference cal	lls to discuss changes	to drilling and comp	letion schedules.	Gas from these	wells will be	processed at
Western	Processir	g Plant located in Sec	36, Blk 58 T1S	Culberson Con	enty, Texas. The	e actual flow
of the gas will	be based on compression	n operating parameters a	ind gathering systen	n pressures.		

Flowback Strategy


After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on ___westerp____ system at that time. Based on current information, it is Operator's belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - o Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines



Í