

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
APPLICATION FOR PERMIT TO DRILL OR REENTER

HOBBS OGD

MAY 09 2019

RECEIVED

FORM APPROVED  
OMB No. 1004-0137  
Expires: January 31, 2018

F/A

1a. Type of work: <input checked="" type="checkbox"/> DRILL <input type="checkbox"/> REENTER		5. Lease Serial No. NMB0136233
1b. Type of Well: <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Other		6. If Indian, Allottee or Tribe Name
1c. Type of Completion: <input type="checkbox"/> Hydraulic Fracturing <input checked="" type="checkbox"/> Single Zone <input type="checkbox"/> Multiple Zone		7. If Unit or CA Agreement, Name and No.
2. Name of Operator AMEREDEV OPERATING LLC (97224)		8. Lease Name and Well No. JUNIPER FED COM 25 36 34-111H (325376)
3a. Address 5707 Southwest Parkway, Building 1, Suite 275 Austin TX	3b. Phone No. (include area code) (737)300-4700	9. API Well No. 30-025 45919
4. Location of Well (Report location clearly and in accordance with any State requirements. *) At surface LOT D / 230 FNL / 290 FWL / LAT 32.07894 / LONG -103.26062 At proposed prod. zone LOT D / 50 FNL / 200 FWL / LAT 32.10845 / LONG -103.26091		10. Field and Pool, or Exploratory JAL / WOLFCAMP WEST 33813
11. Sec., T. R. M. or Blk. and Survey or Area SEC 3 / T26S / R36E / NMP		
12. Distance in miles and direction from nearest town or post office* 5 miles		12. County or Parish LEA
13. State NM		
15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)	230 feet	16. No of acres in lease 1280
17. Spacing Unit dedicated to this well	320	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft.	8542 feet	19. Proposed Depth 11720 feet / 22661 feet
20. BLM/BIA Bond No. in file FED: NMB001478		
21. Elevations (Show whether DF, KDB, RT, GL, etc.) 2992 feet	22. Approximate date work will start* 03/01/2019	23. Estimated duration 90 days

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, and the Hydraulic Fracturing rule per 43 CFR 3162.3-3 (as applicable)

- |  |   |
|--|---|
| 1. Well plat certified by a registered surveyor.   | 4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above). |
| 2. A Drilling Plan.  | 5. Operator certification.  |
| 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office). | 6. Such other site specific information and/or plans as may be requested by the BLM.            |

25. Signature (Electronic Submission)	Name (Printed/Typed) Christie Hanna / Ph: (737)300-4723	Date 07/24/2018
Title Senior Engineering Technician		
Approved by (Signature) (Electronic Submission)	Name (Printed/Typed) Cody Layton / Ph: (575)234-5959	Date 04/24/2019
Title Assistant Field Manager Lands & Minerals		
Office CARLSBAD		

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

ECR Rec 05/09/19

APPROVED WITH CONDITIONS

K2  
05/09/19

(Continued on page 2)

\*(Instructions on page 2)

Approval Date: 04/19/2019

## INSTRUCTIONS

**GENERAL:** This form is designed for submitting proposals to perform certain well operations, as indicated on Federal and Indian lands and leases for action by appropriate Federal agencies, pursuant to applicable Federal laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from local Federal offices.

**ITEM 1:** If the proposal is to redrill to the same reservoir at a different subsurface location or to a new reservoir, use this form with appropriate notations. Consult applicable Federal regulations concerning subsequent work proposals or reports on the well.

**ITEM 4:** Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local Federal offices for specific instructions.

**ITEM 14:** Needed only when location of well cannot readily be found by road from the land or lease description. A plat, or plats, separate or on the reverse side, showing the roads to, and the surveyed location of, the well, and any other required information, should be furnished when required by Federal agency offices.

**ITEMS 15 AND 18:** If well is to be, or has been directionally drilled, give distances for subsurface location of hole in any present or objective productive zone.

**ITEM 22:** Consult applicable Federal regulations, or appropriate officials, concerning approval of the proposal before operations are started.

**ITEM 24:** If the proposal will involve hydraulic fracturing operations, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## NOTICES

The Privacy Act of 1974 and regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

**AUTHORITY:** 30 U.S.C. 181 et seq., 25 U.S.C. 396; 43 CFR 3160

**PRINCIPAL PURPOSES:** The information will be used to: (1) process and evaluate your application for a permit to drill a new oil, gas, or service well or to reenter a plugged and abandoned well; and (2) document, for administrative use, information for the management, disposal and use of National Resource Lands and resources including (a) analyzing your proposal to discover and extract the Federal or Indian resources encountered; (b) reviewing procedures and equipment and the projected impact on the land involved; and (c) evaluating the effects of the proposed operation on the surface and subsurface water and other environmental impacts.

**ROUTINE USE:** Information from the record and/or the record will be transferred to appropriate Federal, State, and local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecution, in connection with congressional inquiries and for regulatory responsibilities.

**EFFECT OF NOT PROVIDING INFORMATION:** Filing of this application and disclosure of the information is mandatory only if you elect to initiate a drilling or reentry operation on an oil and gas lease.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to allow evaluation of the technical, safety, and environmental factors involved with drilling for oil and/or gas on Federal and Indian oil and gas leases. This information will be used to analyze and approve applications. Response to this request is mandatory only if the operator elects to initiate drilling or reentry operations on an oil and gas lease. The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Connection Clearance Officer (WO-630), 1849 C Street, N.W., Mail Stop 401 LS, Washington, D.C. 20240.

## **Additional Operator Remarks**

### **Location of Well**

I. SHL: LOT D / 230 FNL / 290 FWL / TWSP: 26S / RANGE: 36E / SECTION: 3 / LAT: 32.07894 / LONG: -103.26062 ( TVD: 0 feet, MD: 0 feet )

PPP: SWSW / 0 FSL / 146 FWL / TWSP: 25S / RANGE: 36E / SECTION: 27 / LAT: 32.09408 / LONG: -103.26091 ( TVD: 11720 feet, MD: 17433 feet )

PPP: SWSW / 0 FSL / 235 FWL / TWSP: 25S / RANGE: 36E / SECTION: 34 / LAT: 32.09676 / LONG: -103.26078 ( TVD: 11703 feet, MD: 12185 feet )

BHL: LOT D / 50 FNL / 200 FWL / TWSP: 25S / RANGE: 36E / SECTION: 27 / LAT: 32.10845 / LONG: -103.26091 ( TVD: 11720 feet, MD: 22661 feet )

### **BLM Point of Contact**

Name: Tenille Ortiz

Title: Legal Instruments Examiner

Phone: 5752342224

Email: tortiz@blm.gov

---

---

**Approval Date: 04/19/2019**

(Form 3160-3, page 3)

## **Review and Appeal Rights**

A person contesting a decision shall request a State Director review. This request must be filed within 20 working days of receipt of the Notice with the appropriate State Director (see 43 CFR 3165.3). The State Director review decision may be appealed to the Interior Board of Land Appeals, 801 North Quincy Street, Suite 300, Arlington, VA 22203 (see 43 CFR 3165.4). Contact the above listed Bureau of Land Management office for further information.

---

---

**Approval Date: 04/19/2019**

(Form 3160-3, page 4)

## PECOS DISTRICT DRILLING CONDITIONS OF APPROVAL

OPERATOR'S NAME:	Ameredev Operating, LLC
LEASE NO.:	NMNM-136233
WELL NAME & NO.:	Juniper Fed Com 25 36 34 111H
SURFACE HOLE FOOTAGE:	0230' FNL & 0330' FWL
BOTTOM HOLE FOOTAGE:	0050' FNL & 0200' FWL Sec. 27, T. 25 S., R 36 E.
LOCATION:	Section 03, T. 26 S., R 36 E., NMPM
COUNTY:	County, New Mexico

**Submit new C-102 with correct well name.**

### **Communitization Agreement**

- The operator will submit a Communitization Agreement to the Carlsbad Field Office, 620 E Greene St. Carlsbad, New Mexico 88220, at least 90 days before the anticipated date of first production from a well subject to a spacing order issued by the New Mexico Oil Conservation Division. The Communitization Agreement will include the signatures of all working interest owners in all Federal and Indian leases subject to the Communitization Agreement (i.e., operating rights owners and lessees of record), or certification that the operator has obtained the written signatures of all such owners and will make those signatures available to the BLM immediately upon request.
- If the operator does not comply with this condition of approval, the BLM may take enforcement actions that include, but are not limited to, those specified in 43 CFR 3163.1.
- In addition, the well sign shall include the surface and bottom hole lease numbers. When the Communitization Agreement number is known, it shall also be on the sign.

### **A. DRILLING OPERATIONS REQUIREMENTS**

The BLM is to be notified in advance for a representative to witness:

- a. Spudding well (minimum of 24 hours)
- b. Setting and/or Cementing of all casing strings (minimum of 4 hours)
- c. BOPE tests (minimum of 4 hours)

☐ **Lea County**

Call the Hobbs Field Station, 414 West Taylor, Hobbs NM 88240,

(575) 3933612

1. **Hydrogen Sulfide (H<sub>2</sub>S) monitors shall be installed prior to drilling out the surface shoe. If H<sub>2</sub>S is detected in concentrations greater than 100 ppm, the Hydrogen Sulfide area shall meet Onshore Order 6 requirements, which includes equipment and personnel/public protection items. If Hydrogen Sulfide is encountered, provide measured values and formations to the BLM.**
2. Unless the production casing has been run and cemented or the well has been properly plugged, the drilling rig shall not be removed from over the hole without prior approval. **If the drilling rig is removed without approval – an Incident of Non-Compliance will be written and will be a “Major” violation.**
3. **Alternative when using skid/walking rig**  
**The operator has proposed to drill multiple wells utilizing a skid/walking rig. Operator shall secure the wellbore on the current well, after installing and testing the wellhead, by installing a blind flange of like pressure rating to the wellhead and a pressure gauge that can be monitored while drilling is performed on the other wells.**
4. **Option – Setting surface casing with Surface Rig**
  - a. Notify the BLM when removing the Surface Services Rig.
  - b. Notify the BLM when moving in the H&P Flex Rig. Rig to be moved in within 60 days of notification that Surface Rig has left the location. Failure to notify or have rig on location within 60 days will result in an Incident of Non-Compliance.
  - c. Once the H&P Flex Rig is on location, it shall not be removed from over the hole without prior approval unless the production casing has been run and cemented or the well has been properly plugged. **If the drilling rig is removed without approval – an Incident of Non-Compliance will be written and will be a “Major” violation.**
  - d. BOP/BOPE test to be conducted per Onshore Oil and Gas Order No. 2 as soon as H&P Flex Rig is rigged up on well. CIT for the surface casing shall be performed and results recorded on subsequent sundry – pressure to be 1200 psi.
5. Floor controls are required for 3M or Greater systems. These controls will be on the rig floor, unobstructed, readily accessible to the driller and will be operational at all times during drilling and/or completion activities. Rig floor is defined as the area immediately around the rotary table; the area immediately above the substructure on which the draw works is located, this does not include the dog house or stairway area.

6. The record of the drilling rate along with the GR/N well log run from TD to surface (horizontal well – vertical portion of hole) shall be submitted to the BLM office as well as all other logs run on the borehole 30 days from completion. If available, a digital copy of the logs is to be submitted in addition to the paper copies. The Rustler top and top and bottom of Salt are to be recorded on the Completion Report.

## **B. CASING**

Changes to the approved APD casing program need prior approval if the items substituted are of lesser grade or different casing size or are Non-API. The Operator can exchange the components of the proposal with that of superior strength (i.e. changing from J-55 to N-80, or from 36# to 40#). Changes to the approved cement program need prior approval if the altered cement plan has less volume or strength or if the changes are substantial (i.e. Multistage tool, ECP, etc.). The initial wellhead installed on the well will remain on the well with spools used as needed.

Centralizers required on surface casing per Onshore Order 2.III.B.1.f.

### **Wait on cement (WOC) for Water Basin:**

After cementing but before commencing any tests, the casing string shall stand cemented under pressure until both of the following conditions have been met: 1) cement reaches a minimum compressive strength of 500 psi at the shoe, 2) until cement has been in place at least 8 hours. WOC time will be recorded in the driller's log. See individual casing strings for details regarding lead cement slurry requirements.

Provide compressive strengths including hours to reach required 500 pounds compressive strength prior to cementing each casing string. Have well specific cement details onsite prior to pumping the cement for each casing string.

No pea gravel permitted for remedial or fall back remedial without prior authorization from the BLM engineer.

### **Capitan Reef**

Possible water flows in the Castile, Salado, and Capitan Reef.

**Possible lost circulation in the Rustler, Red Beds, and Delaware.**

**Abnormal pressures may be encountered within the 3rd Bone Spring and Wolfcamp Formations.**

**CASING DESIGN OPTION #1 (IF LOSS CIRCULATION OF 50% OR GREATER OCCURS ON THE 12-1/4" HOLE, OPERATOR WILL SWITCH TO THEIR CONTINGENCY FOUR STRING DESIGN):**

1. The 13-3/8 inch surface casing shall be set at approximately 1888 feet (a minimum of 25 feet into the Rustler Anhydrite and above the salt) and cemented to the surface. **If salt is encountered, set casing at least 25 feet above the salt.**
  - a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.
  - b. **Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry.**
  - c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
  - d. If cement falls back, remedial cementing will be done prior to drilling out that string.

**Formation below the 13-3/8" shoe to be tested according to Onshore Order**

**2.III.B.1.i. Test to be done as a mud equivalency test using the mud weight necessary for the pore pressure of the formation below the shoe and the mud weight for the bottom of the hole. Report results to BLM office.**

**9-5/8" Intermediate casing shall be kept fluid filled while running into hole to meet BLM minimum collapse requirements.**

**IF LOSS CIRCULATION OF 50% OR GREATER OCCURS ON THE 12-1/4"**



**HOLE, OPERATOR WILL SWITCH TO THEIR CONTINGENCY FOUR STRING DESIGN**

**Special Capitan Reef requirements:**

**If lost circulation (50% or greater) occurs below the Base of the Salt, the operator shall do the following in addition to switching to their four string contingency design:**

- **Switch to fresh water mud to protect the Capitan Reef and use fresh water mud until setting the intermediate casing. The appropriate BLM office is to be notified for a PET to witness the switch to fresh water.**
  - **Daily drilling reports from the Base of the Salt to the setting of the intermediate casing are to be submitted to the BLM CFO engineering staff via e-mail by 0800 hours each morning. Any lost circulation encountered is to be recorded on these drilling reports. The daily drilling report should show mud volume per shift/tour. Failure to submit these reports will result in an Incidence of Non-Compliance being issued for failure to comply with the Conditions of Approval. If not already planned, the operator shall run a caliper survey for the intermediate well bore and submit to the appropriate BLM office.**
2. **The minimum required fill of cement behind the 9-5/8 inch intermediate casing, which shall be set at 10,670 feet, is:**

**Operator has proposed DV tool at depth of 5013', but will adjust cement proportionately if moved. DV tool shall be set a minimum of 50' below previous shoe and a minimum of 200' above current shoe. Operator shall submit sundry if DV tool depth cannot be set in this range. If an ECP is used, it is to be set a minimum of 50' below the shoe to provide cement across the shoe. If it cannot be set below the shoe, a CBL shall be run to verify cement coverage.**

a. First stage to DV tool:\_\_\_

- ☒ Cement to circulate. If cement does not circulate, contact the appropriate BLM office before proceeding with second stage cement job. Operator should have plans as to how they will achieve circulation on the next stage. **Excess calculates to 9% - Additional cement may be required**

b. Second stage above DV tool:

- ☐ Cement to surface. If cement does not circulate, contact the appropriate BLM office. **Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry due to Capitan Reef.**

**Formation below the 9-5/8" shoe to be tested according to Onshore Order 2.III.B.1.i. Test to be done as a mud equivalency test using the mud weight necessary for the pore pressure of the formation below the shoe (not the mud weight required to prevent dissolving the salt formation) and the mud weight for the bottom of the hole. Report results to BLM office.**

**Centralizers required through the curve and a minimum of one every other joint.**

3. The minimum required fill of cement behind the 5-1/2 inch production casing is:

- ☐ Cement should tie-back at least **50 feet above the Capitan Reef** (Top of Capitan Reef estimated at 3734'). Operator shall provide method of verification.

**CONTINGENCY CASING DESIGN OPTION #2 (IF LOSS CIRCULATION OF 50% OR GREATER OCCURS ON THE 12-1/4" HOLE, OPERATOR WILL SWITCH TO THIS FOUR STRING DESIGN):**

1. The **13-3/8 inch** surface casing shall be set at approximately **1888 feet** (a minimum of 25 feet into the Rustler Anhydrite and above the salt) and cemented to the surface. **If salt is encountered, set casing at least 25 feet above the salt.**

- a. If cement does not circulate to the surface, the appropriate BLM office shall be notified and a temperature survey utilizing an electronic type temperature

survey with surface log readout will be used or a cement bond log shall be run to verify the top of the cement. Temperature survey will be run a minimum of six hours after pumping cement and ideally between 8-10 hours after completing the cement job.

- b. **Wait on cement (WOC) time for a primary cement job is to include the lead cement slurry.**
- c. Wait on cement (WOC) time for a remedial job will be a minimum of 4 hours after bringing cement to surface or 500 pounds compressive strength, whichever is greater.
- d. If cement falls back, remedial cementing will be done prior to drilling out that string.

**Formation below the 13-3/8" shoe to be tested according to Onshore Order**

**2.III.B.1.i. Test to be done as a mud equivalency test using the mud weight necessary for the pore pressure of the formation below the shoe and the mud weight for the bottom of the hole. Report results to BLM office.**

- 2. The minimum required fill of cement behind the 9-5/8 inch intermediate casing, which shall be set at **5013** feet, is:

**Operator has proposed DV tool at depth of 3262', but will adjust cement proportionately if moved. DV tool shall be set a minimum of 50' below previous shoe and a minimum of 200' above current shoe. Operator shall submit sundry if DV tool depth cannot be set in this range. If an ECP is used, it is to be set a minimum of 50' below the shoe to provide cement across the shoe. If it cannot be set below the shoe, a CBL shall be run to verify cement coverage.**

- a. First stage to DV tool: \_\_\_\_
  - ☒ Cement to circulate. If cement does not circulate, contact the appropriate BLM office before proceeding with second stage cement job. Operator should have plans as to how they will achieve circulation on the next stage.
- b. Second stage above DV tool:
  - ☐ Cement to surface. If cement does not circulate, contact the appropriate BLM office. **Wait on cement (WOC) time for a primary cement job is to**

**include the lead cement slurry due to Capitan Reef. Excess calculates to 20% - Additional cement may be required**

**Formation below the 9-5/8" shoe to be tested according to Onshore Order 2.III.B.1.i. Test to be done as a mud equivalency test using the mud weight necessary for the pore pressure of the formation below the shoe (not the mud weight required to prevent dissolving the salt formation) and the mud weight for the bottom of the hole. Report results to BLM office.**

**7-5/8" Intermediate casing shall be kept fluid filled while running into hole to meet BLM minimum collapse requirements.**

3. The minimum required fill of cement behind the 7-5/8 inch intermediate casing is:

- ☐ Cement to surface. If cement does not circulate, contact the appropriate BLM office. Excess calculates to 14% - Additional cement may be required

**Formation below the 7-5/8" shoe to be tested according to Onshore Order 2.III.B.1.i. Test to be done as a mud equivalency test using the mud weight necessary for the pore pressure of the formation below the shoe and the mud weight for the bottom of the hole. Report results to BLM office**

4. The minimum required fill of cement behind the 5-1/2 inch production casing is:

- ☐ Cement should tie-back at least 50 feet above the Capitan Reef (Top of Capitan Reef estimated at 3734'). Operator shall provide method of verification.

5. If hardband drill pipe is rotated inside casing, returns will be monitored for metal. If metal is found in samples, drill pipe will be pulled and rubber protectors which have a larger diameter than the tool joints of the drill pipe will be installed prior to continuing drilling operations.

#### **C. PRESSURE CONTROL**

1. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API 53.

2. Variance approved to use flex line from BOP to choke manifold. Check condition of flexible line from BOP to choke manifold, replace if exterior is damaged or if line fails test. Line to be as straight as possible with no hard bends and is to be anchored according to Manufacturer's requirements. The flexible hose can be exchanged with a hose of equal size and equal or greater pressure rating. **Anchor requirements, specification sheet and hydrostatic pressure test certification matching the hose in service, to be onsite for review. These documents shall be posted in the company man's trailer and on the rig floor.** If the BLM inspector questions the straightness of the hose, a BLM engineer will be contacted and will review in the field or via picture supplied by inspector to determine if changes are required (operator shall expect delays if this occurs).
3. **Operator has proposed a multi-bowl wellhead assembly. This assembly will only be tested when installed on the surface casing. Minimum working pressure of the blowout preventer (BOP) and related equipment (BOPE) required for drilling below the surface casing shoe shall be psi.**
  - a. **Wellhead shall be installed by manufacturer's representatives, submit documentation with subsequent sundry.**
  - b. **If the welding is performed by a third party, the manufacturer's representative shall monitor the temperature to verify that it does not exceed the maximum temperature of the seal.**
  - c. **Manufacturer representative shall install the test plug for the initial BOP test.**
  - d. **Operator shall perform the intermediate casing integrity test to 70% of the casing burst. This will test the multi-bowl seals.**
  - e. **Operator shall perform the 9-5/8" and 7-5/8" casing integrity tests to 70% of the casing burst. This will test the multi-bowl seals.**
  - f. **If the cement does not circulate and one inch operations would have been possible with a standard wellhead, the well head shall be cut off, cementing operations performed and another wellhead installed.**

**Variance approved to use a 5M annular. The annular must be tested to full working pressure (5000 psi.)**

**10M system requires an HCR valve, remote kill line and annular to match. The remote kill line is to be installed prior to testing the system and tested to stack pressure.**

4. **The appropriate BLM office shall be notified a minimum of hours in advance for a representative to witness the tests.**

- a. In a water basin, for all casing strings utilizing slips, these are to be set as soon as the crew and rig are ready and any fallback cement remediation has been done. The casing cut-off and BOP installation can be initiated four hours after installing the slips, which will be approximately six hours after bumping the plug. For those casing strings not using slips, the minimum wait time before cut-off is eight hours after bumping the plug. BOP/BOPE testing can begin after cut-off or once cement reaches 500 psi compressive strength (including lead when specified), whichever is greater. However, if the float does not hold, cut-off cannot be initiated until cement reaches 500 psi compressive strength (including lead when specified).
- a. The tests shall be done by an independent service company utilizing a test plug **not a cup or J-packer**.
- b. The test shall be run on a 5000 psi chart for a 2-3M BOP/BOP, on a 10000 psi chart for a 5M BOP/BOPE and on a 15000 psi chart for a 10M BOP/BOPE. If a linear chart is used, it shall be a one hour chart. A circular chart shall have a maximum 2 hour clock. If a twelve hour or twenty-four hour chart is used, tester shall make a notation that it is run with a two hour clock.
- c. The results of the test shall be reported to the appropriate BLM office.
- d. All tests are required to be recorded on a calibrated test chart. **A copy of the BOP/BOPE test chart and a copy of independent service company test will be submitted to the appropriate BLM office.**
- e. The BOP/BOPE test shall include a low pressure test from 250 to 300 psi. The test will be held for a minimum of 10 minutes if test is done with a test plug and 30 minutes without a test plug. This test shall be performed prior to the test at full stack pressure.
- f. BOP/BOPE must be tested by an independent service company within 500 feet of the top of the **Wolfcamp** formation if the time between the setting of the intermediate casing and reaching this depth exceeds 20 days. This test does not exclude the test prior to drilling out the casing shoe as per Onshore Order No. 2.

#### **D. DRILLING MUD**

Mud system monitoring equipment, with derrick floor indicators and visual and audio alarms, shall be operating before drilling into the **Wolfcamp** formation, and shall be used until production casing is run and cemented.

**E. DRILL STEM TEST**

If drill stem tests are performed, Onshore Order 2.III.D shall be followed.

**F. WASTE MATERIAL AND FLUIDS**

All waste (i.e. drilling fluids, trash, salts, chemicals, sewage, gray water, etc.) created as a result of drilling operations and completion operations shall be safely contained and disposed of properly at a waste disposal facility. No waste material or fluid shall be disposed of on the well location or surrounding area.

Porto-johns and trash containers will be on-location during fracturing operations or any other crew-intensive operations.

**JAM 041119**

**PECOS DISTRICT  
SURFACE USE  
CONDITIONS OF APPROVAL**

OPERATOR'S NAME:	AMEREDEV OPERATING LLC
LEASE NO.:	NMNM 137804
WELL NAME & NO.:	JUNIPER FED COM 25 36 34 111H
SURFACE HOLE FOOTAGE:	230'/N & 290'/W
BOTTOM HOLE FOOTAGE:	200'/N & 380'/W
LOCATION:	SECTION 3, T25S, R36E, NMPM
COUNTY:	LEA

**TABLE OF CONTENTS**

Standard Conditions of Approval (COA) apply to this APD. If any deviations to these standards exist or special COAs are required, the section with the deviation or requirement will be checked below.

- ☐ **General Provisions**
- ☐ **Permit Expiration**
- ☐ **Archaeology, Paleontology, and Historical Sites**
- ☐ **Noxious Weeds**
- ☐ **Special Requirements**
  - Hydrology
- ☐ **Construction**
  - Notification
  - Topsoil
  - Closed Loop System
  - Federal Mineral Material Pits
  - Well Pads
  - Roads
- ☐ **Road Section Diagram**
- ☐ **Production (Post Drilling)**
  - Well Structures & Facilities
  - Pipelines
  - Electric Lines
- ☐ **Interim Reclamation**
- ☐ **Final Abandonment & Reclamation**



## **I. GENERAL PROVISIONS**

The approval of the Application For Permit To Drill (APD) is in compliance with all applicable laws and regulations: 43 Code of Federal Regulations 3160, the lease terms, Onshore Oil and Gas Orders, Notices To Lessees, New Mexico Oil Conservation Division (NMOCD) Rules, National Historical Preservation Act As Amended, and instructions and orders of the Authorized Officer. Any request for a variance shall be submitted to the Authorized Officer on Form 3160-5, Sundry Notices and Report on Wells.

## **II. PERMIT EXPIRATION**

If the permit terminates prior to drilling and drilling cannot be commenced within 60 days after expiration, an operator is required to submit Form 3160-5, Sundry Notices and Reports on Wells, requesting surface reclamation requirements for any surface disturbance. However, if the operator will be able to initiate drilling within 60 days after the expiration of the permit, the operator must have set the conductor pipe in order to allow for an extension of 60 days beyond the expiration date of the APD. (Filing of a Sundry Notice is required for this 60 day extension.)

## **III. ARCHAEOLOGICAL, PALEONTOLOGY & HISTORICAL SITES**

Any cultural and/or paleontological resource discovered by the operator or by any person working on the operator's behalf shall immediately report such findings to the Authorized Officer. The operator is fully accountable for the actions of their contractors and subcontractors. The operator shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery shall be made by the Authorized Officer to determine the appropriate actions that shall be required to prevent the loss of significant cultural or scientific values of the discovery. The operator shall be held responsible for the cost of the proper mitigation measures that the Authorized Officer assesses after consultation with the operator on the evaluation and decisions of the discovery. Any unauthorized collection or disturbance of cultural or paleontological resources may result in a shutdown order by the Authorized Officer.

## **IV. NOXIOUS WEEDS**

The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes the roads, pads, associated pipeline corridor, and adjacent land affected by the establishment of weeds due to this action. The operator shall consult

**Approval Date: 04/19/2019**

with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

**Approval Date: 04/19/2019**

## **V. SPECIAL REQUIREMENT(S)**

### **Hydrology:**

Tank battery locations will be lined and bermed. A 20 mil permanent liner will be installed with a 4 oz. felt backing to prevent tears or punctures. Tank battery berms must be large enough to contain 1 ½ times the content of the largest tank or 24 hour production, whichever is greater. Automatic shut off, check valves, or similar systems will be installed for tanks to minimize the effects of catastrophic line failures used in production or drilling.

A leak detection plan will be submitted to the BLM Carlsbad Field Office for approval prior to pipeline installation. The method could incorporate gauges to detect pressure drops, situating valves and lines so they can be visually inspected periodically or installing electronic sensors to alarm when a leak is present. The leak detection plan will incorporate an automatic shut off system that will be installed for proposed pipelines to minimize the effects of an undesirable event.

Electric Lines: Any water erosion that may occur due to the construction of overhead electric line and during the life of the power line will be quickly corrected and proper measures will be taken to prevent future erosion.

**Approval Date: 04/19/2019**

## **VI. CONSTRUCTION**

### **A. NOTIFICATION**

The BLM shall administer compliance and monitor construction of the access road and well pad. Notify the at least 3 working days prior to commencing construction of the access road and/or well pad.

When construction operations are being conducted on this well, the operator shall have the approved APD and Conditions of Approval (COA) on the well site and they shall be made available upon request by the Authorized Officer.

### **B. TOPSOIL**

The operator shall strip the top portion of the soil (root zone) from the entire well pad area and stockpile the topsoil along the edge of the well pad as depicted in the APD. The root zone is typically six (6) inches in depth. All the stockpiled topsoil will be redistributed over the interim reclamation areas. Topsoil shall not be used for berming the pad or facilities. For final reclamation, the topsoil shall be spread over the entire pad area for seeding preparation.

Other subsoil (below six inches) stockpiles must be completely segregated from the topsoil stockpile. Large rocks or subsoil clods (not evident in the surrounding terrain) must be buried within the approved area for interim and final reclamation.

### **C. CLOSED LOOP SYSTEM**

Tanks are required for drilling operations: No Pits.

The operator shall properly dispose of drilling contents at an authorized disposal site.

### **D. FEDERAL MINERAL MATERIALS PIT**

Payment shall be made to the BLM prior to removal of any federal mineral materials. Call the .

### **E. WELL PAD SURFACING**

Surfacing of the well pad is not required.

If the operator elects to surface the well pad, the surfacing material may be required to be removed at the time of reclamation. The well pad shall be constructed in a manner which

**Approval Date: 04/19/2019**

creates the smallest possible surface disturbance, consistent with safety and operational needs.

#### **F. EXCLOSURE FENCING (CELLARS & PITS)**

##### **Exclosure Fencing**

The operator will install and maintain exclosure fencing for all open well cellars to prevent access to public, livestock, and large forms of wildlife before and after drilling operations until the pit is free of fluids and the operator initiates backfilling. (For examples of exclosure fencing design, refer to BLM's Oil and Gas Gold Book, Exclosure Fence Illustrations, Figure 1, Page 18.)

#### **G. ON LEASE ACCESS ROADS**

##### **Road Width**

The access road shall have a driving surface that creates the smallest possible surface disturbance and does not exceed fourteen (14) feet in width. The maximum width of surface disturbance, when constructing the access road, shall not exceed twenty-five (25) feet.

##### **Surfacing**

Surfacing material is not required on the new access road driving surface. If the operator elects to surface the new access road or pad, the surfacing material may be required to be removed at the time of reclamation.

Where possible, no improvements should be made on the unsurfaced access road other than to remove vegetation as necessary, road irregularities, safety issues, or to fill low areas that may sustain standing water.

The Authorized Officer reserves the right to require surfacing of any portion of the access road at any time deemed necessary. Surfacing may be required in the event the road deteriorates, erodes, road traffic increases, or it is determined to be beneficial for future field development. The surfacing depth and type of material will be determined at the time of notification.

##### **Crowning**

Crowning shall be done on the access road driving surface. The road crown shall have a grade of approximately 2% (i.e., a 1" crown on a 14' wide road). The road shall conform to Figure 1; cross section and plans for typical road construction.

##### **Ditching**

Ditching shall be required on both sides of the road.

##### **Turnouts**


**Approval Date: 04/19/2019**

Vehicle turnouts shall be constructed on the road. Turnouts shall be intervisible with interval spacing distance less than 1000 feet. Turnouts shall conform to Figure 1; cross section and plans for typical road construction.

### **Drainage**

Drainage control systems shall be constructed on the entire length of road (e.g. ditches, sidehill outloping and insloping, leadoff ditches, culvert installation, and low water crossings).

A typical lead-off ditch has a minimum depth of 1 foot below and a berm of 6 inches above natural ground level. The berm shall be on the down-slope side of the lead-off ditch.



All lead-off ditches shall be graded to drain water with a 1 percent minimum to 3 percent maximum ditch slope. The spacing interval are variable for lead-off ditches and shall be determined according to the formula for spacing intervals of lead-off ditches, but may be amended depending upon existing soil types and centerline road slope (in %);

### **Cattle guards**

An appropriately sized cattle guard sufficient to carry out the project shall be installed and maintained at fence/road crossings. Any existing cattle guards on the access road route shall be repaired or replaced if they are damaged or have deteriorated beyond practical use. The operator shall be responsible for the condition of the existing cattle guards that are in place and are utilized during lease operations.

### **Fence Requirement**

Where entry is granted across a fence line, the fence shall be braced and tied off on both sides of the passageway prior to cutting. The operator shall notify the private surface landowner or the grazing allotment holder prior to crossing any fences.

### **Public Access**

**Approval Date: 04/19/2019**


Public access on this road shall not be restricted by the operator without specific written approval granted by the Authorized Officer.

**Approval Date: 04/19/2019**


### Construction Steps

1. Salvage topsoil
2. Construct road


3. Redistribute topsoil
4. Revegetate slopes




**Typical Turnout Plan**



**Level Ground Section**



**Side Hill Section**



**Figure 1. Cross-sections and plans for typical road sections representative of BLM resource or FS local and higher-class roads.**

Approval Date: 04/19/2019



## **VII. PRODUCTION (POST DRILLING)**

### **A. WELL STRUCTURES & FACILITIES**

#### **Placement of Production Facilities**

Production facilities should be placed on the well pad to allow for maximum interim recontouring and revegetation of the well location.

#### **Exclosure Netting (Open-top Tanks)**

Immediately following active drilling or completion operations, the operator will take actions necessary to prevent wildlife and livestock access, including avian wildlife, to all open-topped tanks that contain or have the potential to contain salinity sufficient to cause harm to wildlife or livestock, hydrocarbons, or Resource Conservation and Recovery Act of 1976-exempt hazardous substances. At a minimum, the operator will net, screen, or cover open-topped tanks to exclude wildlife and livestock and prevent mortality. If the operator uses netting, the operator will cover and secure the open portion of the tank to prevent wildlife entry. The operator will net, screen, or cover the tanks until the operator removes the tanks from the location or the tanks no longer contain substances that could be harmful to wildlife or livestock. Use a maximum netting mesh size of 1 ½ inches. The netting must not be in contact with fluids and must not have holes or gaps.

#### **Chemical and Fuel Secondary Containment and Exclosure Screening**

The operator will prevent all hazardous, poisonous, flammable, and toxic substances from coming into contact with soil and water. At a minimum, the operator will install and maintain an impervious secondary containment system for any tank or barrel containing hazardous, poisonous, flammable, or toxic substances sufficient to contain the contents of the tank or barrel and any drips, leaks, and anticipated precipitation. The operator will dispose of fluids within the containment system that do not meet applicable state or U. S. Environmental Protection Agency livestock water standards in accordance with state law; the operator must not drain the fluids to the soil or ground. The operator will design, construct, and maintain all secondary containment systems to prevent wildlife and livestock exposure to harmful substances. At a minimum, the operator will install effective wildlife and livestock exclosure systems such as fencing, netting, expanded metal mesh, lids, and grate covers. Use a maximum netting mesh size of 1 ½ inches.

#### **Open-Vent Exhaust Stack Exclosures**

The operator will construct, modify, equip, and maintain all open-vent exhaust stacks on production equipment to prevent birds and bats from entering, and to discourage perching, roosting, and nesting. (*Recommended exclosure structures on open-vent exhaust stacks are in the shape of a cone.*) Production equipment includes, but may not be limited to, tanks, heater-treaters, separators, dehydrators, flare stacks, in-line units, and compressor mufflers.

#### **Containment Structures**

**Approval Date: 04/19/2019**

Proposed production facilities such as storage tanks and other vessels will have a secondary containment structure that is constructed to hold the capacity of 1.5 times the largest tank, plus freeboard to account for precipitation, unless more stringent protective requirements are deemed necessary.

#### **Painting Requirement**

All above-ground structures including meter housing that are not subject to safety requirements shall be painted a flat non-reflective paint color, **Shale Green** from the BLM Standard Environmental Color Chart (CC-001: June 2008).

### **B. PIPELINES**

#### **BURIED PIPELINE STIPULATIONS**

A copy of the application (Grant, APD, or Sundry Notice) and attachments, including conditions of approval, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The Holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
2. The Holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way.

**Approval Date: 04/19/2019**

This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.

4. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil or other pollutant, wherever found, shall be the responsibility of holder, regardless of fault. Upon failure of holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve holder of any responsibility as provided herein.

5. All construction and maintenance activity will be confined to the authorized right-of-way.

6. The pipeline will be buried with a minimum cover of 36 inches between the top of the pipe and ground level.

7. The maximum allowable disturbance for construction in this right-of-way will be 30 feet:

- Blading of vegetation within the right-of-way will be allowed: maximum width of blading operations will not exceed 20 feet. The trench is included in this area. (*Blading is defined as the complete removal of brush and ground vegetation.*)
- Clearing of brush species within the right-of-way will be allowed: maximum width of clearing operations will not exceed 30 feet. The trench and bladed area are included in this area. (*Clearing is defined as the removal of brush while leaving ground vegetation (grasses, weeds, etc.) intact. Clearing is best accomplished by holding the blade 4 to 6 inches above the ground surface.*)
- The remaining area of the right-of-way (if any) shall only be disturbed by compressing the vegetation. (*Compressing can be caused by vehicle tires, placement of equipment, etc.*)

8. The holder shall stockpile an adequate amount of topsoil where blading is allowed. The topsoil to be stripped is approximately 6 inches in depth. The topsoil will be segregated from other spoil piles from trench construction. The topsoil will be evenly distributed over the bladed area for the preparation of seeding.

**Approval Date: 04/19/2019**

9. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

10. Vegetation, soil, and rocks left as a result of construction or maintenance activity will be randomly scattered on this right-of-way and will not be left in rows, piles, or berms, unless otherwise approved by the Authorized Officer. The entire right-of-way shall be recontoured to match the surrounding landscape. The backfilled soil shall be compacted and a 6 inch berm will be left over the ditch line to allow for settling back to grade.

11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.

12. The holder will reseed all disturbed areas. Seeding will be done according to the attached seeding requirements, using the following seed mix.

- |  |  |
|--|--|
| <input type="checkbox"/> seed mixture 1            | <input type="checkbox"/> seed mixture 3          |
| <input checked="" type="checkbox"/> seed mixture 2 | <input type="checkbox"/> seed mixture 4          |
| <input type="checkbox"/> seed mixture 2/LPC        | <input type="checkbox"/> Aplomado Falcon Mixture |

13. All above-ground structures not subject to safety requirements shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be color which simulates "Standard Environmental Colors" – **Shale Green**, Munsell Soil Color No. 5Y 4/2.

14. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. All signs and information thereon will be posted in a permanent, conspicuous manner, and will be maintained in a legible condition for the life of the pipeline.

15. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder before maintenance begins. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway. As determined necessary during the life of the pipeline, the Authorized Officer may ask the holder to construct temporary deterrence structures.

**Approval Date: 04/19/2019**

16. Any cultural and/or paleontological resources (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

17. The operator shall be held responsible if noxious weeds become established within the areas of operations. Weed control shall be required on the disturbed land where noxious weeds exist, which includes associated roads, pipeline corridor and adjacent land affected by the establishment of weeds due to this action. The operator shall consult with the Authorized Officer for acceptable weed control methods, which include following EPA and BLM requirements and policies.

18. Escape Ramps - The operator will construct and maintain pipeline/utility trenches [that are not otherwise fenced, screened, or netted] to prevent livestock, wildlife, and humans from becoming entrapped. At a minimum, the operator will construct and maintain escape ramps, ladders, or other methods of avian and terrestrial wildlife escape in the trenches according to the following criteria:

- a. Any trench left open for eight (8) hours or less is not required to have escape ramps; however, before the trench is backfilled, the contractor/operator shall inspect the trench for wildlife, remove all trapped wildlife, and release them at least 100 yards from the trench.
- b. For trenches left open for eight (8) hours or more, earthen escape ramps (built at no more than a 30 degree slope and spaced no more than 500 feet apart) shall be placed in the trench.

### **C. ELECTRIC LINES**

#### **STANDARD STIPULATIONS FOR OVERHEAD ELECTRIC DISTRIBUTION LINES**

**A copy of the grant and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.**

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.

**Approval Date: 04/19/2019**

2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
4. There will be no clearing or blading of the right-of-way unless otherwise agreed to in writing by the Authorized Officer.
5. Power lines shall be constructed and designed in accordance to standards outlined in "Suggested Practices for Avian Protection on Power lines: The State of the Art in 2006" Edison Electric Institute, APLIC, and the California Energy Commission 2006 . The holder shall assume the burden and expense of proving that pole designs not shown in the above publication deter raptor perching, roosting, and nesting. Such proof shall be provided by a raptor expert approved by the Authorized Officer. The BLM reserves the right to require modification or additions to all powerline structures placed on this right-of-way, should they be necessary to ensure the safety of large perching birds. Such modifications and/or additions shall be made by the holder without liability or expense to the United States.
- Raptor deterrence will consist of but not limited to the following: triangle perch discouragers shall be placed on each side of the cross arms and a nonconductive perching deterrence shall be placed on all vertical poles that extend past the cross arms.
6. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The

**Approval Date: 04/19/2019**

holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a fence line, the fence shall be braced on both sides of the passageway prior to cutting the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

7. The BLM serial number assigned to this authorization shall be posted in a permanent, conspicuous manner where the power line crosses roads and at all serviced facilities. Numbers will be at least two inches high and will be affixed to the pole nearest the road crossing and at the facilities served.

8. Upon cancellation, relinquishment, or expiration of this grant, the holder shall comply with those abandonment procedures as prescribed by the Authorized Officer.

9. All surface structures (poles, lines, transformers, etc.) shall be removed within 180 days of abandonment, relinquishment, or termination of use of the serviced facility or facilities or within 180 days of abandonment, relinquishment, cancellation, or expiration of this grant, whichever comes first. This will not apply where the power line extends service to an active, adjoining facility or facilities.

10. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his behalf, on public or Federal land shall be immediately reported to the Authorized Officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the Authorized Officer. An evaluation of the discovery will be made by the Authorized Officer to determine appropriate actions to prevent the loss of significant cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the Authorized Officer after consulting with the holder.

11. Special Stipulations:

- For reclamation remove poles, lines, transformer, etc. and dispose of properly.
- Fill in any holes from the poles removed.

## **VIII. INTERIM RECLAMATION**

During the life of the development, all disturbed areas not needed for active support of production operations should undergo interim reclamation in order to minimize the environmental impacts of development on other resources and uses.

**Approval Date: 04/19/2019**

Within six (6) months of well completion, operators should work with BLM surface management specialists (Jim Amos: 575-234-5909) to devise the best strategies to reduce the size of the location. Interim reclamation should allow for remedial well operations, as well as safe and efficient removal of oil and gas.

During reclamation, the removal of caliche is important to increasing the success of revegetating the site. Removed caliche that is free of contaminants may be used for road repairs, fire walls or for building other roads and locations. In order to operate the well or complete workover operations, it may be necessary to drive, park and operate on restored interim vegetation within the previously disturbed area. Disturbing revegetated areas for production or workover operations will be allowed. If there is significant disturbance and loss of vegetation, the area will need to be revegetated. Communicate with the appropriate BLM office for any exceptions/exemptions if needed.

All disturbed areas after they have been satisfactorily prepared need to be reseeded with the seed mixture provided below.

Upon completion of interim reclamation, the operator shall submit a Sundry Notices and Reports on Wells, Subsequent Report of Reclamation (Form 3160-5).

## **IX. FINAL ABANDONMENT & RECLAMATION**

At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land are restored.

Earthwork for final reclamation must be completed within six (6) months of well plugging. All pads, pits, facility locations and roads must be reclaimed to a satisfactory revegetated, safe, and stable condition, unless an agreement is made with the landowner or BLM to keep the road and/or pad intact.

After all disturbed areas have been satisfactorily prepared, these areas need to be revegetated with the seed mixture provided below. Seeding should be accomplished by drilling on the contour whenever practical or by other approved methods. Seeding may need to be repeated until revegetation is successful, as determined by the BLM.

Operators shall contact a BLM surface protection specialist prior to surface abandonment operations for site specific objectives (Jim Amos: 575-234-5909).

### **Seed Mixture 2, for Sandy Sites**

The holder shall seed all disturbed areas with the seed mixture listed below. The seed mixture shall be planted in the amounts specified in pounds of pure live seed (PLS)\* per acre. There shall be no primary or secondary noxious weeds in the seed mixture. Seed

**Approval Date: 04/19/2019**



will be tested and the viability testing of seed will be done in accordance with State law (s) and within nine (9) months prior to purchase. Commercial seed will be either certified or registered seed. The seed container will be tagged in accordance with State law(s) and available for inspection by the authorized officer.

Seed will be planted using a drill equipped with a depth regulator to ensure proper depth of planting where drilling is possible. The seed mixture will be evenly and uniformly planted over the disturbed area (smaller/heavier seeds have a tendency to drop the bottom of the drill and are planted first). The holder shall take appropriate measures to ensure this does not occur. Where drilling is not possible, seed will be broadcast and the area shall be raked or chained to cover the seed. When broadcasting the seed, the pounds per acre are to be doubled. The seeding will be repeated until a satisfactory stand is established as determined by the authorized officer. Evaluation of growth will not be made before completion of at least one full growing season after seeding.

Species to be planted in pounds of pure live seed\* per acre:

<u>Species</u>	<u>lb/acre</u>
Sand dropseed ( <i>Sporobolus cryptandrus</i> )	1.0
Sand love grass ( <i>Eragrostis trichodes</i> )	1.0
Plains bristlegrass ( <i>Setaria macrostachya</i> )	2.0

\*Pounds of pure live seed:

Pounds of seed x percent purity x percent germination = pounds pure live seed

**Approval Date: 04/19/2019**



U.S. Department of the Interior  
BUREAU OF LAND MANAGEMENT

## APD Print Report

04/29/2019

APD ID: 10400031759

Submission Date: 07/24/2018

Operator Name: AMEREDEV OPERATING LLC

Federal/Indian APD: FED

Well Name: JUNIPER FED COM 25 36 34

Well Number: 111H

[Show Final Text](#)

Well Type: OIL WELL

Well Work Type: Drill

### Application

#### Section 1 - General

APD ID: 10400031759

Tie to previous NOS? 10400024490

Submission Date: 07/24/2018

BLM Office: CARLSBAD

User: Christie Hanna

Title: Senior Engineering Technician

Federal/Indian APD: FED

Is the first lease penetrated for production Federal or Indian? FED

Lease number: NMNM136233

Lease Acres: 1280

Surface access agreement in place?

Allotted?

Reservation:

Agreement in place? NO

Federal or Indian agreement:

Agreement number:

Agreement name:

Keep application confidential? NO

Permitting Agent? NO

APD Operator: AMEREDEV OPERATING LLC

Operator letter of designation:

#### Operator Info

Operator Organization Name: AMEREDEV OPERATING LLC

Operator Address: 5707 Southwest Parkway, Building 1, Suite 275

Zip: 78735

Operator PO Box:

Operator City: Austin

State: TX

Operator Phone: (737)300-4700

Operator Internet Address:

#### Section 2 - Well Information

Well in Master Development Plan? NO

Master Development Plan name:

Well in Master SUPO? NO

Master SUPO name:

Well in Master Drilling Plan? NO

Master Drilling Plan name:

Approval Date: 04/19/2019

Page 1 of 23

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Well API Number:**

**Field/Pool or Exploratory?** Field and Pool

**Field Name:** JAL

**Pool Name:** WOLFCAMP  
WEST

**Is the proposed well in an area containing other mineral resources?** USEABLE WATER,NATURAL GAS,CO2,OIL

**Describe other minerals:**

**Is the proposed well in a Helium production area?** N

**Use Existing Well Pad?** NO

**New surface disturbance?**

**Type of Well Pad:** MULTIPLE WELL

**Multiple Well Pad Name:**

**Number:** 111H

**Well Class:** HORIZONTAL

JUNIPER

**Number of Legs:** 1

**Well Work Type:** Drill

**Well Type:** OIL WELL

**Describe Well Type:**

**Well sub-Type:** INFILL

**Describe sub-type:**

**Distance to town:** 5 Miles

**Distance to nearest well:** 8542 FT

**Distance to lease line:** 230 FT

**Reservoir well spacing assigned acres Measurement:** 320 Acres

**Well plat:** Juniper\_Fed\_Com\_25\_36\_34\_111H\_\_Gas\_Capture\_Plan\_20180629090909.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_121H\_\_BLM\_LEASE\_MAP\_20190205075500.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_121H\_\_C\_102\_REV\_SIG\_20190205075501.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_121H\_\_EXH\_2AB\_20190205075501.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_121H\_\_VICINITY\_MAP\_20190205075502.pdf

**Well work start Date:** 03/01/2019

**Duration:** 90 DAYS

### Section 3 - Well Location Table

**Survey Type:** RECTANGULAR

**Describe Survey Type:**

**Datum:** NAD83

**Vertical Datum:** NAVD88


**Survey number:** 18329

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD
SHL Leg #1	230	FNL	290	FWL	26S	36E	3	Lot D	32.07894	- 103.2606 2	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 137804	299 2	0	0

Approval Date: 04/19/2019

Page 2 of 23

# LOCATION & ELEVATION VERIFICATION MAP



## AMEREDEV

AMEREDEV OPERATING, LLC

LEASE NAME & WELL NO.: JUNIPER FED COM 25 36 34 111H

SECTION 3 TWP 26-S RGE 36-E SURVEY N.M.P.M.  
 COUNTY LEA STATE NM ELEVATION 2992'  
 DESCRIPTION 230' FNL & 290' FWL

LATITUDE N 32.0789484 LONGITUDE W 103.2606231



SCALE: 1" = 2000'  
 0' 1000' 2000'

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA PROVIDED BY AMEREDEV OPERATING LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY FEET.



**TOPOGRAPHIC**  
 LOYALTY INNOVATION LEGACY


1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
 TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
 2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
 TELEPHONE: (432) 682-1853 OR (800) 787-1853 • FAX (432) 682-1743  
 WWW.TOPOGRAPHIC.COM

# AMEREDEV

AMEREDEV OPERATING, LLC

## EXHIBIT 2A

SECTION 3, TOWNSHIP 26-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO



LEASE NAME & WELL NO.: JUNIPER FED COM 25 36 34 111H

SECTION 3 TWP 26-S RGE 36-E SURVEY N.M.P.M.  
COUNTY LEA STATE NM  
DESCRIPTION 230' FNL & 290' FWL

DISTANCE & DIRECTION  
FROM INT. OF 3RD ST./NM-205/FRYING PAN RD. & NM-128,  
HEAD SOUTH ON 3RD ST./NM-205/FRYING PAN RD. ±5.6 MILES,  
THENCE WEST (RIGHT) ON ANTHONY RD ±3.4 MILES, THENCE  
NORTH (RIGHT) TO CONTINUE ON ANTHONY RD. ±0.3 MILES,  
THENCE EAST (RIGHT) ON PIPELINE RD. ±0.3 MILES, THENCE  
NORTH (LEFT) ON A LEASE RD. ±1.0 MILES, THENCE EAST  
(RIGHT) ON A PROPOSED RD. ±1.1 MILES TO A POINT ±285  
FEET NORTHWEST OF THE LOCATION.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID  
BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY  
FEET

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND  
UNDER MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF  
SURVEY, AND DATA PROVIDED BY AMEREDEV OPERATING LLC THIS CERTIFICATION IS MADE AND  
LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS  
NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.



Michael Blake Brown, P.S. No. 18329  
NOVEMBER 28, 2018

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1853 OR (800) 787-1053 • FAX: (432) 682-1743  
WWW.TOPOGRAPHIC.COM


# EXHIBIT 2B

## AMEREDEV

AMEREDEV OPERATING, LLC


SECTION 3, TOWNSHIP 26-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

DETAIL VIEW  
SCALE: 1" = 100'



LEASE NAME & WELL NO.: JUNIPER FED COM 25 36 34 111H  
111H LATITUDE N 32.0789484 111H LONGITUDE W 103.2606231

CENTER OF PAD IS 230' FNL & 290' FWL



ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID  
BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY  
FEET

THIS PROPOSED PAD SITE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER  
MY SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY,  
AND DATA PROVIDED BY AMEREDEV OPERATING LLC. THIS CERTIFICATION IS MADE AND LIMITED TO  
THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS  
SURVEY IS CERTIFIED FOR THIS TRANSACTION ONLY.


ORIGINAL DOCUMENT SIZE: 8.5" X 11"



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

# EXHIBIT 2 VICINITY MAP



## AMEREDEV

AMEREDEV OPERATING, LLC

LEASE NAME & WELL NO.: JUNIPER FED COM 25 36 34 111H

SECTION 3 TWP 26-S RGE 36-E SURVEY N.M.P.M.  
COUNTY LEA STATE NM  
DESCRIPTION 230' FNL & 290' FWL

### DISTANCE & DIRECTION

FROM INT. OF 3RD ST./NM-205/FRYING PAN RD. & NM-128, HEAD  
SOUTH ON 3RD ST./NM-205/FRYING PAN RD. ±5.6 MILES, THENCE  
WEST (RIGHT) ON ANTHONY RD ±3.4 MILES, THENCE NORTH (RIGHT)  
TO CONTINUE ON ANTHONY RD. ±0.3 MILES, THENCE EAST (RIGHT)  
ON PIPELINE RD. ±0.3 MILES, THENCE NORTH (LEFT) ON A LEASE RD.  
±1.0 MILES, THENCE EAST (RIGHT) ON A PROPOSED RD. ±1.1 MILES  
TO A POINT ±330 FEET NORTHWEST OF THE LOCATION.

THIS EASEMENT/SERVITUDE LOCATION SHOWN HEREON HAS BEEN SURVEYED ON THE GROUND UNDER MY  
SUPERVISION AND PREPARED ACCORDING TO THE EVIDENCE FOUND AT THE TIME OF SURVEY, AND DATA  
PROVIDED BY AMEREDEV OPERATING LLC. THIS CERTIFICATION IS MADE AND LIMITED TO THOSE PERSONS OR  
ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE. THIS SURVEY IS CERTIFIED FOR THIS  
TRANSACTION ONLY.

ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREON ARE GRID BASED UPON THE NEW  
MEXICO STATE PLANE COORDINATE SYSTEM, EAST ZONE OF THE NORTH AMERICAN DATUM 1983, U.S. SURVEY  
FEET.



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2603 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

	NS-Foot	NS Indicator	EW-Foot	EW Indicator	Twsp	Range	Section	Aliquot/Lot/Tract	Latitude	Longitude	County	State	Meridian	Lease Type	Lease Number	Elevation	MD	TVD
KOP Leg #1	632	FNL	413	FWL	26S	36E	3	Aliquot NWN W	32.07784	- 103.2602 3	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 137804	- 820 8	112 22	112 00
PPP Leg #1	0	FSL	235	FWL	25S	36E	34	Aliquot SWS W	32.09676	- 103.2607 8	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 136233	- 871 1	121 85	117 03
PPP Leg #1	0	FSL	146	FWL	25S	36E	27	Aliquot SWS W	32.09408	- 103.2609 1	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 136232	- 872 8	174 33	117 20
EXIT Leg #1	50	FNL	200	FWL	25S	36E	27	Aliquot NWN W	32.10845	- 103.2609 1	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 136232	- 872 8	226 61	117 20
BHL Leg #1	50	FNL	200	FWL	25S	36E	27	Lot D	32.10845	- 103.2609 1	LEA	NEW MEXI CO	NEW MEXI CO	F	NMNM 136232	- 872 8	226 61	117 20

## Drilling Plan

### Section 1 - Geologic Formations

Formation ID	Formation Name	Elevation	True Vertical Depth	Measured Depth	Lithologies	Mineral Resources	Producing Formation
1	RUSTLER	1254	1763	1763	ANHYDRITE	NONE	No
2	SALADO	-731	1985	1985	SALT	NONE	No
3	TANSILL	-2008	3262	3262	LIMESTONE	NONE	No
4	CAPITAN REEF	-2553	3807	3807	LIMESTONE	USEABLE WATER	No
5	LAMAR	-3709	4963	4963	LIMESTONE	NONE	No
6	BELL CANYON	-3905	5159	5159	SANDSTONE	NATURAL GAS,OIL	No
7	BRUSHY CANYON	-5450	6704	6704	SANDSTONE	NATURAL GAS,OIL	No
8	BONE SPRING LIME	-6434	7688	7688	LIMESTONE	NONE	No
9	BONE SPRING 1ST	-8046	9300	9300	SANDSTONE	NATURAL GAS,OIL	No



**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

Formation ID	Formation Name	Elevation	True Vertical Depth	Measured Depth	Lithologies	Mineral Resources	Producing Formation
10	BONE SPRING 2ND	-8631	9885	9885	SANDSTONE	NATURAL GAS,OIL	No
11	BONE SPRING 3RD	-9291	10545	10545	LIMESTONE	NATURAL GAS,OIL	No
12	BONE SPRING 3RD	-9886	11140	11140	SANDSTONE	NATURAL GAS,OIL	No
13	WOLFCAMP	-10067	11321	11321	SHALE	NATURAL GAS,OIL	Yes

## Section 2 - Blowout Prevention

**Pressure Rating (PSI):** 10M

**Rating Depth:** 15000

**Equipment:** 10M BOPE SYSTEM WILL BE USED AFTER THE SURFACE CASING IS SET. A KELLY COCK WILL BE KEPT IN THE DRILL STRING AT ALL TIMES. A FULL OPENING DRILL PIPE STABBING VALVE WITH PROPER DRILL PIPE CONNECTIONS WILL BE ON THE RIG FLOOR AT ALL TIMES.

**Requesting Variance?** YES

**Variance request:** Co-Flex Choke Line, 5M Annular Preventer

**Testing Procedure:** See Attachment

**Choke Diagram Attachment:**

10M\_Choke\_Manifold\_REV\_20190205080719.pdf

**BOP Diagram Attachment:**

5M\_Annular\_Preventer\_Variance\_and\_Well\_Control\_Plan\_20190205080742.pdf



5M\_BOP\_System\_20190205080742.pdf

Pressure\_Control\_Plan\_Single\_Well\_MB4\_3String\_Big\_Hole\_BLM\_20190205080742.pdf

4\_String\_MB\_Ameredev\_Wellhead\_Drawing\_net\_REV\_20190205080752.pdf

## Section 3 - Casing

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
1	SURFACE	17.5	13.375	NEW	API	N	0	1888	0	1888	2992		1888	J-55	54.5	OTHER - BTC	4.86	0.52	DRY	8.89	DRY	8.89



<p><b>STANDARD TOLERANCES</b> (UNLESS OTHERWISE SPECIFIED)</p> <p>1. FABRICATION DIMENSIONS: A-2" TO 3"      ±.010"  B-3" TO 12"      ±.015"  COVER 12"      ±.020"</p> <p>2. MACHINED DIMENSIONS: B-1/8"      ±.010"  B-1/4"      ±.015"  B-3/8"      ±.020"  B-1/2"      ±.025"  B-3/4"      ±.030"  B-1"      ±.035"  B-1 1/4"      ±.040"  B-1 1/2"      ±.045"  B-1 3/4"      ±.050"  B-2"      ±.055"  B-2 1/4"      ±.060"  B-2 1/2"      ±.065"  B-2 3/4"      ±.070"  B-3"      ±.075"  B-3 1/4"      ±.080"  B-3 1/2"      ±.085"  B-3 3/4"      ±.090"  B-4"      ±.095"  B-4 1/4"      ±.100"  B-4 1/2"      ±.105"  B-4 3/4"      ±.110"  B-5"      ±.115"  B-5 1/4"      ±.120"  B-5 1/2"      ±.125"  B-5 3/4"      ±.130"  B-6"      ±.135"  B-6 1/4"      ±.140"  B-6 1/2"      ±.145"  B-6 3/4"      ±.150"  B-7"      ±.155"  B-7 1/4"      ±.160"  B-7 1/2"      ±.165"  B-7 3/4"      ±.170"  B-8"      ±.175"  B-8 1/4"      ±.180"  B-8 1/2"      ±.185"  B-8 3/4"      ±.190"  B-9"      ±.195"  B-9 1/4"      ±.200"  B-9 1/2"      ±.205"  B-9 3/4"      ±.210"  B-10"      ±.215"  B-10 1/4"      ±.220"  B-10 1/2"      ±.225"  B-10 3/4"      ±.230"  B-11"      ±.235"  B-11 1/4"      ±.240"  B-11 1/2"      ±.245"  B-11 3/4"      ±.250"  B-12"      ±.255"  B-12 1/4"      ±.260"  B-12 1/2"      ±.265"  B-12 3/4"      ±.270"  B-13"      ±.275"  B-13 1/4"      ±.280"  B-13 1/2"      ±.285"  B-13 3/4"      ±.290"  B-14"      ±.295"  B-14 1/4"      ±.300"  B-14 1/2"      ±.305"  B-14 3/4"      ±.310"  B-15"      ±.315"  B-15 1/4"      ±.320"  B-15 1/2"      ±.325"  B-15 3/4"      ±.330"  B-16"      ±.335"  B-16 1/4"      ±.340"  B-16 1/2"      ±.345"  B-16 3/4"      ±.350"  B-17"      ±.355"  B-17 1/4"      ±.360"  B-17 1/2"      ±.365"  B-17 3/4"      ±.370"  B-18"      ±.375"  B-18 1/4"      ±.380"  B-18 1/2"      ±.385"  B-18 3/4"      ±.390"  B-19"      ±.395"  B-19 1/4"      ±.400"  B-19 1/2"      ±.405"  B-19 3/4"      ±.410"  B-20"      ±.415"  B-20 1/4"      ±.420"  B-20 1/2"      ±.425"  B-20 3/4"      ±.430"  B-21"      ±.435"  B-21 1/4"      ±.440"  B-21 1/2"      ±.445"  B-21 3/4"      ±.450"  B-22"      ±.455"  B-22 1/4"      ±.460"  B-22 1/2"      ±.465"  B-22 3/4"      ±.470"  B-23"      ±.475"  B-23 1/4"      ±.480"  B-23 1/2"      ±.485"  B-23 3/4"      ±.490"  B-24"      ±.495"  B-24 1/4"      ±.500"  B-24 1/2"      ±.505"  B-24 3/4"      ±.510"  B-25"      ±.515"  B-25 1/4"      ±.520"  B-25 1/2"      ±.525"  B-25 3/4"      ±.530"  B-26"      ±.535"  B-26 1/4"      ±.540"  B-26 1/2"      ±.545"  B-26 3/4"      ±.550"  B-27"      ±.555"  B-27 1/4"      ±.560"  B-27 1/2"      ±.565"  B-27 3/4"      ±.570"  B-28"      ±.575"  B-28 1/4"      ±.580"  B-28 1/2"      ±.585"  B-28 3/4"      ±.590"  B-29"      ±.595"  B-29 1/4"      ±.600"  B-29 1/2"      ±.605"  B-29 3/4"      ±.610"  B-30"      ±.615"  B-30 1/4"      ±.620"  B-30 1/2"      ±.625"  B-30 3/4"      ±.630"  B-31"      ±.635"  B-31 1/4"      ±.640"  B-31 1/2"      ±.645"  B-31 3/4"      ±.650"  B-32"      ±.655"  B-32 1/4"      ±.660"  B-32 1/2"      ±.665"  B-32 3/4"      ±.670"  B-33"      ±.675"  B-33 1/4"      ±.680"  B-33 1/2"      ±.685"  B-33 3/4"      ±.690"  B-34"      ±.695"  B-34 1/4"      ±.700"  B-34 1/2"      ±.705"  B-34 3/4"      ±.710"  B-35"      ±.715"  B-35 1/4"      ±.720"  B-35 1/2"      ±.725"  B-35 3/4"      ±.730"  B-36"      ±.735"  B-36 1/4"      ±.740"  B-36 1/2"      ±.745"  B-36 3/4"      ±.750"  B-37"      ±.755"  B-37 1/4"      ±.760"  B-37 1/2"      ±.765"  B-37 3/4"      ±.770"  B-38"      ±.775"  B-38 1/4"      ±.780"  B-38 1/2"      ±.785"  B-38 3/4"      ±.790"  B-39"      ±.795"  B-39 1/4"      ±.800"  B-39 1/2"      ±.805"  B-39 3/4"      ±.810"  B-40"      ±.815"  B-40 1/4"      ±.820"  B-40 1/2"      ±.825"  B-40 3/4"      ±.830"  B-41"      ±.835"  B-41 1/4"      ±.840"  B-41 1/2"      ±.845"  B-41 3/4"      ±.850"  B-42"      ±.855"  B-42 1/4"      ±.860"  B-42 1/2"      ±.865"  B-42 3/4"      ±.870"  B-43"      ±.875"  B-43 1/4"      ±.880"  B-43 1/2"      ±.885"  B-43 3/4"      ±.890"  B-44"      ±.895"  B-44 1/4"      ±.900"  B-44 1/2"      ±.905"  B-44 3/4"      ±.910"  B-45"      ±.915"  B-45 1/4"      ±.920"  B-45 1/2"      ±.925"  B-45 3/4"      ±.930"  B-46"      ±.935"  B-46 1/4"      ±.940"  B-46 1/2"      ±.945"  B-46 3/4"      ±.950"  B-47"      ±.955"  B-47 1/4"      ±.960"  B-47 1/2"      ±.965"  B-47 3/4"      ±.970"  B-48"      ±.975"  B-48 1/4"      ±.980"  B-48 1/2"      ±.985"  B-48 3/4"      ±.990"  B-49"      ±.995"  B-49 1/4"      ±.1.000"  B-49 1/2"      ±.1.005"  B-49 3/4"      ±.1.010"  B-50"      ±.1.015"  B-50 1/4"      ±.1.020"  B-50 1/2"      ±.1.025"  B-50 3/4"      ±.1.030"  B-51"      ±.1.035"  B-51 1/4"      ±.1.040"  B-51 1/2"      ±.1.045"  B-51 3/4"      ±.1.050"  B-52"      ±.1.055"  B-52 1/4"      ±.1.06</p>			
---	--	--	--

# 5M Annular Preventer Variance Request and Well Control Procedures

Note: A copy of the Well Control Plan must be available at multiple locations on the rig for review by rig personnel, as well as review by the BLM PET/PE, and a copy must be maintained on the rig floor.

## Dual Isolation Design for 5M Annular Exception

Ameredev will utilize 13-5/8" 10M (5M Annular) BOPE System consisting of:

- 13-5/8" 5M Annular
- 13-5/8" 10M Upper Pipe Rams
  - 3-1/2" – 5-1/2" Variable Bore Ram
- 13-5/8" 10M Blind Rams
- 13-5/8" 10M Drilling Spool /w 2 - 4" 10M Outlets Double 10M Isolation Valves
- 13-5/8" 10M Lower Blind Rams
  - 3-1/2" – 5-1/2" Variable Bore Ram

All drilling components and casing associated to exposure > 5000 psi BHP requiring a 10M system will have a double isolation (secondary barrier) below the 5M Annular that would provide a barrier to flow. The mud system will always be primary barrier, it will be maintained by adjusting values based on tourly mud tests and monitoring a PVT System to maintain static wellbore conditions, displacement procedures will be followed and recorded on daily drilling reports during tripping operations. Surge and swab pressure values will be calculated and maintained and static flow check will be monitored at previous casing shoe and verified static well conditions prior to tripping out of hole and again prior to pulling last joint of drill pipe through BOPE. The below table, documents that two barriers to flow can be maintained at all times, independent of the rating of the annular preventer.

Drill Components	Size	Primary Barrier	Secondary Barrier	Third Barrier
Drillpipe	3-1/2"-5-1/2"	Drilling Fluid	Upper Pipe Rams	Lower Pipe Rams
HWDP Drillpipe	3-1/2"-5-1/2"	Drilling Fluid	Upper Pipe Rams	Lower Pipe Rams
Drill Collars	3-1/2"-5-1/2"	Drilling Fluid	Upper Pipe Rams	Lower Pipe Rams
Production Casing	3-1/2"-5-1/2"	Drilling Fluid	Upper Pipe Rams	Lower Pipe Rams
Open Hole	13-5/8	Drilling Fluid	Blind Rams	
All Drilling Components in 10M Environment will have OD that will allow full Operational RATED WORKING PRESSURE for system design. Kill line with minimum 2" ID will be available outside substructure with 10M Check Valve for OOH Kill Operations				

## Well Control Procedures

Proper well control procedures are dependent to differentiating well conditions, to cover the basic well control operations there are will be standard drilling ahead, tripping pipe, tripping BHA, running casing, and pipe out of the hole/open hole scenarios that will be defined by procedures below. Initial Shut In Pressure can be taken against the Uppermost BOPE component the 5M Annular, pressure control can be transferred from the lesser 5M Annular to the 10M Upper Pipe Rams if needed. Shut In Pressures may be equal to or less than the Rated Working Pressure but at no time will the pressure on the annular preventer exceed the Rated Working Pressure of the annular. The annular will be tested to 5,000 psi. This will be the Rated Working Pressure of the annular preventer. All scenarios will be written such as shut in will be performed by closing the 10,000 psi Upper Pipe Rams for faster Accumulator pressure recovery to allow safer reaction to controlling wellbore pressure.

### Shutting In While Drilling

1. Sound alarm signaling well control event to Rig Crew
2. Space out drill string to allow FOSV installation
3. Shut down pumps
4. Shut in Upper Pipe Rams and open HCR against Open Chokes and Valves  
Open to working pressure gauge
5. Install open, full open safety valve and close valve, Close Chokes
6. Verify well is shut-in and flow has stopped
7. Notify supervisory personnel
8. Record data (SIDP, SICP, Pit Gain, and Time)
9. Hold pre-job safety meeting and discuss kill procedure

### Shutting In While Tripping

1. Sound alarm signaling well control event to Rig Crew
2. Space out drill string to allow FOSV installation
3. Shut in Upper Pipe Rams and open HCR against Open Chokes and Valves  
Open to working pressure gauge
4. Install open, full open safety valve and close valve, Close Chokes
5. Verify well is shut-in and flow has stopped
6. Notify supervisory personnel
7. Record data (SIDP, SICP, Pit Gain, and Time)
8. Hold pre-job safety meeting and discuss kill procedure

#### **Shutting In While Running Casing**

1. Sound alarm signaling well control event to Rig Crew
2. Space out casing to allow circulating swedge installation
3. Shut in Upper Pipe Rams and open HCR against Open Chokes and Valves  
Open to working pressure gauge
4. Install circulating swedge, Close high pressure, low torque valves, Close Chokes
5. Verify well is shut-in and flow has stopped
6. Notify supervisory personnel
7. Record data (SIDP, SICP, Pit Gain, and Time)
8. Hold Pre-job safety meeting and discuss kill procedure

#### **Shutting in while out of hole**

1. Sound alarm signaling well control event to Rig Crew
2. Shut-in well: close blind rams and open HCR against Open Chokes and Valves  
Open to working pressure gauge
3. Close Chokes, Verify well is shut-in and monitor pressures
4. Notify supervisory personnel
5. Record data (SIDP, SICP, Pit Gain, and Time)
6. Hold Pre-job safety meeting and discuss kill procedure

#### **Shutting in prior to pulling BHA through stack**

Prior to pulling last joint of drill pipe thru the stack space out and check flow  
If flowing see steps below.

1. Sound alarm signaling well control event to Rig Crew
2. Shut in upper pipe ram and open HCR against Open Chokes and Valves Open  
to working pressure gauge
3. Install open, full open safety valve and close valve, Close Chokes
4. Verify well is shut-in and flow has stopped
5. Notify supervisory personnel
6. Record data (SIDP, SICP, Pit Gain, and Time)
7. Hold pre-job safety meeting and discuss kill procedure

**Shutting in while BHA is in the stack and ram preventer and combo immediately available**

1. Sound alarm signaling well control event to Rig Crew
2. Space out BHA with upset just beneath the compatible pipe ram
3. Shut in upper compatible pipe ram and open HCR against Open Chokes and Valves Open to working pressure gauge
4. Install open, full open safety valve and close valve, Close Chokes
5. Verify well is shut-in and flow has stopped
6. Notify supervisory personnel
7. Record data (SIDP, SICP, Pit Gain, and Time)
8. Hold pre-job safety meeting and discuss kill procedure

\*FOSV will be on rig floor in open position with operating handle for each type of connection utilized and tested to 10,000 psi

**Shutting in while BHA is in the stack and no ram preventer or combo immediately available**

1. Sound alarm signaling well control event to Rig Crew
2. If possible pick up high enough, to pull string clear and follow "Open Hole" scenario

If not possible to pick up high enough:

3. Stab Crossover, make up one joint/stand of drill pipe, and install open, full open safety valve (Leave Open)
4. Space out drill string with upset just beneath the compatible pipe ram.
5. Shut in upper compatible pipe ram and open HCR against Open Chokes and Valves Open to working pressure gauge
6. Close FOSV, Close Chokes, Verify well is shut-in and flow has stopped
7. Notify supervisory personnel
8. Record data (SIDP, SICP, Pit Gain, and Time)
9. Hold pre-job safety meeting and discuss kill procedure


13 5/8" 5M BOP  
Configuration

CO-FLEX LINE TO  
CHOKE MANIFOLD

2" KILL LINE

4" 10M VALVES &

10M Check Valve



## Pressure Control Plan


### Pressure Control Equipment

- Following setting of 13-3/8" Surface Casing Ameredev will install 13-5/8 MB4 Multi Bowl Casing Head by welding on a 13-5/8 SOW x 13-5/8" 5M in combination with 13-5/8 5M x 13-5/8 10M B-Sec to Land Intm #1 and a 13-5/8 10M x 13-5/8 10M shouldered to land C-Sec to Land Intm #2 (Installation procedure witnessed and verified by a manufacturer's representative).
- Casing will be tested to 1500 psi or .22 psi/ft whichever is greater for 30 minutes with <10% leak off, but will not exceed 70% of the burst rating per Onshore Order No. 2.
- Ameredev will install a 5M System Blowout Preventer (BOPE) with a 5M Annular Preventer and related equipment (BOPE). Full testing will be performed utilizing a full isolation test plug and limited to 5,000 psi MOP of MB4 Multi Bowl Casing Head. Pressure will be held for 10 min or until provisions of test are met on all valves and rams. The 5M Annular Preventer will be tested to 50% of approved working pressure (2,500 psi). Casing will be tested to 1500 psi or .22 psi/ft whichever is greater for 30 minutes with <10% leak off, but will not exceed 70% of the burst rating per Onshore Order No. 2.
- Setting of 9-5/8" Intermediate will be done by landing a wellhead hanger in the 13-5/8" 5M Bowl, Cementing and setting Well Head Packing seals and testing same. (Installation procedure witnessed and verified by a manufacturer's representative) Casing will be tested to 1500 psi or .22 psi/ft whichever is greater for 30 minutes with <10% leak off, but will not exceed 70% of the burst rating per Onshore Order No. 2.
- Full testing will be performed utilizing a full isolation test plug to 10,000 psi MOP of MB4 Multi Bowl B-Section. Pressure will be held for 10 min or until provisions of test are met on all valves and rams. The 5M Annular Preventer will be tested to 100% of approved working pressure (5,000 psi).
- Before drilling >20ft of new formation under the 9-5/8" Casing Shoe a pressure integrity test of the Casing Shoe will be performed to minimum of the MWE anticipated to control formation pressure to the next casing depth.
- Following setting of 5-1/2" Production Casing and adequate WOC time Ameredev will break 10M System Blowout Preventer (BOP) from 10M DOL-2 Casing Head, install annulus casing slips and test same (Installation procedure witnessed and verified by a manufacturer's representative) and install 11" 10M x 5-1/8" 15M Tubing Head (Installation procedure witnessed and verified by a manufacturer's representative). Ameredev will test head to 70% casing design and install Dry Hole cap with needle valve and pressure gauge to monitor well awaiting completion.



## **Pressure Control Plan**

- Slow pump speeds will be taken daily by each crew and recorded on Daily Drilling Report after mudding up.
- A choke manifold and accumulator with floor and remote operating stations will be functional and in place after installation of BOPE, as well as full functioning mud gas separator.
- Weekly BOPE pit level drills will be conducted by each crew and recorded on Daily Drilling Report.
- BOP will be fully operated when out of hole and will be documented on the daily drilling log.
- All B.O.P.s and associated equipment will be tested in accordance with Onshore Order #2
- All B.O.P. testing will be done by an independent service company.
- The B.O.P. will be tested within 21 days of the original test if drilling takes more time than planned.
- Ameredev requests a variance to connect the B.O.P. choke outlet to the choke manifold using a co-flex hose with a 10,000 psi working pressure that has been tested to 15,000psi and is built to API Spec 16C. Once the flex line is installed it will be tied down with safety clamps. (certifications will be sent to Carlsbad BLM Office prior to install)
- Ameredev requests a variance to install a 5M Annular Preventer on the 10M System to drill the Production Hole below the 9-5/8" Intermediate Section. 5M Annular will be tested to 100% working pressure (5,000 psi). A full well control procedure will be included to isolate well bore.



## Quotation

## Downing Wellhead Equipment

Oklahoma City,  
Oklahoma - USA

### Reference Data:

16925 AMEREDEV

### Proprietary and Confidential

The information contained in this drawing is the sole property of Downing Wellhead Equipment, any reproduction in part or in whole without the written permission of Downing Wellhead Equipment is prohibited.

### TITLE:

AMEREDEV

DRAWN

CHECKED

APPROVED

SIZE

A

DWG. NO.

Scale:

Weight:

Sheet:

REV.

# AMEREDEV

AmereDev II, LLC

## Wellbore Schematic

**Well:** Juniper Fed Com 25-36-34 111H  
**SHL:** Sec. 03 26S-36E 230' FNL & 290' FWL  
**BHL:** Sec. 27 25S-36E 50' FNL & 200' FWL  
 Lea, NM  
**Wellhead:** A - 13-5/8" 10M x 13-5/8" SOW  
 B - 13-5/8" 10M x 13-5/8" 10M  
 C - 13-5/8" 10M x 13-5/8" 10M  
 Tubing Spool - 5-1/8" 15M x 13-3/8" 10M  
**Xmas Tree:** 2-9/16" 10M  
**Tubing:** 2-7/8" L-80 6.5# 8rd EUE

**Co. Well ID:** xxxxxx  
**AFE No.:** xxxx-xxxx  
**API No.:** xxxxxxxxxxxx  
**GL:** 2,992'  
**Field:** Delaware  
**Objective:** Wolfcamp A  
**TVD:** 11,720'  
**MD:** 22,661'  
**Rig:** TBD **KB:** 27'  
**E-Mail:** [Wellsite2@ameredev.com](mailto:Wellsite2@ameredev.com)

Hole Size	Formation Tops	Logs Cement	Mud Weight
17.5"	Rustler 1,763'	1,165 Sacks TOC 0'	8.4-8.6 ppg WBM
	13.375" 54.5# J-55 BTC 1,888'		
12.25"	Salado 1,985'	886 Sacks TOC 0'	8.5 - 9.4 ppg Diesel Brine Emulsion
	Tansill 3,262'		
	Capitan Reef 3,807'		
	Lamar 4,963'		
	DV Tool 5,013'		
	Bell Canyon 5,159'	1,723 Sacks TOC 0'	
	Brushy Canyon 6,704'		
	Bone Spring Lime 7,688'		
	First Bone Spring 9,300'		
	Second Bone Spring 9,885'		
Third Bone Spring Upper 10,545'			
9.625" 40# L-80HC BTC 10,670'			
8.5"	Third Bone Spring 11,140'	4,839 Sacks TOC 0'	10.5 - 14 ppg OBM
	Wolfcamp A 11,321'		
	5.5" 20# P-110CYHP BTC 22,661'		
12° Build @ 11,221' MD thru 12,405' MD	Target Wolfcamp A 11720 TVD // 22661 MD		

## Casing Design and Safety Factor Check

<b>Casing Specifications</b>						
<b>Segment</b>	<b>Hole ID</b>	<b>Depth</b>	<b>OD</b>	<b>Weight</b>	<b>Grade</b>	<b>Coupling</b>
Surface	17.5	1,888'	13.375	54.5	J-55	BTC
Intermediate	12.25	10,670'	9.625	40	HCL-80	BTC
Prod Segment A	8.5	11,221'	5.5	20	CYHP-110	BTC
Prod Segment B	8.5	22,661'	5.5	20	CYHP-110	BTC

<b>Check Surface Casing</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
14.375	853	915	4,100	2,730
<b>Safety Factors</b>				
1.56	8.29	8.89	4.86	0.52
<b>Check Intermediate Casing</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
7.625	940	558	6700	9460
<b>Safety Factors</b>				
2.31	2.20	2.19	1.29	1.11
<b>Check Prod Casing, Segment A</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
5.777	728	655	12780	14360
<b>Safety Factors</b>				
1.36	3.11	2.79	1.57	1.68
<b>Check Prod Casing, Segment B</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
5.777	728	655	12780	14360
<b>Safety Factors</b>				
1.36	72.95	65.63	1.50	1.68

# SeAH

**13-3/8"   54.50#   .380   J-55**

## **Dimensions (Nominal)**

Outside Diameter	13.375	in.
Wall	0.380	in.
Inside Diameter	12.615	in.
Drift	12.459	in.

Weight, T&C	54.500	lbs/ft
Weight, PE	52.790	lbs/ft

## **Performance Ratings, Minimum**

Collapse, PE	1130	psi
--------------	------	-----

### **Internal Yields Pressure**

PE	2730	psi
STC	2730	PSI
BTC	2730	psi

Yield Strength, Pipe Body	853	1000 lbs
---------------------------	-----	----------

Joint Strength, STC	514	1000 lbs
---------------------	-----	----------

Joint Strength, BTC	909	1000 lbs
---------------------	-----	----------

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

# SeAH

9.625"

40#

.395"

SEAH-80 HIGH COLLAPSE

(SEAH-80 IS A NON HEAT TREATED PRODUCT)

## Dimensions (Nominal)

Outside Diameter	9.625	in.
Wall	0.395	in.
Inside Diameter	8.835	in.
Drift	8.750	in.
Weight, T&C	40.000	lbs./ft.
Weight, PE	38.970	lbs./ft.

## Performance Properties

Collapse	4100	psi
Internal Yield Pressure at Minimum Yield		
PE	5750	psi
LTC	5750	psi
BTC	5750	psi
Yield Strength, Pipe Body	916	1000 lbs.
Joint Strength		
LTC	717	1000 lbs.
BTC	915	1000 lbs.

Note: SeAH Steel has produced this specification sheet for general information only. SeAH does not assume liability or responsibility for any loss or injury resulting from the use of information or data contained herein. All applications for the material described are at the customer's own risk and responsibility.

# PERFORMANCE DATA

TMK UP SF TORQ™

5.500 in

20.00 lbs/ft

P-110 CYHP

## Technical Data Sheet

### Tubular Parameters

Size	5.500	in	Minimum Yield	125,000	psi
Nominal Weight	20.00	lbs/ft	Minimum Tensile	135,000	psi
Grade	P-110 CYHP		Yield Load	728,000	lbs
PE Weight	19.81	lbs/ft	Tensile Load	786,000	lbs
Wall Thickness	0.361	in	Min. Internal Yield Pressure	14,360	psi
Nominal ID	4.778	in	Collapse Pressure	12,780	psi
Drift Diameter	4.653	in			
Nom. Pipe Body Area	5.828	in <sup>2</sup>			

### Connection Parameters

Connection OD	5.777	in
Connection ID	4.734	in
Make-Up Loss	5.823	in
Critical Section Area	5.875	in <sup>2</sup>
Tension Efficiency	90.0	%
Compression Efficiency	90.0	%
Yield Load In Tension	655,000	lbs
Min. Internal Yield Pressure	14,360	psi
Collapse Pressure	12,780	psi
Uniaxial Bending	93.8	% / 100 ft

### Make-Up Torques

Min. Make-Up Torque	15,700	ft-lbs
Opt. Make-Up Torque	19,600	ft-lbs
Max. Make-Up Torque	21,600	ft-lbs
Operating Torque	29,000	ft-lbs
Yield Torque	37,000	ft-lbs

Printed on: January-10-2018

#### NOTE:

The content of this Technical Data Sheet is for general information only and does not guarantee performance or imply fitness for a particular purpose, which only a competent drilling professional can determine considering the specific installation and operation parameters. Information that is printed or downloaded is no longer controlled by TMK IPSCO and might not be the latest information. Anyone using the information herein does so at their own risk. To verify that you have the latest TMK IPSCO technical information, please contact TMK IPSCO Technical Sales toll-free at 1-888-258-2000.



Operator Name: AMEREDEV OPERATING LLC

Well Name: JUNIPER FED COM 25 36 34

Well Number: 111H

Casing ID	String Type	Hole Size	Csg Size	Condition	Standard	Tapered String	Top Set MD	Bottom Set MD	Top Set TVD	Bottom Set TVD	Top Set MSL	Bottom Set MSL	Calculated casing length MD	Grade	Weight	Joint Type	Collapse SF	Burst SF	Joint SF Type	Joint SF	Body SF Type	Body SF
2	INTERMEDIATE	12.25	9.625	NEW	API	N	0	10670	0	10670			10670	HCL-80	40	OTHER - BTC	1.29	1.11	DRY	2.19	DRY	2.19
3	PRODUCTION	8.5	5.5	NEW	API	N	0	22661	0	11720			22661	OTHER	20	OTHER - BTC	1.57	1.68	DRY	2.79	DRY	3.0

#### Casing Attachments

Casing ID: 1 String Type: SURFACE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

13.375\_54.50\_J55\_SEAH\_20190205080921.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELLBORE\_DIAGRAM\_AND\_CDA\_20190205080944.pdf

Casing ID: 2 String Type: INTERMEDIATE

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELLBORE\_DIAGRAM\_AND\_CDA\_20190205081138.pdf

9625\_40\_SeAH80HC\_4100\_Collapse\_20190205081230.pdf



Operator Name: AMEREDEV OPERATING LLC

Well Name: JUNIPER FED COM 25 36 34

Well Number: 111H

#### Casing Attachments

Casing ID: 3 String Type: PRODUCTION

Inspection Document:

Spec Document:

Tapered String Spec:

Casing Design Assumptions and Worksheet(s):

TMK\_UP\_SF\_TORQ\_\_\_5.500in\_x\_20.00\_\_P\_110\_CYHP\_20190205081337.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_\_WELLBORE\_DIAGRAM\_AND\_CDA\_20190205081349.pdf

#### Section 4 - Cement

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
SURFACE	Lead		0	1502	965	1.76	13.5	1697.63	50	Class C	Bentonite, Accelerator, Kolseal, Defoamer, Celloflake
SURFACE	Tail		1502	1888	200	1.34	14.8	268	100	Class C	Salt
INTERMEDIATE	Lead	5013	0	4163	686	2.47	11.9	1694.94	25	CLASS C	Salt, Bentonite, Kolseal, Defoamer, Celloflake, Anti-Settling Expansion Additive
INTERMEDIATE	Tail		4163	5013	200	1.33	14.8	266	25	Class C	Retarder
INTERMEDIATE	Lead	5013	5013	9414	1531	2.47	11.9	3780.79	25	Class H	Bentonite, Salt, Kolseal, Defoamer, Celloflake, Retarder, Anti-Settling Expansion Additive
INTERMEDIATE	Tail		9414	10670	300	1.24	14.5	371.1	25	Class H	Salt, Bentonite, Retarder, Dispersant, Fluid Loss
PRODUCTION	Lead		0	22661	4839	1.34	14.2	6483.61	25	Class H	Salt, Bentonite, Fluid Loss, Dispersant, Retarder, Defoamer

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

String Type	Lead/Tail	Stage Tool Depth	Top MD	Bottom MD	Quantity(sx)	Yield	Density	Cu Ft	Excess%	Cement type	Additives
-------------	-----------	------------------	--------	-----------	--------------	-------	---------	-------	---------	-------------	-----------

### Section 5 - Circulating Medium

**Mud System Type:** Closed

**Will an air or gas system be Used?** NO

**Description of the equipment for the circulating system in accordance with Onshore Order #2:**

**Diagram of the equipment for the circulating system in accordance with Onshore Order #2:**

**Describe what will be on location to control well or mitigate other conditions:** All necessary supplies (e.g. bentonite, cedar bark) for fluid control will be on site.

**Describe the mud monitoring system utilized:** An electronic pit volume totalizer (PVT) will be utilized on the circulating system to monitor pit volume, flow rate, pump pressure, and pump rate.

### Circulating Medium Table

Top Depth	Bottom Depth	Mud Type	Min Weight (lbs/gal)	Max Weight (lbs/gal)	Density (lbs/cu ft)	Gel Strength (lbs/100 sqft)	PH	Viscosity (CP)	Salinity (ppm)	Filtration (cc)	Additional Characteristics
0	1888	WATER-BASED MUD	8.4	8.6							
1888	1067 0	OTHER : Diesel Brine Emulsion	8.5	9.4							
1067 0	1172 0	OIL-BASED MUD	10.5	14							

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

### Section 6 - Test, Logging, Coring

**List of production tests including testing procedures, equipment and safety measures:**

A directional survey, measurement while drilling and a mudlog/geologic lithology log will all be run from surface to TD.

**List of open and cased hole logs run in the well:**

DS,MWD,MUDLOG

**Coring operation description for the well:**

No coring will be done on this well.

### Section 7 - Pressure

**Anticipated Bottom Hole Pressure:** 5000

**Anticipated Surface Pressure:** 2421.6

**Anticipated Bottom Hole Temperature(F):** 160

**Anticipated abnormal pressures, temperatures, or potential geologic hazards?** NO

**Describe:**

**Contingency Plans geohazards description:**

**Contingency Plans geohazards attachment:**

**Hydrogen Sulfide drilling operations plan required?** YES

**Hydrogen sulfide drilling operations plan:**

H2S\_Plan\_20180629084022.pdf

### Section 8 - Other Information

**Proposed horizontal/directional/multi-lateral plan submission:**

Jun111\_DR\_20190205082553.pdf

Jun111\_LLR\_20190205082554.pdf

5M\_Annular\_Preventer\_Variance\_and\_Well\_Control\_Plan\_20190205082612.pdf

Pressure\_Control\_Plan\_Single\_Well\_MB4\_3String\_Big\_Hole\_BLM\_20190205082613.pdf

**Other proposed operations facets description:**

**Other proposed operations facets attachment:**

CAPITAN\_PROTECTION\_CONTINGENCY\_PLAN\_20190322134005.pdf

**Other Variance attachment:**

R616\_CoC\_for\_hoses\_12\_18\_17\_20180629084119.pdf

Requested\_Exceptions\_\_4\_String\_20190205082629.pdf

SUPO

## H<sub>2</sub>S Drilling Operation Plan

1. **All Company and Contract personnel admitted on location must be trained by a qualified H<sub>2</sub>S safety instructor to the following:**
  - a. Characteristics of H<sub>2</sub>S
  - b. Physical effects and hazards
  - c. Principal and operation of H<sub>2</sub>S detectors, warning system and briefing areas
  - d. Evacuation procedure, routes and first aid
  - e. Proper use of safety equipment and life support systems
  - f. Essential personnel meeting Medical Evaluation criteria will receive additional training on the proper use of 30 minute pressure demand air packs.
2. **Briefing Area:**
  - a. Two perpendicular areas will be designated by signs and readily accessible.
  - b. Upon location entry there will be a designated area to establish all safety compliance criteria (1.) has been met.
3. **H<sub>2</sub>S Detection and Alarm Systems:**
  - a. H<sub>2</sub>S sensors/detectors shall be located on the drilling rig floor, in the base of the sub structure/cellar area, and on the mud pits in the shale shaker area. Additional H<sub>2</sub>S detectors may be placed as deemed necessary. All detectors will be set to initiate visual alarm at 10 ppm and visual with audible at 14 ppm and all equipment will be calibrated every 30 days or as needed.
  - b. An audio alarm will be installed on the derrick floor and in the top doghouse.
4. **Protective Equipment for Essential Personnel:**
  - a. **Breathing Apparatus:**
    - i. Rescue Packs (SCBA) - 1 Unit shall be placed at each briefing area.
    - ii. Two (SCBA) Units will be stored in safety trailer on location.
    - iii. Work/Escapes packs - 1 Unit will be available on rig floor in doghouse for emergency evacuation for driller.
  - b. **Auxiliary Rescue Equipment:**
    - i. Stretcher
    - ii. 2 - OSHA full body harnesses
    - iii. 100 ft. 5/8" OSHA approved rope
    - iv. 1 - 20# class ABC fire extinguisher
5. **Windsock and/or Wind Streamers:**
  - a. Windsock at mud pit area should be high enough to be visible.
  - b. Windsock on the rig floor should be high enough to be visible.
6. **Communication:**
  - a. While working under mask scripting boards will be used for communication where applicable.
  - b. Hand signals will be used when script boards are not applicable.

## H<sub>2</sub>S Drilling Operation Plan

- c. Two way radios will be used to communicate off location in case of emergency help is required. In most cases cellular telephones will be available at Drilling Foreman's Office.

7. **Drill Stem Testing:** - No Planned DST at this time.

8. **Mud program:**

- a. If H<sub>2</sub>S is encountered, mud system will be altered if necessary to maintain control of formation. A mud gas separator will be brought into service along with H<sub>2</sub>S scavengers if necessary.

9. **Metallurgy:**

- a. All drill strings, casing, tubing, wellhead, blowout preventer, drilling spool, kill lines, choke manifold and lines, and valves shall be suitable for H<sub>2</sub>S service.
- b. Drilling Contractor supervisor will be required to be familiar with the effect H<sub>2</sub>S has on tubular goods and other mechanical equipment provided through contractor.

## H<sub>2</sub>S Contingency Plan

### Emergency Procedures

In the event of a release of H<sub>2</sub>S, the first responder(s) must:

- Isolate the area and prevent entry by other persons into the 100 ppm ROE.
- Evacuate any public places encompassed by the 100 ppm ROE.
- Be equipped with H<sub>2</sub>S monitors and air packs in order to control the release.
- Use the "buddy system" to ensure no injuries occur during the response.
- Take precautions to avoid personal injury during this operation.
- Contact Operator and/or local officials the aid in operation. See list of phone numbers attached.
- Have received training in the:
  - Detection of H<sub>2</sub>S and
  - Measures for protection against the gas,
  - Equipment used for protection and emergency response.

### Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO<sub>2</sub>). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally, the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas.

### Characteristics of H<sub>2</sub>S and SO<sub>2</sub>

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentration
Hydrogen Sulfide	H <sub>2</sub> S	1.189 Air=1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO <sub>2</sub>	2.21 Air=1	2 ppm	N/A	1000 ppm

### Contacting Authorities

Ameredev Operating LLC personnel must liaise with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available including direction to site. The following call list of essential and potential responders has been prepared for use during a release. Ameredev Operating LLC's response must be in coordination with the State of New Mexico's "Hazardous Materials Emergency Response Plan" (HMER)

**H<sub>2</sub>S Contingency Plan**

<b>Amerdev Operating LLC – Emergency Phone 737-300-4799</b>			
<b>Key Personnel:</b>			
<b>Name</b>	<b>Title</b>	<b>Office</b>	<b>Mobile</b>
Floyd Hammond	Chief Operating officer	737-300-4724	512-783-6810
Zachary Boyd	Operations Superintendent	737-300-4725	432-385-6996
Blake Estrada	Construction Foreman		432-385-5831

<b><u>Artesia</u></b>			
Ambulance			911
State Police			575-746-2703
City Police			575-746-2703
Sheriff's Office			575-746-9888
Fire Department			575-746-2701
Local Emergency Planning Committee			575-746-2122
New Mexico Oil Conservation Division			575-748-1283
<b><u>Carlsbad</u></b>			
Ambulance			911
State Police			575-885-3137
City Police			575-885-2111
Sheriff's Office			575-887-7551
Fire Department			575-887-3798
Local Emergency Planning Committee			575-887-6544
US Bureau of Land Management			575-887-6544
<b><u>Santa Fe</u></b>			
New Mexico Emergency Response Commission (Santa Fe)			505-476-9600
New Mexico Emergency Response Commission (Santa Fe) 24 Hrs			505-827-9126
New Mexico State Emergency Operations Center			505-476-9635
<b><u>National</u></b>			
National Emergency Response Center (Washington, D.C.)			800-424-8802
<b><u>Medical</u></b>			
Flight for Life - 4000 24th St.; Lubbock, TX			806-743-9911
Aerocare - R3, Box 49F; Lubbock, TX			806-747-8923
Med Flight Air Amb - 2301 Yale Blvd S.E., #D3; Albuquerque, NM			505-842-4433
.'SB Air Med Service - 2505 Clark Carr Loop S.E.; Albuquerque, NM			505-842-4949



***AMEREDEV***

**AmeredeV Operating, LLC.**

**JUN/PIM**

**JUN/PIM #1S**

**Juniper 111H**

**Wellbore #1**

**Plan: Design #1**

## **Standard Planning Report**

**14 January, 2019**



Database:	EDM5000	Local Co-ordinate Reference:	Well Juniper 111H
Company:	Ameredev Operating, LLC.	TVD Reference:	KN @ 3019.0usft
Project:	JUN/PIM	MD Reference:	KN @ 3019.0usft
Site:	JUN/PIM #1S	North Reference:	Grid
Well:	Juniper 111H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Project	JUN/PIM		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site	JUN/PIM #1S				
Site Position:		Northing:	394,110.55 usft	Latitude:	32° 4' 44.214 N
From:	Lat/Long	Easting:	873,588.15 usft	Longitude:	103° 15' 38.243 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.57 °

Well	Juniper 111H					
Well Position	+N/-S	0.0 usft	Northing:	394,110.55 usft	Latitude:	32° 4' 44.214 N
	+E/-W	0.0 usft	Easting:	873,588.15 usft	Longitude:	103° 15' 38.243 W
Position Uncertainty	0.0 usft	Wellhead Elevation:		Ground Level:	2,992.0 usft	

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	12/4/2018	6.64	59.96	47,736.62818023

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	358.95

Plan Survey Tool Program	Date	1/11/2019		
Depth From (usft)	Depth To (usft)	Survey (Wellbore)	Tool Name	Remarks
1	0.0	22,661.1	Design #1 (Wellbore #1)	MWD
				OWSG MWD - Standard

Database:	EDM5000	Local Co-ordinate Reference:	Well Juniper 111 H
Company:	Ameredev Operating, LLC.	TVD Reference:	KN @ 3019.0usft
Project:	JUN/PIM	MD Reference:	KN @ 3019.0usft
Site:	JUN/PIM #1S	North Reference:	Grid
Well:	Juniper 111H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

**Plan Sections**

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.00	0.00	0.00	0.00	
2,300.0	6.00	163.00	2,299.5	-15.0	4.6	2.00	2.00	0.00	163.00	
6,020.9	6.00	163.00	6,000.0	-387.0	118.3	0.00	0.00	0.00	0.00	
6,320.9	0.00	0.00	6,299.5	-402.0	122.9	2.00	-2.00	0.00	180.00	
11,221.5	0.00	0.00	11,200.0	-402.0	122.9	0.00	0.00	0.00	0.00	
11,920.1	83.83	345.22	11,674.7	10.1	14.2	12.00	12.00	0.00	345.22	
12,276.7	83.83	345.22	11,713.0	352.9	-76.3	0.00	0.00	0.00	0.00	
12,405.5	90.00	359.42	11,720.0	480.0	-93.4	12.00	4.79	11.02	66.98	Jun111 FTP2
22,661.1	90.00	359.42	11,720.0	10,735.1	-197.7	0.00	0.00	0.00	0.00	Jun111 BHL

Database: EDM5000  
Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature

### Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	0.0	0.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	0.0	0.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	0.0	0.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	0.0	0.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	0.0	0.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	0.0	0.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	0.0	0.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	0.0	0.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	0.0	0.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	0.0	0.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	0.0	0.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	0.0	0.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	0.0	0.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	0.0	0.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	0.0	0.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	0.0	0.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	0.0	0.0	0.0	0.00	0.00	0.00
2,100.0	2.00	163.00	2,100.0	-1.7	0.5	-1.7	2.00	2.00	0.00
2,200.0	4.00	163.00	2,199.8	-6.7	2.0	-6.7	2.00	2.00	0.00
2,300.0	6.00	163.00	2,299.5	-15.0	4.6	-15.1	2.00	2.00	0.00
2,400.0	6.00	163.00	2,398.9	-25.0	7.6	-25.1	0.00	0.00	0.00
2,500.0	6.00	163.00	2,498.4	-35.0	10.7	-35.2	0.00	0.00	0.00
2,600.0	6.00	163.00	2,597.8	-45.0	13.8	-45.2	0.00	0.00	0.00
2,700.0	6.00	163.00	2,697.3	-55.0	16.8	-55.3	0.00	0.00	0.00
2,800.0	6.00	163.00	2,796.7	-65.0	19.9	-65.3	0.00	0.00	0.00
2,900.0	6.00	163.00	2,896.2	-75.0	22.9	-75.4	0.00	0.00	0.00
3,000.0	6.00	163.00	2,995.6	-85.0	26.0	-85.4	0.00	0.00	0.00
3,100.0	6.00	163.00	3,095.1	-95.0	29.0	-95.5	0.00	0.00	0.00
3,200.0	6.00	163.00	3,194.5	-105.0	32.1	-105.5	0.00	0.00	0.00
3,300.0	6.00	163.00	3,294.0	-115.0	35.1	-115.6	0.00	0.00	0.00
3,400.0	6.00	163.00	3,393.4	-125.0	38.2	-125.6	0.00	0.00	0.00
3,500.0	6.00	163.00	3,492.9	-135.0	41.3	-135.7	0.00	0.00	0.00
3,600.0	6.00	163.00	3,592.3	-145.0	44.3	-145.7	0.00	0.00	0.00
3,700.0	6.00	163.00	3,691.8	-155.0	47.4	-155.8	0.00	0.00	0.00
3,800.0	6.00	163.00	3,791.2	-164.9	50.4	-165.8	0.00	0.00	0.00
3,900.0	6.00	163.00	3,890.7	-174.9	53.5	-175.9	0.00	0.00	0.00
4,000.0	6.00	163.00	3,990.1	-184.9	56.5	-186.0	0.00	0.00	0.00
4,100.0	6.00	163.00	4,089.6	-194.9	59.6	-196.0	0.00	0.00	0.00
4,200.0	6.00	163.00	4,189.0	-204.9	62.7	-206.1	0.00	0.00	0.00
4,300.0	6.00	163.00	4,288.5	-214.9	65.7	-216.1	0.00	0.00	0.00
4,400.0	6.00	163.00	4,387.9	-224.9	68.8	-226.2	0.00	0.00	0.00
4,500.0	6.00	163.00	4,487.4	-234.9	71.8	-236.2	0.00	0.00	0.00
4,600.0	6.00	163.00	4,586.9	-244.9	74.9	-246.3	0.00	0.00	0.00
4,700.0	6.00	163.00	4,686.3	-254.9	77.9	-256.3	0.00	0.00	0.00
4,800.0	6.00	163.00	4,785.8	-264.9	81.0	-266.4	0.00	0.00	0.00
4,900.0	6.00	163.00	4,885.2	-274.9	84.0	-276.4	0.00	0.00	0.00
5,000.0	6.00	163.00	4,984.7	-284.9	87.1	-286.5	0.00	0.00	0.00
5,100.0	6.00	163.00	5,084.1	-294.9	90.2	-296.5	0.00	0.00	0.00
5,200.0	6.00	163.00	5,183.6	-304.9	93.2	-306.6	0.00	0.00	0.00
5,300.0	6.00	163.00	5,283.0	-314.9	96.3	-316.6	0.00	0.00	0.00

Database: EDM5000  
Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature

### Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
5,400.0	6.00	163.00	5,382.5	-324.9	99.3	-326.7	0.00	0.00	0.00
5,500.0	6.00	163.00	5,481.9	-334.9	102.4	-336.7	0.00	0.00	0.00
5,600.0	6.00	163.00	5,581.4	-344.9	105.4	-346.8	0.00	0.00	0.00
5,700.0	6.00	163.00	5,680.8	-354.9	108.5	-356.8	0.00	0.00	0.00
5,800.0	6.00	163.00	5,780.3	-364.9	111.6	-366.9	0.00	0.00	0.00
5,900.0	6.00	163.00	5,879.7	-374.9	114.6	-376.9	0.00	0.00	0.00
6,000.0	6.00	163.00	5,979.2	-384.9	117.7	-387.0	0.00	0.00	0.00
6,020.9	6.00	163.00	6,000.0	-387.0	118.3	-389.1	0.00	0.00	0.00
6,100.0	4.42	163.00	6,078.7	-393.8	120.4	-396.0	2.00	-2.00	0.00
6,200.0	2.42	163.00	6,178.6	-399.5	122.1	-401.7	2.00	-2.00	0.00
6,300.0	0.42	163.00	6,278.5	-401.9	122.9	-404.1	2.00	-2.00	0.00
6,320.9	0.00	0.00	6,299.5	-402.0	122.9	-404.2	2.00	-2.00	0.00
6,400.0	0.00	0.00	6,378.5	-402.0	122.9	-404.2	0.00	0.00	0.00
6,500.0	0.00	0.00	6,478.5	-402.0	122.9	-404.2	0.00	0.00	0.00
6,600.0	0.00	0.00	6,578.5	-402.0	122.9	-404.2	0.00	0.00	0.00
6,700.0	0.00	0.00	6,678.5	-402.0	122.9	-404.2	0.00	0.00	0.00
6,800.0	0.00	0.00	6,778.5	-402.0	122.9	-404.2	0.00	0.00	0.00
6,900.0	0.00	0.00	6,878.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,000.0	0.00	0.00	6,978.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,100.0	0.00	0.00	7,078.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,200.0	0.00	0.00	7,178.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,300.0	0.00	0.00	7,278.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,400.0	0.00	0.00	7,378.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,500.0	0.00	0.00	7,478.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,600.0	0.00	0.00	7,578.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,700.0	0.00	0.00	7,678.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,800.0	0.00	0.00	7,778.5	-402.0	122.9	-404.2	0.00	0.00	0.00
7,900.0	0.00	0.00	7,878.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,000.0	0.00	0.00	7,978.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,100.0	0.00	0.00	8,078.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,200.0	0.00	0.00	8,178.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,300.0	0.00	0.00	8,278.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,400.0	0.00	0.00	8,378.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,500.0	0.00	0.00	8,478.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,600.0	0.00	0.00	8,578.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,700.0	0.00	0.00	8,678.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,800.0	0.00	0.00	8,778.5	-402.0	122.9	-404.2	0.00	0.00	0.00
8,900.0	0.00	0.00	8,878.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,000.0	0.00	0.00	8,978.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,100.0	0.00	0.00	9,078.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,200.0	0.00	0.00	9,178.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,300.0	0.00	0.00	9,278.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,400.0	0.00	0.00	9,378.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,500.0	0.00	0.00	9,478.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,600.0	0.00	0.00	9,578.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,700.0	0.00	0.00	9,678.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,800.0	0.00	0.00	9,778.5	-402.0	122.9	-404.2	0.00	0.00	0.00
9,900.0	0.00	0.00	9,878.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,000.0	0.00	0.00	9,978.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,100.0	0.00	0.00	10,078.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,200.0	0.00	0.00	10,178.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,300.0	0.00	0.00	10,278.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,400.0	0.00	0.00	10,378.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,500.0	0.00	0.00	10,478.5	-402.0	122.9	-404.2	0.00	0.00	0.00

Database: EDM5000  
Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature

### Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
10,600.0	0.00	0.00	10,578.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,700.0	0.00	0.00	10,678.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,800.0	0.00	0.00	10,778.5	-402.0	122.9	-404.2	0.00	0.00	0.00
10,900.0	0.00	0.00	10,878.5	-402.0	122.9	-404.2	0.00	0.00	0.00
11,000.0	0.00	0.00	10,978.5	-402.0	122.9	-404.2	0.00	0.00	0.00
11,100.0	0.00	0.00	11,078.5	-402.0	122.9	-404.2	0.00	0.00	0.00
11,121.5	0.00	0.00	11,100.0	-402.0	122.9	-404.2	0.00	0.00	0.00
<b>Jun111 FTP2 KOP</b>									
11,200.0	0.00	0.00	11,178.5	-402.0	122.9	-404.2	0.00	0.00	0.00
11,221.5	0.00	0.00	11,200.0	-402.0	122.9	-404.2	0.00	0.00	0.00
<b>Sec 03 - Jun111 KOP</b>									
11,300.0	9.42	345.22	11,278.2	-395.7	121.2	-397.9	12.00	12.00	0.00
11,400.0	21.42	345.22	11,374.4	-370.1	114.5	-372.1	12.00	12.00	0.00
11,500.0	33.42	345.22	11,463.0	-325.6	102.8	-327.5	12.00	12.00	0.00
11,600.0	45.42	345.22	11,540.1	-264.3	86.6	-265.9	12.00	12.00	0.00
11,700.0	57.42	345.22	11,602.3	-188.9	66.7	-190.1	12.00	12.00	0.00
11,800.0	69.42	345.22	11,647.0	-102.6	43.9	-103.4	12.00	12.00	0.00
11,900.0	81.42	345.22	11,672.1	-9.2	19.3	-9.5	12.00	12.00	0.00
11,920.1	83.83	345.22	11,674.7	10.1	14.2	9.8	12.00	12.00	0.00
12,000.0	83.83	345.22	11,683.3	86.9	-6.1	87.0	0.00	0.00	0.00
12,100.0	83.83	345.22	11,694.0	183.1	-31.4	183.6	0.00	0.00	0.00
12,184.7	83.83	345.22	11,703.1	264.4	-52.9	265.4	0.00	0.00	0.00
<b>Sec 34</b>									
12,200.0	83.83	345.22	11,704.8	279.2	-56.8	280.2	0.00	0.00	0.00
12,259.0	83.83	345.22	11,711.1	335.9	-71.8	337.1	0.00	0.00	0.00
<b>Jun111 FTP</b>									
12,276.7	83.83	345.22	11,713.0	352.9	-76.3	354.3	0.00	0.00	0.00
12,300.0	84.93	347.80	11,715.3	375.5	-81.7	376.9	12.00	4.72	11.09
12,400.0	89.73	358.81	11,720.0	474.5	-93.3	476.1	12.00	4.81	11.01
12,405.5	90.00	359.42	11,720.0	480.0	-93.4	481.6	12.00	4.84	10.98
<b>Jun111 FTP2</b>									
12,500.0	90.00	359.42	11,720.0	574.5	-94.3	576.1	0.00	0.00	0.00
12,600.0	90.00	359.42	11,720.0	674.5	-95.3	676.1	0.00	0.00	0.00
12,700.0	90.00	359.42	11,720.0	774.5	-96.4	776.1	0.00	0.00	0.00
12,800.0	90.00	359.42	11,720.0	874.5	-97.4	876.1	0.00	0.00	0.00
12,900.0	90.00	359.42	11,720.0	974.5	-98.4	976.1	0.00	0.00	0.00
13,000.0	90.00	359.42	11,720.0	1,074.5	-99.4	1,076.1	0.00	0.00	0.00
13,100.0	90.00	359.42	11,720.0	1,174.5	-100.4	1,176.1	0.00	0.00	0.00
13,200.0	90.00	359.42	11,720.0	1,274.5	-101.4	1,276.1	0.00	0.00	0.00
13,300.0	90.00	359.42	11,720.0	1,374.5	-102.5	1,376.1	0.00	0.00	0.00
13,400.0	90.00	359.42	11,720.0	1,474.5	-103.5	1,476.1	0.00	0.00	0.00
13,500.0	90.00	359.42	11,720.0	1,574.4	-104.5	1,576.1	0.00	0.00	0.00
13,600.0	90.00	359.42	11,720.0	1,674.4	-105.5	1,676.1	0.00	0.00	0.00
13,700.0	90.00	359.42	11,720.0	1,774.4	-106.5	1,776.1	0.00	0.00	0.00
13,800.0	90.00	359.42	11,720.0	1,874.4	-107.5	1,876.1	0.00	0.00	0.00
13,900.0	90.00	359.42	11,720.0	1,974.4	-108.6	1,976.1	0.00	0.00	0.00
14,000.0	90.00	359.42	11,720.0	2,074.4	-109.6	2,076.1	0.00	0.00	0.00
14,100.0	90.00	359.42	11,720.0	2,174.4	-110.6	2,176.1	0.00	0.00	0.00
14,200.0	90.00	359.42	11,720.0	2,274.4	-111.6	2,276.1	0.00	0.00	0.00
14,300.0	90.00	359.42	11,720.0	2,374.4	-112.6	2,376.1	0.00	0.00	0.00
14,400.0	90.00	359.42	11,720.0	2,474.4	-113.6	2,476.1	0.00	0.00	0.00
14,500.0	90.00	359.42	11,720.0	2,574.4	-114.7	2,576.1	0.00	0.00	0.00
14,600.0	90.00	359.42	11,720.0	2,674.4	-115.7	2,676.1	0.00	0.00	0.00

Database:	EDM5000	Local Co-ordinate Reference:	Well Juniper 111H
Company:	Ameredev Operating, LLC.	TVD Reference:	KN @ 3019.0usft
Project:	JUN/PIM	MD Reference:	KN @ 3019.0usft
Site:	JUN/PIM #1S	North Reference:	Grid
Well:	Juniper 111H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
14,700.0	90.00	359.42	11,720.0	2,774.4	-116.7	2,776.1	0.00	0.00	0.00
14,800.0	90.00	359.42	11,720.0	2,874.4	-117.7	2,876.1	0.00	0.00	0.00
14,900.0	90.00	359.42	11,720.0	2,974.4	-118.7	2,976.1	0.00	0.00	0.00
15,000.0	90.00	359.42	11,720.0	3,074.4	-119.7	3,076.1	0.00	0.00	0.00
15,100.0	90.00	359.42	11,720.0	3,174.4	-120.8	3,176.0	0.00	0.00	0.00
15,200.0	90.00	359.42	11,720.0	3,274.4	-121.8	3,276.0	0.00	0.00	0.00
15,300.0	90.00	359.42	11,720.0	3,374.4	-122.8	3,376.0	0.00	0.00	0.00
15,400.0	90.00	359.42	11,720.0	3,474.3	-123.8	3,476.0	0.00	0.00	0.00
15,500.0	90.00	359.42	11,720.0	3,574.3	-124.8	3,576.0	0.00	0.00	0.00
15,600.0	90.00	359.42	11,720.0	3,674.3	-125.8	3,676.0	0.00	0.00	0.00
15,700.0	90.00	359.42	11,720.0	3,774.3	-126.9	3,776.0	0.00	0.00	0.00
15,800.0	90.00	359.42	11,720.0	3,874.3	-127.9	3,876.0	0.00	0.00	0.00
15,900.0	90.00	359.42	11,720.0	3,974.3	-128.9	3,976.0	0.00	0.00	0.00
16,000.0	90.00	359.42	11,720.0	4,074.3	-129.9	4,076.0	0.00	0.00	0.00
16,100.0	90.00	359.42	11,720.0	4,174.3	-130.9	4,176.0	0.00	0.00	0.00
16,200.0	90.00	359.42	11,720.0	4,274.3	-131.9	4,276.0	0.00	0.00	0.00
16,300.0	90.00	359.42	11,720.0	4,374.3	-133.0	4,376.0	0.00	0.00	0.00
16,400.0	90.00	359.42	11,720.0	4,474.3	-134.0	4,476.0	0.00	0.00	0.00
16,500.0	90.00	359.42	11,720.0	4,574.3	-135.0	4,576.0	0.00	0.00	0.00
16,600.0	90.00	359.42	11,720.0	4,674.3	-136.0	4,676.0	0.00	0.00	0.00
16,700.0	90.00	359.42	11,720.0	4,774.3	-137.0	4,776.0	0.00	0.00	0.00
16,800.0	90.00	359.42	11,720.0	4,874.3	-138.0	4,876.0	0.00	0.00	0.00
16,900.0	90.00	359.42	11,720.0	4,974.3	-139.1	4,976.0	0.00	0.00	0.00
17,000.0	90.00	359.42	11,720.0	5,074.3	-140.1	5,076.0	0.00	0.00	0.00
17,100.0	90.00	359.42	11,720.0	5,174.3	-141.1	5,176.0	0.00	0.00	0.00
17,200.0	90.00	359.42	11,720.0	5,274.3	-142.1	5,276.0	0.00	0.00	0.00
17,300.0	90.00	359.42	11,720.0	5,374.2	-143.1	5,376.0	0.00	0.00	0.00
17,400.0	90.00	359.42	11,720.0	5,474.2	-144.2	5,476.0	0.00	0.00	0.00
17,433.1	90.00	359.42	11,720.0	5,507.3	-144.5	5,509.0	0.00	0.00	0.00
Sec 27									
17,500.0	90.00	359.42	11,720.0	5,574.2	-145.2	5,576.0	0.00	0.00	0.00
17,600.0	90.00	359.42	11,720.0	5,674.2	-146.2	5,676.0	0.00	0.00	0.00
17,700.0	90.00	359.42	11,720.0	5,774.2	-147.2	5,776.0	0.00	0.00	0.00
17,800.0	90.00	359.42	11,720.0	5,874.2	-148.2	5,876.0	0.00	0.00	0.00
17,900.0	90.00	359.42	11,720.0	5,974.2	-149.2	5,976.0	0.00	0.00	0.00
18,000.0	90.00	359.42	11,720.0	6,074.2	-150.3	6,075.9	0.00	0.00	0.00
18,100.0	90.00	359.42	11,720.0	6,174.2	-151.3	6,175.9	0.00	0.00	0.00
18,200.0	90.00	359.42	11,720.0	6,274.2	-152.3	6,275.9	0.00	0.00	0.00
18,300.0	90.00	359.42	11,720.0	6,374.2	-153.3	6,375.9	0.00	0.00	0.00
18,400.0	90.00	359.42	11,720.0	6,474.2	-154.3	6,475.9	0.00	0.00	0.00
18,500.0	90.00	359.42	11,720.0	6,574.2	-155.3	6,575.9	0.00	0.00	0.00
18,600.0	90.00	359.42	11,720.0	6,674.2	-156.4	6,675.9	0.00	0.00	0.00
18,700.0	90.00	359.42	11,720.0	6,774.2	-157.4	6,775.9	0.00	0.00	0.00
18,800.0	90.00	359.42	11,720.0	6,874.2	-158.4	6,875.9	0.00	0.00	0.00
18,900.0	90.00	359.42	11,720.0	6,974.2	-159.4	6,975.9	0.00	0.00	0.00
19,000.0	90.00	359.42	11,720.0	7,074.2	-160.4	7,075.9	0.00	0.00	0.00
19,100.0	90.00	359.42	11,720.0	7,174.2	-161.4	7,175.9	0.00	0.00	0.00
19,200.0	90.00	359.42	11,720.0	7,274.2	-162.5	7,275.9	0.00	0.00	0.00
19,300.0	90.00	359.42	11,720.0	7,374.1	-163.5	7,375.9	0.00	0.00	0.00
19,400.0	90.00	359.42	11,720.0	7,474.1	-164.5	7,475.9	0.00	0.00	0.00
19,500.0	90.00	359.42	11,720.0	7,574.1	-165.5	7,575.9	0.00	0.00	0.00
19,600.0	90.00	359.42	11,720.0	7,674.1	-166.5	7,675.9	0.00	0.00	0.00
19,700.0	90.00	359.42	11,720.0	7,774.1	-167.5	7,775.9	0.00	0.00	0.00
19,800.0	90.00	359.42	11,720.0	7,874.1	-168.6	7,875.9	0.00	0.00	0.00

Database:	EDM5000	Local Co-ordinate Reference:	Well Juniper 111H
Company:	Ameredev Operating, LLC.	TVD Reference:	KN @ 3019.0usft
Project:	JUN/PIM	MD Reference:	KN @ 3019.0usft
Site:	JUN/PIM #1S	North Reference:	Grid
Well:	Juniper 111H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

### Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
19,900.0	90.00	359.42	11,720.0	7,974.1	-169.6	7,975.9	0.00	0.00	0.00
20,000.0	90.00	359.42	11,720.0	8,074.1	-170.6	8,075.9	0.00	0.00	0.00
20,100.0	90.00	359.42	11,720.0	8,174.1	-171.6	8,175.9	0.00	0.00	0.00
20,200.0	90.00	359.42	11,720.0	8,274.1	-172.6	8,275.9	0.00	0.00	0.00
20,300.0	90.00	359.42	11,720.0	8,374.1	-173.6	8,375.9	0.00	0.00	0.00
20,400.0	90.00	359.42	11,720.0	8,474.1	-174.7	8,475.9	0.00	0.00	0.00
20,500.0	90.00	359.42	11,720.0	8,574.1	-175.7	8,575.9	0.00	0.00	0.00
20,600.0	90.00	359.42	11,720.0	8,674.1	-176.7	8,675.9	0.00	0.00	0.00
20,700.0	90.00	359.42	11,720.0	8,774.1	-177.7	8,775.9	0.00	0.00	0.00
20,800.0	90.00	359.42	11,720.0	8,874.1	-178.7	8,875.9	0.00	0.00	0.00
20,900.0	90.00	359.42	11,720.0	8,974.1	-179.7	8,975.9	0.00	0.00	0.00
21,000.0	90.00	359.42	11,720.0	9,074.1	-180.8	9,075.8	0.00	0.00	0.00
21,100.0	90.00	359.42	11,720.0	9,174.1	-181.8	9,175.8	0.00	0.00	0.00
21,200.0	90.00	359.42	11,720.0	9,274.0	-182.8	9,275.8	0.00	0.00	0.00
21,300.0	90.00	359.42	11,720.0	9,374.0	-183.8	9,375.8	0.00	0.00	0.00
21,400.0	90.00	359.42	11,720.0	9,474.0	-184.8	9,475.8	0.00	0.00	0.00
21,500.0	90.00	359.42	11,720.0	9,574.0	-185.8	9,575.8	0.00	0.00	0.00
21,600.0	90.00	359.42	11,720.0	9,674.0	-186.9	9,675.8	0.00	0.00	0.00
21,700.0	90.00	359.42	11,720.0	9,774.0	-187.9	9,775.8	0.00	0.00	0.00
21,800.0	90.00	359.42	11,720.0	9,874.0	-188.9	9,875.8	0.00	0.00	0.00
21,900.0	90.00	359.42	11,720.0	9,974.0	-189.9	9,975.8	0.00	0.00	0.00
22,000.0	90.00	359.42	11,720.0	10,074.0	-190.9	10,075.8	0.00	0.00	0.00
22,100.0	90.00	359.42	11,720.0	10,174.0	-192.0	10,175.8	0.00	0.00	0.00
22,200.0	90.00	359.42	11,720.0	10,274.0	-193.0	10,275.8	0.00	0.00	0.00
22,300.0	90.00	359.42	11,720.0	10,374.0	-194.0	10,375.8	0.00	0.00	0.00
22,400.0	90.00	359.42	11,720.0	10,474.0	-195.0	10,475.8	0.00	0.00	0.00
22,500.0	90.00	359.42	11,720.0	10,574.0	-196.0	10,575.8	0.00	0.00	0.00
22,600.0	90.00	359.42	11,720.0	10,674.0	-197.0	10,675.8	0.00	0.00	0.00
Jun111 LTP									
22,661.1	90.00	359.42	11,720.0	10,735.1	-197.7	10,736.9	0.00	0.00	0.00
Jun111 BHL									

Database:	EDM5000	Local Co-ordinate Reference:	Well Juniper 111H
Company:	Ameredev Operating, LLC.	TVD Reference:	KN @ 3019.0usft
Project:	JUN/PIM	MD Reference:	KN @ 3019.0usft
Site:	JUN/PIM #1S	North Reference:	Grid
Well:	Juniper 111H	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Design Targets									
Target Name - hit/miss target - Shape	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
Jun111 KOP - plan hits target center - Point	0.00	0.00	11,200.0	-402.0	122.9	393,708.59	873,711.05	32° 4' 40.225 N	103° 15' 36.861 W
Sec 03 - plan misses target center by 4673.9usft at 11221.5usft MD (11200.0 TVD, -402.0 N, 122.9 E) - Polygon	0.00	0.00	11,471.0	-5,054.0	-239.0	389,056.56	873,349.16	32° 3' 54.231 N	103° 15' 41.604 W
Point 1			11,471.0	0.0	0.0	389,056.56	873,349.16		
Point 2			11,471.0	5,281.2	-53.3	394,337.76	873,295.86		
Point 3			11,471.0	5,330.6	5,227.9	394,387.16	878,577.06		
Point 4			11,471.0	47.9	5,279.4	389,104.46	878,628.56		
Sec 34 - plan misses target center by 335.5usft at 12184.7usft MD (11703.1 TVD, 264.4 N, -52.9 E) - Polygon	0.00	0.00	11,471.0	227.2	-292.3	394,337.79	873,295.83	32° 4' 46.491 N	103° 15' 41.614 W
Point 1			11,471.0	0.0	0.0	394,337.79	873,295.83		
Point 2			11,471.0	5,278.0	-53.8	399,615.79	873,242.03		
Point 3			11,471.0	5,326.9	5,230.6	399,664.69	878,526.43		
Point 4			11,471.0	49.4	5,281.3	394,387.19	878,577.13		
Sec 27 - plan misses target center by 269.6usft at 17433.1usft MD (11720.0 TVD, 5507.3 N, -144.5 E) - Polygon	0.00	0.00	11,541.0	5,505.2	-346.1	399,615.80	873,242.02	32° 5' 38.720 N	103° 15' 41.630 W
Point 1			11,541.0	0.0	0.0	399,615.80	873,242.02		
Point 2			11,541.0	5,278.0	-52.0	404,893.80	873,190.02		
Point 3			11,541.0	5,328.3	5,215.5	404,944.10	878,457.52		
Point 4			11,541.0	48.8	5,284.4	399,664.60	878,526.42		
Jun111 FTP - plan misses target center by 24.3usft at 12259.0usft MD (11711.1 TVD, 335.9 N, -71.8 E) - Point	0.00	0.00	11,720.0	329.2	-93.4	394,439.73	873,494.80	32° 4' 47.481 N	103° 15' 39.290 W
Jun111 FTP2 - plan hits target center - Point	0.00	0.00	11,720.0	480.0	-93.4	394,590.55	873,494.80	32° 4' 48.973 N	103° 15' 39.273 W
Jun111 BHL - plan hits target center - Point	0.00	0.00	11,720.0	10,735.1	-197.7	404,845.65	873,390.50	32° 6' 30.452 N	103° 15' 39.299 W
Jun111 LTP - plan misses target center by 11.1usft at 22600.0usft MD (11720.0 TVD, 10674.0 N, -197.0 E) - Point	0.00	0.00	11,720.0	10,685.1	-197.2	404,795.66	873,390.96	32° 6' 29.958 N	103° 15' 39.300 W





***AMEREDEV***

**Ameredev Operating, LLC.**

**JUN/PIM**

**JUN/PIM #1S**

**Juniper 111H**

**Wellbore #1**

**Plan: Design #1**

## **Lease Penetration Section Line Footages**

**14 January, 2019**

**Company:** Ameredev Operating, LLC.  
**Project:** JUN/PIM  
**Site:** JUN/PIM #1S  
**Well:** Juniper 111H  
**Wellbore:** Wellbore #1  
**Design:** Design #1

**Local Co-ordinate Reference:** Well Juniper 111H  
**TVD Reference:** KN @ 3019.0usft  
**MD Reference:** KN @ 3019.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** EDM5000

**Project** JUN/PIM

**Map System:** US State Plane 1983  
**Geo Datum:** North American Datum 1983  
**Map Zone:** New Mexico Eastern Zone

**System Datum:** Mean Sea Level

**Site** JUN/PIM #1S

<b>Site Position:</b>		<b>Northing:</b>	394,110.55 usft	<b>Latitude:</b>	32° 4' 44.214 N
<b>From:</b>	Lat/Long	<b>Easting:</b>	873,588.15 usft	<b>Longitude:</b>	103° 15' 38.243 W
<b>Position Uncertainty:</b>	0.0 usft	<b>Slot Radius:</b>	13-3/16 "	<b>Grid Convergence:</b>	0.57 °

**Well** Juniper 111H

<b>Well Position</b>	<b>+N/-S</b>	0.0 usft	<b>Northing:</b>	394,110.55 usft	<b>Latitude:</b>	32° 4' 44.214 N
	<b>+E/-W</b>	0.0 usft	<b>Easting:</b>	873,588.15 usft	<b>Longitude:</b>	103° 15' 38.243 W
<b>Position Uncertainty</b>		0.0 usft	<b>Wellhead Elevation:</b>	usft	<b>Ground Level:</b>	2,992.0 usft

**Wellbore** Wellbore #1

Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (mT)
	IGRF2015	12/4/2018	6.64	59.96	47,736.62818023

**Design** Design #1

**Audit Notes:**

<b>Version:</b>	<b>Phase:</b>	PROTOTYPE	<b>Tie On Depth:</b>	0.0
-----------------	---------------	-----------	----------------------	-----

Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	358.95

**Survey Tool Program** Date 1/11/2019

From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description
0.0	22,661.1	Design #1 (Wellbore #1)	MWD	OWSG MWD - Standard



**Ameredev Operating, LLC**  
Lease Penetration Section Line Footages

Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: EDM5000

**Planned Survey**

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
0.0	0.00	0.00	0.0	-230.0	290.0	0.0	0.00	0.00	0.00
100.0	0.00	0.00	100.0	-230.0	290.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	-230.0	290.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	-230.0	290.0	0.0	0.00	0.00	0.00
400.0	0.00	0.00	400.0	-230.0	290.0	0.0	0.00	0.00	0.00
500.0	0.00	0.00	500.0	-230.0	290.0	0.0	0.00	0.00	0.00
600.0	0.00	0.00	600.0	-230.0	290.0	0.0	0.00	0.00	0.00
700.0	0.00	0.00	700.0	-230.0	290.0	0.0	0.00	0.00	0.00
800.0	0.00	0.00	800.0	-230.0	290.0	0.0	0.00	0.00	0.00
900.0	0.00	0.00	900.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,000.0	0.00	0.00	1,000.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,100.0	0.00	0.00	1,100.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,200.0	0.00	0.00	1,200.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,300.0	0.00	0.00	1,300.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,400.0	0.00	0.00	1,400.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,500.0	0.00	0.00	1,500.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,600.0	0.00	0.00	1,600.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,700.0	0.00	0.00	1,700.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,800.0	0.00	0.00	1,800.0	-230.0	290.0	0.0	0.00	0.00	0.00
1,900.0	0.00	0.00	1,900.0	-230.0	290.0	0.0	0.00	0.00	0.00
2,000.0	0.00	0.00	2,000.0	-230.0	290.0	0.0	0.00	0.00	0.00
2,100.0	2.00	163.00	2,100.0	-231.7	290.5	-1.7	2.00	2.00	0.00
2,200.0	4.00	163.00	2,199.8	-236.7	292.0	-6.7	2.00	2.00	0.00
2,300.0	6.00	163.00	2,299.5	-245.0	294.6	-15.1	2.00	2.00	0.00
2,400.0	6.00	163.00	2,398.9	-255.0	297.6	-25.1	0.00	0.00	0.00
2,500.0	6.00	163.00	2,498.4	-265.0	300.7	-35.2	0.00	0.00	0.00
2,600.0	6.00	163.00	2,597.8	-275.0	303.8	-45.2	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
 Project: JUN/PIM  
 Site: JUN/PIM #1S  
 Well: Juniper 111H  
 Wellbore: Wellbore #1  
 Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
 TVD Reference: KN @ 3019.0usft  
 MD Reference: KN @ 3019.0usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Database: EDM5000

#### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
2,700.0	6.00	163.00	2,697.3	-285.0	306.8	-55.3	0.00	0.00	0.00
2,800.0	6.00	163.00	2,796.7	-295.0	309.9	-65.3	0.00	0.00	0.00
2,900.0	6.00	163.00	2,896.2	-305.0	312.9	-75.4	0.00	0.00	0.00
3,000.0	6.00	163.00	2,995.6	-315.0	316.0	-85.4	0.00	0.00	0.00
3,100.0	6.00	163.00	3,095.1	-325.0	319.0	-95.5	0.00	0.00	0.00
3,200.0	6.00	163.00	3,194.5	-335.0	322.1	-105.5	0.00	0.00	0.00
3,300.0	6.00	163.00	3,294.0	-345.0	325.1	-115.6	0.00	0.00	0.00
3,400.0	6.00	163.00	3,393.4	-355.0	328.2	-125.6	0.00	0.00	0.00
3,500.0	6.00	163.00	3,492.9	-365.0	331.3	-135.7	0.00	0.00	0.00
3,600.0	6.00	163.00	3,592.3	-375.0	334.3	-145.7	0.00	0.00	0.00
3,700.0	6.00	163.00	3,691.8	-385.0	337.4	-155.8	0.00	0.00	0.00
3,800.0	6.00	163.00	3,791.2	-394.9	340.4	-165.8	0.00	0.00	0.00
3,900.0	6.00	163.00	3,890.7	-404.9	343.5	-175.9	0.00	0.00	0.00
4,000.0	6.00	163.00	3,990.1	-414.9	346.5	-186.0	0.00	0.00	0.00
4,100.0	6.00	163.00	4,089.6	-424.9	349.6	-196.0	0.00	0.00	0.00
4,200.0	6.00	163.00	4,189.0	-434.9	352.7	-206.1	0.00	0.00	0.00
4,300.0	6.00	163.00	4,288.5	-444.9	355.7	-216.1	0.00	0.00	0.00
4,400.0	6.00	163.00	4,387.9	-454.9	358.8	-226.2	0.00	0.00	0.00
4,500.0	6.00	163.00	4,487.4	-464.9	361.8	-236.2	0.00	0.00	0.00
4,600.0	6.00	163.00	4,586.9	-474.9	364.9	-246.3	0.00	0.00	0.00
4,700.0	6.00	163.00	4,686.3	-484.9	367.9	-256.3	0.00	0.00	0.00
4,800.0	6.00	163.00	4,785.8	-494.9	371.0	-266.4	0.00	0.00	0.00
4,900.0	6.00	163.00	4,885.2	-504.9	374.0	-276.4	0.00	0.00	0.00
5,000.0	6.00	163.00	4,984.7	-514.9	377.1	-286.5	0.00	0.00	0.00
5,100.0	6.00	163.00	5,084.1	-524.9	380.2	-296.5	0.00	0.00	0.00
5,200.0	6.00	163.00	5,183.6	-534.9	383.2	-306.6	0.00	0.00	0.00
5,300.0	6.00	163.00	5,283.0	-544.9	386.3	-316.6	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
 Project: JUN/PIM  
 Site: JUN/PIM #1S  
 Well: Juniper 111H  
 Wellbore: Wellbore #1  
 Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
 TVD Reference: KN @ 3019.0usft  
 MD Reference: KN @ 3019.0usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Database: EDM5000

#### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
5,400.0	6.00	163.00	5,382.5	-554.9	389.3	-326.7	0.00	0.00	0.00
5,500.0	6.00	163.00	5,481.9	-564.9	392.4	-336.7	0.00	0.00	0.00
5,600.0	6.00	163.00	5,581.4	-574.9	395.4	-346.8	0.00	0.00	0.00
5,700.0	6.00	163.00	5,680.8	-584.9	398.5	-356.8	0.00	0.00	0.00
5,800.0	6.00	163.00	5,780.3	-594.9	401.6	-366.9	0.00	0.00	0.00
5,900.0	6.00	163.00	5,879.7	-604.9	404.6	-376.9	0.00	0.00	0.00
6,000.0	6.00	163.00	5,979.2	-614.9	407.7	-387.0	0.00	0.00	0.00
6,020.9	6.00	163.00	6,000.0	-617.0	408.3	-389.1	0.00	0.00	0.00
6,100.0	4.42	163.00	6,078.7	-623.8	410.4	-396.0	2.00	-2.00	0.00
6,200.0	2.42	163.00	6,178.6	-629.5	412.1	-401.7	2.00	-2.00	0.00
6,300.0	0.42	163.00	6,278.5	-631.9	412.9	-404.1	2.00	-2.00	0.00
6,320.9	0.00	0.00	6,299.5	-632.0	412.9	-404.2	2.00	-2.00	0.00
6,400.0	0.00	0.00	6,378.5	-632.0	412.9	-404.2	0.00	0.00	0.00
6,500.0	0.00	0.00	6,478.5	-632.0	412.9	-404.2	0.00	0.00	0.00
6,600.0	0.00	0.00	6,578.5	-632.0	412.9	-404.2	0.00	0.00	0.00
6,700.0	0.00	0.00	6,678.5	-632.0	412.9	-404.2	0.00	0.00	0.00
6,800.0	0.00	0.00	6,778.5	-632.0	412.9	-404.2	0.00	0.00	0.00
6,900.0	0.00	0.00	6,878.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,000.0	0.00	0.00	6,978.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,100.0	0.00	0.00	7,078.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,200.0	0.00	0.00	7,178.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,300.0	0.00	0.00	7,278.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,400.0	0.00	0.00	7,378.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,500.0	0.00	0.00	7,478.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,600.0	0.00	0.00	7,578.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,700.0	0.00	0.00	7,678.5	-632.0	412.9	-404.2	0.00	0.00	0.00
7,800.0	0.00	0.00	7,778.5	-632.0	412.9	-404.2	0.00	0.00	0.00

**Ameredev Operating, LLC**  
**Lease Penetration Section Line Footages**

**Company:** Ameredev Operating, LLC.  
**Project:** JUN/PIM  
**Site:** JUN/PIM #1S  
**Well:** Juniper 111H  
**Wellbore:** Wellbore #1  
**Design:** Design #1

**Local Co-ordinate Reference:** Well Juniper 111H  
**TVD Reference:** KN @ 3019.0usft  
**MD Reference:** KN @ 3019.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** EDM5000

**Planned Survey**

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL-FNL (usft)	+FWL-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
7,900.0	0.00	0.00	7,878.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,000.0	0.00	0.00	7,978.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,100.0	0.00	0.00	8,078.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,200.0	0.00	0.00	8,178.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,300.0	0.00	0.00	8,278.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,400.0	0.00	0.00	8,378.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,500.0	0.00	0.00	8,478.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,600.0	0.00	0.00	8,578.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,700.0	0.00	0.00	8,678.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,800.0	0.00	0.00	8,778.5	-632.0	412.9	-404.2	0.00	0.00	0.00
8,900.0	0.00	0.00	8,878.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,000.0	0.00	0.00	8,978.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,100.0	0.00	0.00	9,078.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,200.0	0.00	0.00	9,178.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,300.0	0.00	0.00	9,278.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,400.0	0.00	0.00	9,378.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,500.0	0.00	0.00	9,478.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,600.0	0.00	0.00	9,578.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,700.0	0.00	0.00	9,678.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,800.0	0.00	0.00	9,778.5	-632.0	412.9	-404.2	0.00	0.00	0.00
9,900.0	0.00	0.00	9,878.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,000.0	0.00	0.00	9,978.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,100.0	0.00	0.00	10,078.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,200.0	0.00	0.00	10,178.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,300.0	0.00	0.00	10,278.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,400.0	0.00	0.00	10,378.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,500.0	0.00	0.00	10,478.5	-632.0	412.9	-404.2	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: EDM5000

### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL-FNL (usft)	+FWL-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
10,600.0	0.00	0.00	10,578.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,700.0	0.00	0.00	10,678.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,800.0	0.00	0.00	10,778.5	-632.0	412.9	-404.2	0.00	0.00	0.00
10,900.0	0.00	0.00	10,878.5	-632.0	412.9	-404.2	0.00	0.00	0.00
11,000.0	0.00	0.00	10,978.5	-632.0	412.9	-404.2	0.00	0.00	0.00
11,100.0	0.00	0.00	11,078.5	-632.0	412.9	-404.2	0.00	0.00	0.00
11,121.5	0.00	0.00	11,100.0	-632.0	412.9	-404.2	0.00	0.00	0.00
Jun111 FTP2 KOP									
11,200.0	0.00	0.00	11,178.5	-632.0	412.9	-404.2	0.00	0.00	0.00
11,221.5	0.00	0.00	11,200.0	-632.0	412.9	-404.2	0.00	0.00	0.00
Sec 03 - Jun111 KOP									
11,300.0	9.42	345.22	11,278.2	-625.7	411.2	-397.9	12.00	12.00	0.00
11,400.0	21.42	345.22	11,374.4	-600.1	404.5	-372.1	12.00	12.00	0.00
11,500.0	33.42	345.22	11,463.0	-555.6	392.8	-327.5	12.00	12.00	0.00
11,600.0	45.42	345.22	11,540.1	-494.3	376.6	-265.9	12.00	12.00	0.00
11,700.0	57.42	345.22	11,602.3	-418.9	356.7	-190.1	12.00	12.00	0.00
11,800.0	69.42	345.22	11,647.0	-332.6	333.9	-103.4	12.00	12.00	0.00
11,900.0	81.42	345.22	11,672.1	-239.2	309.3	-9.5	12.00	12.00	0.00
11,920.1	83.83	345.22	11,674.7	-219.9	304.2	9.8	12.00	12.00	0.00
12,000.0	83.83	345.22	11,683.3	-143.1	283.9	87.0	0.00	0.00	0.00
12,100.0	83.83	345.22	11,694.0	-46.9	258.6	183.6	0.00	0.00	0.00
12,184.7	83.83	345.22	11,703.1	34.4	237.1	265.4	0.00	0.00	0.00
Sec 34									
12,200.0	83.83	345.22	11,704.8	49.2	233.2	280.2	0.00	0.00	0.00
12,259.0	83.83	345.22	11,711.1	105.9	218.2	337.1	0.00	0.00	0.00
Jun111 FTP									
12,276.7	83.83	345.22	11,713.0	122.9	213.7	354.3	0.00	0.00	0.00

**Company:** Ameredev Operating, LLC.  
**Project:** JUN/PIM  
**Site:** JUN/PIM #1S  
**Well:** Juniper 111H  
**Wellbore:** Wellbore #1  
**Design:** Design #1

**Local Co-ordinate Reference:** Well Juniper 111H  
**TVD Reference:** KN @ 3019.0usft  
**MD Reference:** KN @ 3019.0usft  
**North Reference:** Grid  
**Survey Calculation Method:** Minimum Curvature  
**Database:** EDM5000

**Planned Survey**

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
12,300.0	84.93	347.80	11,715.3	145.5	208.3	376.9	12.00	4.72	11.09
12,400.0	89.73	358.81	11,720.0	244.5	196.7	476.1	12.00	4.81	11.01
12,405.5	90.00	359.42	11,720.0	250.0	196.6	481.6	12.00	4.84	10.98
<b>Jun111 FTP2</b>									
12,500.0	90.00	359.42	11,720.0	344.5	195.7	576.1	0.00	0.00	0.00
12,600.0	90.00	359.42	11,720.0	444.5	194.7	676.1	0.00	0.00	0.00
12,700.0	90.00	359.42	11,720.0	544.5	193.6	776.1	0.00	0.00	0.00
12,800.0	90.00	359.42	11,720.0	644.5	192.6	876.1	0.00	0.00	0.00
12,900.0	90.00	359.42	11,720.0	744.5	191.6	976.1	0.00	0.00	0.00
13,000.0	90.00	359.42	11,720.0	844.5	190.6	1,076.1	0.00	0.00	0.00
13,100.0	90.00	359.42	11,720.0	944.5	189.6	1,176.1	0.00	0.00	0.00
13,200.0	90.00	359.42	11,720.0	1,044.5	188.6	1,276.1	0.00	0.00	0.00
13,300.0	90.00	359.42	11,720.0	1,144.5	187.5	1,376.1	0.00	0.00	0.00
13,400.0	90.00	359.42	11,720.0	1,244.5	186.5	1,476.1	0.00	0.00	0.00
13,500.0	90.00	359.42	11,720.0	1,344.4	185.5	1,576.1	0.00	0.00	0.00
13,600.0	90.00	359.42	11,720.0	1,444.4	184.5	1,676.1	0.00	0.00	0.00
13,700.0	90.00	359.42	11,720.0	1,544.4	183.5	1,776.1	0.00	0.00	0.00
13,800.0	90.00	359.42	11,720.0	1,644.4	182.5	1,876.1	0.00	0.00	0.00
13,900.0	90.00	359.42	11,720.0	1,744.4	181.4	1,976.1	0.00	0.00	0.00
14,000.0	90.00	359.42	11,720.0	1,844.4	180.4	2,076.1	0.00	0.00	0.00
14,100.0	90.00	359.42	11,720.0	1,944.4	179.4	2,176.1	0.00	0.00	0.00
14,200.0	90.00	359.42	11,720.0	2,044.4	178.4	2,276.1	0.00	0.00	0.00
14,300.0	90.00	359.42	11,720.0	2,144.4	177.4	2,376.1	0.00	0.00	0.00
14,400.0	90.00	359.42	11,720.0	2,244.4	176.4	2,476.1	0.00	0.00	0.00
14,500.0	90.00	359.42	11,720.0	2,344.4	175.3	2,576.1	0.00	0.00	0.00
14,600.0	90.00	359.42	11,720.0	2,444.4	174.3	2,676.1	0.00	0.00	0.00
14,700.0	90.00	359.42	11,720.0	2,544.4	173.3	2,776.1	0.00	0.00	0.00



## Ameredev Operating, LLC Lease Penetration Section Line Footages

Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: EDM5000

### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
14,800.0	90.00	359.42	11,720.0	2,644.4	172.3	2,876.1	0.00	0.00	0.00
14,900.0	90.00	359.42	11,720.0	2,744.4	171.3	2,976.1	0.00	0.00	0.00
15,000.0	90.00	359.42	11,720.0	2,844.4	170.3	3,076.1	0.00	0.00	0.00
15,100.0	90.00	359.42	11,720.0	2,944.4	169.2	3,176.0	0.00	0.00	0.00
15,200.0	90.00	359.42	11,720.0	3,044.4	168.2	3,276.0	0.00	0.00	0.00
15,300.0	90.00	359.42	11,720.0	3,144.4	167.2	3,376.0	0.00	0.00	0.00
15,400.0	90.00	359.42	11,720.0	3,244.3	166.2	3,476.0	0.00	0.00	0.00
15,500.0	90.00	359.42	11,720.0	3,344.3	165.2	3,576.0	0.00	0.00	0.00
15,600.0	90.00	359.42	11,720.0	3,444.3	164.2	3,676.0	0.00	0.00	0.00
15,700.0	90.00	359.42	11,720.0	3,544.3	163.1	3,776.0	0.00	0.00	0.00
15,800.0	90.00	359.42	11,720.0	3,644.3	162.1	3,876.0	0.00	0.00	0.00
15,900.0	90.00	359.42	11,720.0	3,744.3	161.1	3,976.0	0.00	0.00	0.00
16,000.0	90.00	359.42	11,720.0	3,844.3	160.1	4,076.0	0.00	0.00	0.00
16,100.0	90.00	359.42	11,720.0	3,944.3	159.1	4,176.0	0.00	0.00	0.00
16,200.0	90.00	359.42	11,720.0	4,044.3	158.1	4,276.0	0.00	0.00	0.00
16,300.0	90.00	359.42	11,720.0	4,144.3	157.0	4,376.0	0.00	0.00	0.00
16,400.0	90.00	359.42	11,720.0	4,244.3	156.0	4,476.0	0.00	0.00	0.00
16,500.0	90.00	359.42	11,720.0	4,344.3	155.0	4,576.0	0.00	0.00	0.00
16,600.0	90.00	359.42	11,720.0	4,444.3	154.0	4,676.0	0.00	0.00	0.00
16,700.0	90.00	359.42	11,720.0	4,544.3	153.0	4,776.0	0.00	0.00	0.00
16,800.0	90.00	359.42	11,720.0	4,644.3	152.0	4,876.0	0.00	0.00	0.00
16,900.0	90.00	359.42	11,720.0	4,744.3	150.9	4,976.0	0.00	0.00	0.00
17,000.0	90.00	359.42	11,720.0	4,844.3	149.9	5,076.0	0.00	0.00	0.00
17,100.0	90.00	359.42	11,720.0	4,944.3	148.9	5,176.0	0.00	0.00	0.00
17,200.0	90.00	359.42	11,720.0	5,044.3	147.9	5,276.0	0.00	0.00	0.00
17,300.0	90.00	359.42	11,720.0	5,144.2	146.9	5,376.0	0.00	0.00	0.00
17,400.0	90.00	359.42	11,720.0	5,244.2	145.8	5,476.0	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: EDM5000

### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL/-FNL (usft)	+FWL/-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
17,433.1	90.00	359.42	11,720.0	5,277.3	145.5	5,509.0	0.00	0.00	0.00
Sec 27									
17,500.0	90.00	359.42	11,720.0	5,344.2	144.8	5,576.0	0.00	0.00	0.00
17,600.0	90.00	359.42	11,720.0	5,444.2	143.8	5,676.0	0.00	0.00	0.00
17,700.0	90.00	359.42	11,720.0	5,544.2	142.8	5,776.0	0.00	0.00	0.00
17,800.0	90.00	359.42	11,720.0	5,644.2	141.8	5,876.0	0.00	0.00	0.00
17,900.0	90.00	359.42	11,720.0	5,744.2	140.8	5,976.0	0.00	0.00	0.00
18,000.0	90.00	359.42	11,720.0	5,844.2	139.7	6,075.9	0.00	0.00	0.00
18,100.0	90.00	359.42	11,720.0	5,944.2	138.7	6,175.9	0.00	0.00	0.00
18,200.0	90.00	359.42	11,720.0	6,044.2	137.7	6,275.9	0.00	0.00	0.00
18,300.0	90.00	359.42	11,720.0	6,144.2	136.7	6,375.9	0.00	0.00	0.00
18,400.0	90.00	359.42	11,720.0	6,244.2	135.7	6,475.9	0.00	0.00	0.00
18,500.0	90.00	359.42	11,720.0	6,344.2	134.7	6,575.9	0.00	0.00	0.00
18,600.0	90.00	359.42	11,720.0	6,444.2	133.6	6,675.9	0.00	0.00	0.00
18,700.0	90.00	359.42	11,720.0	6,544.2	132.6	6,775.9	0.00	0.00	0.00
18,800.0	90.00	359.42	11,720.0	6,644.2	131.6	6,875.9	0.00	0.00	0.00
18,900.0	90.00	359.42	11,720.0	6,744.2	130.6	6,975.9	0.00	0.00	0.00
19,000.0	90.00	359.42	11,720.0	6,844.2	129.6	7,075.9	0.00	0.00	0.00
19,100.0	90.00	359.42	11,720.0	6,944.2	128.6	7,175.9	0.00	0.00	0.00
19,200.0	90.00	359.42	11,720.0	7,044.2	127.5	7,275.9	0.00	0.00	0.00
19,300.0	90.00	359.42	11,720.0	7,144.1	126.5	7,375.9	0.00	0.00	0.00
19,400.0	90.00	359.42	11,720.0	7,244.1	125.5	7,475.9	0.00	0.00	0.00
19,500.0	90.00	359.42	11,720.0	7,344.1	124.5	7,575.9	0.00	0.00	0.00
19,600.0	90.00	359.42	11,720.0	7,444.1	123.5	7,675.9	0.00	0.00	0.00
19,700.0	90.00	359.42	11,720.0	7,544.1	122.5	7,775.9	0.00	0.00	0.00
19,800.0	90.00	359.42	11,720.0	7,644.1	121.4	7,875.9	0.00	0.00	0.00
19,900.0	90.00	359.42	11,720.0	7,744.1	120.4	7,975.9	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
 Project: JUN/PIM  
 Site: JUN/PIM #1S  
 Well: Juniper 111H  
 Wellbore: Wellbore #1  
 Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
 TVD Reference: KN @ 3019.0usft  
 MD Reference: KN @ 3019.0usft  
 North Reference: Grid  
 Survey Calculation Method: Minimum Curvature  
 Database: EDM5000

#### Planned Survey

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL-FNL (usft)	+FWL-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
20,000.0	90.00	359.42	11,720.0	7,844.1	119.4	8,075.9	0.00	0.00	0.00
20,100.0	90.00	359.42	11,720.0	7,944.1	118.4	8,175.9	0.00	0.00	0.00
20,200.0	90.00	359.42	11,720.0	8,044.1	117.4	8,275.9	0.00	0.00	0.00
20,300.0	90.00	359.42	11,720.0	8,144.1	116.4	8,375.9	0.00	0.00	0.00
20,400.0	90.00	359.42	11,720.0	8,244.1	115.3	8,475.9	0.00	0.00	0.00
20,500.0	90.00	359.42	11,720.0	8,344.1	114.3	8,575.9	0.00	0.00	0.00
20,600.0	90.00	359.42	11,720.0	8,444.1	113.3	8,675.9	0.00	0.00	0.00
20,700.0	90.00	359.42	11,720.0	8,544.1	112.3	8,775.9	0.00	0.00	0.00
20,800.0	90.00	359.42	11,720.0	8,644.1	111.3	8,875.9	0.00	0.00	0.00
20,900.0	90.00	359.42	11,720.0	8,744.1	110.3	8,975.9	0.00	0.00	0.00
21,000.0	90.00	359.42	11,720.0	8,844.1	109.2	9,075.8	0.00	0.00	0.00
21,100.0	90.00	359.42	11,720.0	8,944.1	108.2	9,175.8	0.00	0.00	0.00
21,200.0	90.00	359.42	11,720.0	9,044.0	107.2	9,275.8	0.00	0.00	0.00
21,300.0	90.00	359.42	11,720.0	9,144.0	106.2	9,375.8	0.00	0.00	0.00
21,400.0	90.00	359.42	11,720.0	9,244.0	105.2	9,475.8	0.00	0.00	0.00
21,500.0	90.00	359.42	11,720.0	9,344.0	104.2	9,575.8	0.00	0.00	0.00
21,600.0	90.00	359.42	11,720.0	9,444.0	103.1	9,675.8	0.00	0.00	0.00
21,700.0	90.00	359.42	11,720.0	9,544.0	102.1	9,775.8	0.00	0.00	0.00
21,800.0	90.00	359.42	11,720.0	9,644.0	101.1	9,875.8	0.00	0.00	0.00
21,900.0	90.00	359.42	11,720.0	9,744.0	100.1	9,975.8	0.00	0.00	0.00
22,000.0	90.00	359.42	11,720.0	9,844.0	99.1	10,075.8	0.00	0.00	0.00
22,100.0	90.00	359.42	11,720.0	9,944.0	98.0	10,175.8	0.00	0.00	0.00
22,200.0	90.00	359.42	11,720.0	10,044.0	97.0	10,275.8	0.00	0.00	0.00
22,300.0	90.00	359.42	11,720.0	10,144.0	96.0	10,375.8	0.00	0.00	0.00
22,400.0	90.00	359.42	11,720.0	10,244.0	95.0	10,475.8	0.00	0.00	0.00
22,500.0	90.00	359.42	11,720.0	10,344.0	94.0	10,575.8	0.00	0.00	0.00

Company: Ameredev Operating, LLC.  
Project: JUN/PIM  
Site: JUN/PIM #1S  
Well: Juniper 111H  
Wellbore: Wellbore #1  
Design: Design #1

Local Co-ordinate Reference: Well Juniper 111H  
TVD Reference: KN @ 3019.0usft  
MD Reference: KN @ 3019.0usft  
North Reference: Grid  
Survey Calculation Method: Minimum Curvature  
Database: EDM5000

**Planned Survey**

MD (usft)	Inc (°)	Azi (azimuth) (°)	TVD (usft)	+FSL-FNL (usft)	+FWL-FEL (usft)	V. Sec (usft)	DLeg (°/100usft)	Build (°/100usft)	Turn (°/100usft)
22,600.0	90.00	359.42	11,720.0	10,444.0	93.0	10,675.8	0.00	0.00	0.00
Jun111 LTP 22,661.1	90.00	359.42	11,720.0	10,505.1	92.3	10,736.9	0.00	0.00	0.00
Jun111 BHL									

## **Ameredev Drilling Plan: 3 String with 4 String Contingency**

- Contingency Plan If Losses Exceed 50% in Intermediate Interval
  - We will utilize a MB4 wellhead that will enable us to convert a 3 string design to a 4 string design. (Schematic Attached)
  - We will displace well with FW and drill or condition to run 9-5/8" Casing at the Lamar Limestone, we will utilize DV Tool w/ ACP @ the Tansill to Isolate Capitan Reef and cement to surface.
  - Casing will be tested to 1500 psi or .22 psi/ft whichever is greater for 30 minutes with <10% leak off, but will not exceed 70% of the burst rating per Onshore Order No. 2.
  
- 7.625 Casing will be Additional 4<sup>th</sup> String
  - Drill remaining hole section to 10,670'
  - Run 7.625 29.7# HCL80 FJM Casing

**4-String Contingency Wellbore Schematic****Well:** (Well Name)**SHL:** (SHL)**BHL:** (BHL)

Lea, NM

**Wellhead:** A - 13-5/8" 10M x 13-5/8" SOW

B - 13-5/8" 10M x 13-5/8" 10M

C - 13-5/8" 10M x 13-5/8" 10M

Tubing Spool - 5-1/8" 15M x 13-3/8" 10M

**Xmas Tree:** 2-9/16" 10M**Tubing:** 2-7/8" L-80 6.5# 8rd EUE**Co. Well ID:****AFE No.:****API No.:****GL:****Field:****Objective:****TVD:****MD:****Rig:****E-Mail:**

xxxxxx

xxxx-xxxx

xxxxxxxxxxxx

(Elevation)'

Delaware

Wolfcamp B

(TVD)'

(MD)'

TBD KB 27'

Wellsite2@amerede.com


Hole Size	Formation Tops	Logs	Cement	Mud Weight
17.5"	Rustler 125' below 13.375" 54.5# J-55 BTC Rustler	TOC 0'	100% Excess	8.4-8.6 ppg WBM
12.25"	Salado DV Tool with ACP At Tansill Tansill Capitan Reef Lamar 50' below 9.625" 40# L-80HC BTC Lamar	TOC 0'	50% Excess	8.3-10.2 Fresh Water
8.75"	Bell Canyon Brushy Canyon Bone Spring Lime First Bone Spring Second Bone Spring Third Bone Spring Upper 125' below 7.625" 29.7# L-80HC FJM TBSG Upper	TOC 0'	25% Excess	8.5-9.4 Diesel Brine Emulsion
6.75" 12° Build @ KOP	Third Bone Spring Wolfcamp Wolfcamp B (If Applicable) 5.5" 20# P-110CYHP TMK UP SF TORQ (MD) Target Wolfcamp B TVD // MD	TOC 0'	25% Excess	10.5-14 ppg OBM

**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

**Contingency Casing Design and Safety Factor Check**

<b>Casing Specifications</b>						
<b>Segment</b>	<b>Hole ID</b>	<b>Depth</b>	<b>OD</b>	<b>Weight</b>	<b>Grade</b>	<b>Coupling</b>
Surface	17.5	1,888'	13.375	54.5	J-55	BTC
Int #1	12.25	5,013'	9.625	40	HCL-80	BTC
Int #2	8.75	11,147'	7.625	29.7	HCL-80	FJM
Prod Segment A	6.75	11,147'	5.5	20	CYHP-110	TMK UPSF
Prod Segment B	6.75	22,496'	5.5	20	CYHP-110	TMK UPSF

<b>Check Surface Casing</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
14.38	853	909	1,130	2,730
<b>Safety Factors</b>				
1.56	8.29	8.83	1.15	0.91
<b>Check Int #1 Casing</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
10.625	916	1042	4230	5750
<b>Safety Factors</b>				
0.81	4.57	5.20	1.41	0.95
<b>Check Int #2 Casing</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
7.625	940	558	6700	9460
<b>Safety Factors</b>				
0.56	2.84	1.96	1.10	1.24
<b>Check Prod Casing, Segment A</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
5.777	728	655	12780	14360
<b>Safety Factors</b>				
0.49	3.11	2.79	1.77	1.89
<b>Check Prod Casing, Segment B</b>				
OD Cplg	Body	Joint	Collapse	Burst
<i>inches</i>	<i>1000 lbs</i>	<i>1000 lbs</i>	<i>psi</i>	<i>psi</i>
5.777	728	655	12780	14360
<b>Safety Factors</b>				
0.49	63.53	57.16	1.68	1.89



## Quotation

## Downing Wellhead Equipment

Oklahoma City,  
Oklahoma - USA

### Reference Data:

16925 AMEREDEV

### Proprietary and Confidential

The information contained in this drawing is the sole property of Downing Wellhead Equipment, any reproduction in part or in whole without the written permission of Downing Wellhead Equipment is prohibited.

### TITLE:

AMEREDEV

DRAWN

CHECKED

APPROVED

SIZE

A

DWG. NO.

Scale:

Weight:

REV.

Sheet:



**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

Hole Size	Casing Size	Depth	Sacks	Yield	Density
17.5	13.375	1888		1.76	13.5
Bbl/Sk	0.31372549				
bbls	419.402246				
Stage Tool Depth	N/A				
Top MD of Segment	0				
Bottom MD of Segment	1502				
Cement Type	C				
Additives	Bentonite, Accelerator, Kolseal, Defoamer, Celloflake				
Quantity (sks)	1,337				
Yield (cu ft/sk)	1.76				
Density (lbs/gal)	13.5				
Volume (cu ft)	2,352.85				
Percent Excess	100%				
Column Height	3,389.88				
Target TOC	0				
Calc TOC	-1888	bbl	25% Excess	100%	
calc vol	0.12372195	233.587041	291.9838012	467.174082	
Target %	100%				

Hole Size	Casing Size	Depth	Sacks	Yield	Density
17.5	13.375	1888		1.34	14.8
Bbl/Sk	0.23885918				
bbls	47.77183601				
Top MD of Segment	1502				
Bottom MD of Segment	1888				
Cement Type	C				
Additives					
Quantity (sks)	200				
Yield (cu ft/sk)	1.34				
Density (lbs/gal)	14.8				
Volume (cu ft)	268				
Percent Excess	100%				
Column Height	386.1225606				

## SURFACE CEMENT

**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

Stage 1 Lead	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>12.25</td> <td>9.625</td> <td>5013</td> <td></td> <td>3.5</td> <td>9</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	12.25	9.625	5013		3.5	9	
	Hole Size	Casing Size	Depth	Sacks	Yield	Density								
	12.25	9.625	5013		3.5	9								
	Bbl/Sk	0.623885918												
	bbls	372.0365733												
	Stage Tool Depth	N/A												
	Top MD of Segment	0												
	Bottom MD of Segment	4163												
	Cement Type	C												
	Additives	Bentonite,Salt,Kolseal,Defoamer,Cellocake												
	Quantity (sks)	596												
	Yield (cu ft/sk)	3.5												
	Density (lbs/gal)	9												
	Volume (cu ft)	2,087.13												
	Percent Excess	50%	Target %											
	Column Height	6,669.49	50%											
	<p align="center"><b>Target TOC</b>      0</p> <table> <tr> <td>Calc TOC</td> <td>-2506.5</td> <td>bbl</td> <td>25% Excess</td> <td>50%</td> </tr> <tr> <td>calc vol</td> <td>0.055781888</td> <td>279.6346021</td> <td>349.5432526</td> <td>419.4519031</td> </tr> </table>			Calc TOC	-2506.5	bbl	25% Excess	50%	calc vol	0.055781888	279.6346021	349.5432526	419.4519031	
	Calc TOC	-2506.5	bbl	25% Excess	50%									
	calc vol	0.055781888	279.6346021	349.5432526	419.4519031									
Stage 1 Tail	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>12.25</td> <td>9.625</td> <td>5013</td> <td></td> <td>1.33</td> <td>14.8</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	12.25	9.625	5013		1.33	14.8	
	Hole Size	Casing Size	Depth	Sacks	Yield	Density								
	12.25	9.625	5013		1.33	14.8								
	Bbl/Sk	0.237076649												
	bbls	47.41532977												
	Top MD of Segment	4163												
	Bottom MD of Segment	5013												
	Cement Type	C												
	Additives													
	Quantity (sks)	200												
	Yield (cu ft/sk)	1.33												
	Density (lbs/gal)	14.8												
	Volume (cu ft)	266												
	Percent Excess	25%												
	Column Height	850.013004												

**INTERMEDIATE 1 CEMENT - STAGE 1**

**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

Stage 2 Lead	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>12.25</td> <td>9.625</td> <td>3262</td> <td></td> <td>3.5</td> <td>9</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	12.25	9.625	3262		3.5	9	
	Hole Size	Casing Size	Depth	Sacks	Yield	Density								
	12.25	9.625	3262		3.5	9								
	Bbl/Sk	0.623885918												
	bbls	225.5254458												
	Stage Tool Depth	N/A												
	Top MD of Segment	0												
	Bottom MD of Segment	2412												
	Cement Type	C												
	Additives	Bentonite,Salt,Kolseal,Defoamer,Cellocake												
	Quantity (sks)	361												
	Yield (cu ft/sk)	3.5												
	Density (lbs/gal)	9												
	Volume (cu ft)	1,265.20												
	Percent Excess	50%	Target %											
	Column Height	4,042.99	50%											
	<p align="center"><b>Target TOC</b>                      0</p> <table> <tr> <td>Calc TOC</td> <td>-1631</td> <td>bbl</td> <td>25% Excess</td> <td>50%</td> </tr> <tr> <td>calc vol</td> <td>0.055781888</td> <td>181.960517</td> <td>227.4506463</td> <td>272.9407756</td> </tr> </table>			Calc TOC	-1631	bbl	25% Excess	50%	calc vol	0.055781888	181.960517	227.4506463	272.9407756	
	Calc TOC	-1631	bbl	25% Excess	50%									
	calc vol	0.055781888	181.960517	227.4506463	272.9407756									
	Stage 2 Tail	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>12.25</td> <td>9.625</td> <td>3262</td> <td></td> <td>1.33</td> <td>14.8</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	12.25	9.625	3262		1.33	14.8
Hole Size		Casing Size	Depth	Sacks	Yield	Density								
12.25		9.625	3262		1.33	14.8								
Bbl/Sk		0.237076649												
bbls		47.41532977												
Top MD of Segment		2412												
Bottom MD of Segment		3262												
Cement Type		C												
Additives														
Quantity (sks)		200												
Yield (cu ft/sk)		1.33												
Density (lbs/gal)		14.8												
Volume (cu ft)		266												
Percent Excess		25%												
Column Height		850.013004												

INTERMEDIATE 1 CEMENT - STAGE 2

**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

Stage 1 Lead	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>8.75</td> <td>7.625</td> <td>10670</td> <td></td> <td>2.47</td> <td>9</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	8.75	7.625	10670		2.47	9	
	Hole Size	Casing Size	Depth	Sacks	Yield	Density								
	8.75	7.625	10670		2.47	9								
	Bbl/Sk	0.440285205												
	bbls	168.6309595												
	Stage Tool Depth	N/A												
	Top MD of Segment	0												
	Bottom MD of Segment	6755												
	Cement Type	H												
	Additives	Bentonite, Retarder, Kolseal, Defoamer, Celloflake, Anti-Settling												
	Expansion Additive													
	Quantity (sks)	383												
	Yield (cu ft/sk)	2.47												
	Density (lbs/gal)	9												
	Volume (cu ft)	946.02												
	Percent Excess	25%	Target %											
	Column Height	9,422.97	25%											
	<p align="center"><b>Target TOC</b>                      0</p> <table border="1"> <tr> <td>Calc TOC</td> <td>-2667.5</td> <td>bbl</td> <td>25% Excess</td> <td>25%</td> </tr> <tr> <td>calc vol</td> <td>0.01789574</td> <td>190.9475483</td> <td>238.6844354</td> <td>238.6844354</td> </tr> </table>			Calc TOC	-2667.5	bbl	25% Excess	25%	calc vol	0.01789574	190.9475483	238.6844354	238.6844354	
	Calc TOC	-2667.5	bbl	25% Excess	25%									
	calc vol	0.01789574	190.9475483	238.6844354	238.6844354									
Stage 1 Tail	<table border="1"> <tr> <th>Hole Size</th> <th>Casing Size</th> <th>Depth</th> <th>Sacks</th> <th>Yield</th> <th>Density</th> </tr> <tr> <td>8.75</td> <td>7.625</td> <td>10670</td> <td></td> <td>1.31</td> <td>14.2</td> </tr> </table>	Hole Size	Casing Size	Depth	Sacks	Yield	Density	8.75	7.625	10670		1.31	14.2	
	Hole Size	Casing Size	Depth	Sacks	Yield	Density								
	8.75	7.625	10670		1.31	14.2								
	Bbl/Sk	0.233511586												
	bbls	70.05347594												
	Top MD of Segment	6755												
	Bottom MD of Segment	10670												
	Cement Type	H												
	Additives	Salt, Bentonite, Retarder, Dispersant, Fluid Loss												
	Quantity (sks)	300												
	Yield (cu ft/sk)	1.31												
	Density (lbs/gal)	14.2												
	Volume (cu ft)	393												
	Percent Excess	25%												
	Column Height	3914.533571												

**INTERMEDIATE 2 CEMENT**

**\*\*EXAMPLE ONLY - NOT FOR CONSTRUCTION\*\***

<b>Stage 1</b>	<b>Lead</b>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Hole Size</th> <th style="width:15%;">Casing Size</th> <th style="width:15%;">Depth</th> <th style="width:15%;">Sacks</th> <th style="width:15%;">Yield</th> <th style="width:15%;">Density</th> </tr> <tr> <td align="center">6.75</td> <td align="center">5.5</td> <td align="center">22496</td> <td></td> <td align="center">1.34</td> <td align="center">14.2</td> </tr> </table>						Hole Size	Casing Size	Depth	Sacks	Yield	Density	6.75	5.5	22496		1.34	14.2
		Hole Size	Casing Size	Depth	Sacks	Yield	Density												
6.75	5.5	22496		1.34	14.2														
<div style="display: flex; justify-content: space-between;"> <div> Bbl/Sk  bbls  Stage Tool Depth  Top MD of Segment  Bottom MD of Segment  Cement Type  Additives     Salt, Bentonite, Fluid Loss, Dispersant, Retarder, Defoamer </div> <div> 0.23885918  418.2897805  N/A  0  22496  H </div> </div>																			
<b>Stage 1</b>	<b>Tail</b>	<div style="display: flex; justify-content: space-between;"> <div> Quantity (sks)  Yield (cu ft/sk)  Density (lbs/gal)  Volume (cu ft)  Percent Excess  Column Height </div> <div> 1,751  1.34  14.2  2,346.61  25%  28,120.00 </div> <div> Target %     25% </div> </div>																	
		<div style="display: flex; justify-content: space-between;"> <div> <b>Target TOC</b>  Calc TOC  calc vol </div> <div> 0  -5624  0.01487517 </div> <div> bbl  334.6318244 </div> <div> 25% Excess  418.2897805 </div> <div> 25%  418.2897805 </div> </div>																	
		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th style="width:15%;">Hole Size</th> <th style="width:15%;">Casing Size</th> <th style="width:15%;">Depth</th> <th style="width:15%;">Sacks</th> <th style="width:15%;">Yield</th> <th style="width:15%;">Density</th> </tr> <tr> <td align="center">6.75</td> <td align="center">5.5</td> <td align="center">22496</td> <td align="center">0</td> <td align="center">0</td> <td align="center">0</td> </tr> </table>						Hole Size	Casing Size	Depth	Sacks	Yield	Density	6.75	5.5	22496	0	0	0
		Hole Size	Casing Size	Depth	Sacks	Yield	Density												
		6.75	5.5	22496	0	0	0												
		<div style="display: flex; justify-content: space-between;"> <div> Bbl/Sk  bbls  Top MD of Segment  Bottom MD of Segment  Cement Type  Additives </div> <div> 0  0  22496  22496  H </div> </div>																	
		<div style="display: flex; justify-content: space-between;"> <div> Quantity (sks)  Yield (cu ft/sk)  Density (lbs/gal)  Volume (cu ft)  Percent Excess  Column Height </div> <div> 0  0  0  0  0  0 </div> </div>																	

**PRODUCTION CEMENT**

# HALLIBURTON

Permian Basin, Ft Stockton

Lab Results- Lead

## Job Information

Request/Slurry	2488456/2	Rig Name		Date	18/DEC/2018
Submitted By	Dillon Briers	Job Type	Intermediate Casing	Bulk Plant	
Customer	Ameredev	Location	Lea	Well	

## Well Information

Casing/Liner Size	7.625 in	Depth MD	5013 ft	BHST	165°F
Hole Size	8.75 in	Depth TVD	5013 ft	BHCT	130°F

## Cement Information - Lead Design

Conc	UOM	Cement/Additive	Cement Properties		
100	% BWOC	NeoCem	Slurry Density	9	lbm/gal
14.68	gal/sack	Heated Fresh Water	Slurry Yield	3.5	ft <sup>3</sup> /sack
			Water Requirement	14.68	gal/sack

## Pilot Test Results Request ID 2488456/1

### API Rheology, Request Test ID:35665340

Temp (degF)	300	200	100	60	30	6	3	Cond Time (min)
80 (up)	82	67	49	42	39	36	28	0
80 (down)	82	59	35	26	18	10	9	0
80 (avg.)	82	63	42	34	29	23	19	0

PV (cP) & YP (lbs/100ft<sup>2</sup>): 61.73 22.32 (Least-squares method)

PV (cP) & YP (lbs/100ft<sup>2</sup>): 60 22 (Traditional method (300 & 100 rpm based))

Generalized Herschel-Bulkley 4:  $YP(lb/100ft^2)=20.33$   $MuIn(cP)=52.39$   $m=0.81$   $n=0.81$

### API Rheology, Request Test ID:35665341

Temp (degF)	300	200	100	60	30	6	3	Cond Time (min)	Cond Temp (degF)
134 (up)	63	47	29	21	15	7	6	30	134
134 (down)	63	46	29	21	14	7	4	30	134
134 (avg.)	63	47	29	21	15	7	5	30	134

PV (cP) & YP (lbs/100ft<sup>2</sup>): 57.12 7.98 (Least-squares method)

PV (cP) & YP (lbs/100ft<sup>2</sup>): 51 12 (Traditional method (300 & 100 rpm based))

Generalized Herschel-Bulkley 4:  $YP(lb/100ft^2)=2.26$   $MuIn(cP)=30.64$   $m=0.41$   $n=0.41$

### API Fluid Loss, Request Test ID:35665342

Test Temp (degF)	Test Pressure (psi)	Test Time (min)	Meas. Vol.	Calculated FL (<30 min)	Conditioning time (min)	Conditioning Temp (degF)
134	1000	9.12	52	189	30	134

This report is the property of Halliburton Energy Services and neither it nor any part thereof, nor a copy thereof, is to be published or disclosed without first securing the expressed written approval of Halliburton. It may however be used in the course of regular business operations by any person or concern receiving such report from Halliburton. This report is for information purposes only and the content is limited to the sample described. Halliburton makes no warranties, expressed or implied, as to the accuracy of the contents or results. Any user of this report agrees Halliburton shall not be liable for any loss or damage regardless of cause, including any act or omission of Halliburton, resulting from the use hereof.

**Free Fluid API 10B-2, Request Test ID:35665343**

Con. Temp (degF)	Cond. Time (min)	Static T. (F)	Static time (min)	Incl. (deg)	% Fluid
134	30	80	120	0	0

**Pilot Test Results Request ID 2504116/5****Thickening Time - ON-OFF-ON, Request Test ID:35852392**

Test Temp (degF)	Pressure (psi)	Reached in (min)	70 Bc (hh:mm)	Start Bc
126	5800	40	6:18	16

**UCA Comp. Strength, Request Test ID:35852394**

End Temp (degF)	Pressure (psi)	50 psi (hh:mm)	500 psi (hh:mm)	12 hr CS (psi)	24 hr CS (psi)	48 hr CS (psi)
159	4000	8:55	12:23	456	749	681


This report is the property of Halliburton Energy Services and neither it nor any part thereof, nor a copy thereof, is to be published or disclosed without first securing the expressed written approval of Halliburton. It may however be used in the course of regular business operations by any person or concern receiving such report from Halliburton. This report is for information purposes only and the content is limited to the sample described. Halliburton makes no warranties, expressed or implied, as to the accuracy of the contents or results. Any user of this report agrees Halliburton shall not be liable for any loss or damage regardless of cause, including any act or omission of Halliburton, resulting from the use hereof.



# U. S. Steel Tubular Products

6/6/2017 6:18:53 PM

7.625" 29.70lbs/ft (0.375" Wall) HCL80 USS-LIBERTY FJM®



MECHANICAL PROPERTIES	Pipe	USS-LIBERTY FJM®	
Minimum Yield Strength	110,000	--	psi
Maximum Yield Strength	140,000	--	psi
Minimum Tensile Strength	125,000	--	psi

DIMENSIONS	Pipe	USS-LIBERTY FJM®	
Outside Diameter	7.625	7.625	in.
Wall Thickness	0.375	--	in.
Inside Diameter	6.875	6.789	in.
Standard Drift	6.750	6.750	in.
Alternate Drift	--	--	in.
Nominal Linear Weight, T&C	29.70	--	lbs/ft
Plain End Weight	29.06	--	lbs/ft

SECTION AREA	Pipe	USS-LIBERTY FJM®	
Critical Area	8.541	5.074	sq. in.
Joint Efficiency	--	59.4	%

PERFORMANCE	Pipe	USS-LIBERTY FJM®	
Minimum Collapse Pressure	6,700	6,700	psi
Minimum Internal Yield Pressure	9,460	9,460	psi
Minimum Pipe Body Yield Strength	940,000	--	lbs
Joint Strength	--	558,000	lbs
Compression Rating	--	558,000	lbs
Reference Length	--	12,810	ft
Maximum Uniaxial Bend Rating	--	39.3	deg/100 ft

Make-Up Loss	--	3.92	in.
Minimum Make-Up Torque	--	10,800	ft-lbs
Maximum Make-Up Torque	--	15,250	ft-lbs

1. Other than proprietary collapse and connection values, performance properties have been calculated using standard equations defined by API 5C3 and do not incorporate any additional design or safety factors. Calculations assume nominal pipe OD, nominal wall thickness and Specified Minimum Yield Strength (SMYS).
2. Compressive & Tensile Connection Efficiencies are calculated by dividing the connection critical area by the pipe body area.
3. Uniaxial bending rating shown is structural only, and equal to compression efficiency.
4. USS-LIBERTY FJM™ connections are optimized for each combination of OD and wall thickness and cannot be interchanged.
5. Torques have been calculated assuming a thread compound friction factor of 1.0 and are recommended only. Field make-up torques may require adjustment based on actual field conditions (e.g. make-up speed, temperature, thread compound, etc.).
6. Reference length is calculated by joint strength divided by nominal plain end weight with 1.5 safety factor.
7. Connection external pressure leak resistance has been verified to 100% API pipe body collapse pressure following the guidelines of API 5C5 Cal III.

## Legal Notice

USS-LIBERTY FJM® is a trademark of U. S. Steel Corporation. All material contained in this publication is for general information only. This material should not therefore be used or relied upon for any specific application without independent competent professional examination and verification of accuracy, suitability and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. U.S. Steel disclaims any and all expressed or implied warranties of fitness for any general or particular application.

U. S. Steel Tubular Products  
10343 Sam Houston Park Dr., #120  
Houston, TX 77064

1-877-893-9461  
connections@uss.com  
www.usstubular.com





## U. S. Steel Tubular Products

5 1/2 20.00 lb (0.361) P110 HP

USS-EAGLE SFH™

	PIPE	CONNECTION	
<b>MECHANICAL PROPERTIES</b>			
Minimum Yield Strength	125,000	125,000	psi
Maximum Yield Strength	140,000	140,000	psi
Minimum Tensile Strength	130,000	130,000	psi
<b>DIMENSIONS</b>			
Outside Diameter	5.500	5.830	in.
Wall Thickness	0.361		in.
Inside Diameter	4.778	4.693	in.
Drift - API	4.653	4.653	in.
Nominal Linear Weight, T&C	19.83		lbs/ft
Plain End Weight	19.83	19.83	lbs/ft
<b>SECTION AREA</b>			
Cross Sectional Area   Critical Area	5.828	5.054	sq. in.
Joint Efficiency		86.25	%
<b>PERFORMANCE</b>			
Minimum Collapse Pressure	13,150	13,150	psi
External Pressure Leak Resistance		10,000	psi
Minimum Internal Yield Pressure	14,360	14,360	psi
Minimum Pipe Body Yield Strength	729,000		lbs
Joint Strength		631,750	lbs
Compression Rating		631,750	lbs
Reference Length		21,240	ft
Maximum Uniaxial Bend Rating		89.9	deg/100 ft
Minimum Make-Up Torque		14,000	ft-lbs
Maximum Make-Up Torque		16,900	ft-lbs
Maximum Operating Torque		25,000	ft-lbs
Make-Up Loss		5.92	in.

## Notes:

- 1) Other than proprietary collapse and connection values, performance properties have been calculated using standard equations defined by API 5C3 and do not incorporate any additional design or safety factors. Calculations assume nominal pipe OD, nominal wall thickness, and Specified Minimum Yield Strength (SMYS).
- 2) Compressive & Tensile Connection Efficiencies are calculated by dividing the connection critical area by the pipe body area.
- 3) Uniaxial bending rating shown is structural only, and equal to compression efficiency.
- 4) Torques have been calculated assuming a thread compound friction factor of 1.0 and are recommended only. Field make-up torques may require adjustment based on actual field conditions (e.g. make-up speed, temperature, thread compound, etc.).
- 5) Reference length is calculated by joint strength divided by plain end weight with 1.5 safety factor.
- 6) Connection external pressure resistance has been verified to 10,000 psi (Application specific testing).

Legal Notice: All material contained in this publication is for general information only. This material should not therefore be used or relied upon for any specific application without independent competent professional examination and verification of accuracy, suitability, and applicability. Anyone making use of this material does so at their own risk and assumes any and all liability resulting from such use. U. S. Steel disclaims any and all expressed or implied warranties of fitness for any general or particular application.  
 Manual USS Product Data Sheet 2017 rev25 (April)

QUALITY CONTROL	No.: QC-DB- 651 / 2013
	Page : 1 / 44
Hose No.: 66551, 66552, 66553, 66554	Revision : 0
	Date: 14. November 2013.
	Prepared by : <i>Sebastian Sander</i>
	Appr. by: <i>Sebastian Sander</i>

# CHOKE AND KILL HOSES

id.: 3" 69 MPa x 35 ft (10,67 m)

## DATA BOOK

Purchaser: H&P STOCK

Purchaser Order No.:

ContiTech Rubber Order No.: 537587

ContiTech Oil & Marine Corp. Order No.:  
4500370505

**NOT DESIGNED FOR WELL TESTING**

## CONTENT

	<u>Page</u>
1. API QMS Certificate (No.: 0760 )	3.
2. American Petroleum Institute Certificate of Authority To Use the Official API Monogram (No.: 16C-0004 )	4.
3. Quality Control Inspection and Test Certificates (No.: 1905, 1906, 1907, 1908 )	5-8.
4. Hose Data Sheet	9.
5. Metal Parts	
5.1. Raw Material Quality Certificates (No.: TR070687, EUR-265844, 86989/13-0)	10-13.
5.2. Hardness Test Reports (No.: 561/13, 562/13 )	14-15.
5.3. Ultrasonic Test Reports (No.: 513/13, 514/13, 515/13 )	16-18.
5.4. NDT Examiner Certificate (Name: Tóth Ákos József )	19-20.
5.5. Welding Procedure Specification (No.: 140-71 )	21-24.
5.6. Welding Procedure Qualification Record (No.: BUD 0700002/1 )	25-26.
5.7. Welder's Approval Test Certificate (No.: RK1825997.R1 )	27-28.
5.8. Welding Log Sheet (No.: 2013/2898 )	29.
5.9. Visual Examination Record (No.: 813/13 )	30.
5.10. NDT Examiner Certificate (Name: Kis Gábor Balázs )	31-32.
5.11. Radiographic Test Certificates (No.: 2431/13, 2430/13 )	33-34.
5.12. NDT Examiner Certificate (Name: Ménesi István )	35-36.
5.13. MP Examination Record (No.: 1222/13 )	37.
5.14. NDT Examiner Certificate (Name: Oravecz Gábor )	38-39.
6. Steel Cord	
6.1. Inspection Certificate (No.: 4046181212 )	40.
7. Outside Stripwound Tube	
7.1. Inspection Certificate (No.: 63892/2012 )	41.
8. Certificate of Calibration (Manometer Serial No.: 1518086 )	42-44.



ContiTech Rubber  
Industrial Kft.  
Quality Control Dept.  
(1)



# Certificate of Registration

APIQR® REGISTRATION NUMBER

**0760**

*This certifies that the quality management system of*  
**CONTITECH RUBBER INDUSTRIAL LTD.**  
**Budapesti ut 10**  
**Szeged**  
**Hungary**

*has been assessed by the American Petroleum Institute Quality Registrar (APIQR®) and  
found it to be in conformance with the following standard:*

**ISO 9001:2008**

*The scope of this registration and the approved quality management system applies to the*  
**Design and Manufacture of High Pressure Hoses**

*APIQR® approves the organization's justification for excluding:*  
**No Exclusions Identified as Applicable**

**Effective Date: October 15, 2013**  
**Expiration Date: October 15, 2016**  
**Registered Since: October 15, 2007**

*W. Don Whittaker*  
**Manager of Operations, APIQR**

Accredited by Member of  
the International  
Accreditation Forum  
Multilateral Recognition  
Arrangement for Quality  
Management Systems



This certificate is valid for the period specified herein. The registered organization must continually meet all requirements of APIQR's Registration Program and the requirements of the Registration Agreement. Registration is maintained and regularly monitored through annual full system audits. Further clarifications regarding the scope of this certificate and the applicability of ISO 9001 standard requirements may be obtained by consulting the registered organization. This certificate has been issued from APIQR offices located at 1120 I Street, N.W., Washington, D.C. 20005-4032, U.S.A. It is the property of APIQR, and must be returned upon request. To verify the authenticity of this certificate, go to [www.apiqr.com/certificate](http://www.apiqr.com/certificate).





**American  
Petroleum  
Institute**



2011 123

## **Certificate of Authority to use the Official API Monogram**

**License Number: 16C-0004**

**ORIGINAL**

The American Petroleum Institute hereby grants to

**CONTITECH RUBBER INDUSTRIAL LTD.**

**Budapesti ut 10  
Szeged  
Hungary**

the right to use the Official API Monogram® on manufactured products under the conditions in the official publications of the American Petroleum Institute entitled API Spec Q1® and **API Spec 16C** and in accordance with the provisions of the License Agreement.

In all cases where the Official API Monogram is applied, the API Monogram should be used in conjunction with this certificate number: **16C-0004**

The American Petroleum Institute reserves the right to revoke this authorization to use the Official API Monogram for any reason satisfactory to the Board of Directors of the American Petroleum Institute.

The scope of this license includes the following product: **Flexible Choke and Kill Lines**

QMS Exclusions: **No Exclusions Identified as Applicable**

**Effective Date: OCTOBER 15, 2013**

**Expiration Date: OCTOBER 15, 2016**

To verify the authenticity of this license, go to [www.api.org/compositelist](http://www.api.org/compositelist).

American Petroleum Institute

Director of Global Industry Services

**CONTITECH RUBBER  
Industrial Kft.**




**No: QC-DB- 651 /2013  
Page: 4 / 44**

<b>QUALITY CONTROL INSPECTION AND TEST CERTIFICATE</b>		CERT. N°: 1905	
PURCHASER: ContiTech Oil & Marine Corp.		P.O. N°: 4500370505	
CONTITECH RUBBER order N°: 537587	HOSE TYPE: 3" ID Choke and Kill Hose		
HOSE SERIAL N°: 66551	NOMINAL / ACTUAL LENGTH: 10,67 m / 10,75 m		
W.P. 68,9 MPa 10000 psi	T.P. 103,4 MPa 15000 psi	Duration: 60 min.	
<p>Pressure test with water at ambient temperature</p> <p style="text-align: center;">See attachment. ( 1 page )</p> <p>↑ 10 mm = 10 Min. → 10 mm = 25 MPa</p>			
COUPLINGS Type	Serial N°	Quality	Heat N°
3" coupling with	8084 8083	AISI 4130	24613
4 1/16" 10K API Flange end		AISI 4130	034939
<b>NOT DESIGNED FOR WELL TESTING</b>		<b>API Spec 16 C</b>	
		<b>Temperature rate:"B"</b>	
All metal parts are flawless			
WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER INSPECTED AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.			
STATEMENT OF CONFORMITY: We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements.			
COUNTRY OF ORIGIN HUNGARY/EU			
Date:	Inspector	Quality Control	
13. November 2013.		<p>ContiTech Rubber Industrial Kft. Quality Control Dept.</p> <p><i>[Signature]</i></p>	



<b>QUALITY CONTROL INSPECTION AND TEST CERTIFICATE</b>		CERT. N°: 1906	
PURCHASER: ContiTech Oil & Marine Corp.		P.O. N°: 4500370505	
CONTITECH RUBBER order N°: 537587	HOSE TYPE: 3" ID Choke and Kill Hose		
HOSE SERIAL N°: 66552	NOMINAL / ACTUAL LENGTH: 10,67 m / 10,73 m		
W.P. 68,9 MPa 10000 psi	T.P. 103,4 MPa 15000 psi	Duration: 60 min.	
<p>Pressure test with water at ambient temperature</p> <p style="text-align: center;">See attachment. ( 1 page )</p> <p>↑ 10 mm = 10 Min. → 10 mm = 25 MPa</p>			
COUPLINGS Type	Serial N°	Quality	Heat N°
3" coupling with	8088 8085	AISI 4130	24613
4 1/16" 10K API Flange end		AISI 4130	034939
<b>NOT DESIGNED FOR WELL TESTING</b>		<b>API Spec 16 C</b>	
		<b>Temperature rate:"B"</b>	
All metal parts are flawless			
WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER INSPECTED AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.			
STATEMENT OF CONFORMITY: We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements.			
COUNTRY OF ORIGIN HUNGARY/EU			
Date:	Inspector	Quality Control	
13. November 2013.		<p>ContiTech Rubber Industrial Kft. Quality Control Dept.</p> <p><i>[Signature]</i> <i>[Signature]</i></p>	



QUALITY CONTROL INSPECTION AND TEST CERTIFICATE				CERT. N°: 1907																
PURCHASER: ContiTech Oil & Marine Corp.				P.O. N°: 4500370505																
CONTITECH RUBBER order N°: 537587		HOSE TYPE: 3" ID Choke and Kill Hose																		
HOSE SERIAL N°: 66553		NOMINAL / ACTUAL LENGTH: 10,67 m / 10,745 m																		
W.P. 68,9 MPa	10000 psi	T.P. 103,4 MPa	15000 psi	Duration: 60	min.															
<p>Pressure test with water at ambient temperature</p> <p style="text-align: center;">See attachment. ( 1 page )</p> <p>↑ 10 mm = 10 Min. → 10 mm = 25 MPa</p> <table border="1"> <thead> <tr> <th>COUPLINGS Type</th> <th>Serial N°</th> <th>Quality</th> <th>Heat N°</th> </tr> </thead> <tbody> <tr> <td>3" coupling with</td> <td>8089 8087</td> <td>AISI 4130</td> <td>23171 24613</td> </tr> <tr> <td>4 1/16" 10K API Flange end</td> <td></td> <td>AISI 4130</td> <td>034939</td> </tr> </tbody> </table> <p style="text-align: center;"><b>NOT DESIGNED FOR WELL TESTING</b> <span style="float: right;"><b>API Spec 16 C</b></span></p> <p style="text-align: right;"><b>Temperature rate:"B"</b></p> <p>All metal parts are flawless</p> <p><b>WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER INSPECTED AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.</b></p> <p>STATEMENT OF CONFORMITY: We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements.</p> <p style="text-align: center;">COUNTRY OF ORIGIN HUNGARY/EU</p> <table border="1"> <tr> <td>Date:  13. November 2013.</td> <td>Inspector</td> <td>Quality Control   ContiTech Rubber Industrial Kft. Quality Control</td> </tr> </table>						COUPLINGS Type	Serial N°	Quality	Heat N°	3" coupling with	8089 8087	AISI 4130	23171 24613	4 1/16" 10K API Flange end		AISI 4130	034939	Date:  13. November 2013.	Inspector	Quality Control   ContiTech Rubber Industrial Kft. Quality Control
COUPLINGS Type	Serial N°	Quality	Heat N°																	
3" coupling with	8089 8087	AISI 4130	23171 24613																	
4 1/16" 10K API Flange end		AISI 4130	034939																	
Date:  13. November 2013.	Inspector	Quality Control   ContiTech Rubber Industrial Kft. Quality Control																		

QUALITY CONTROL INSPECTION AND TEST CERTIFICATE				CERT. N°: 1908	
PURCHASER: ContiTech Oil & Marine Corp.				P.O. N°: 4500370505	
CONTITECH RUBBER order N°: 537587		HOSE TYPE: 3" ID Choke and Kill Hose			
HOSE SERIAL N°: 66554		NOMINAL / ACTUAL LENGTH: 10,67 m / 10,71 m			
W.P. 68,9 MPa 10000 psi		T.P. 103,4 MPa 15000 psi		Duration: 60 min.	
<p>Pressure test with water at ambient temperature</p> <p style="text-align: center;">See attachment. ( 1 page )</p> <p>↑ 10 mm = 10 Min. → 10 mm = 25 MPa</p>					
COUPLINGS Type		Serial N°		Quality	
3" coupling with		8090 8086		AISI 4130	
4 1/16" 10K API Flange end				AISI 4130	
				Heat N°	
				23171 24613	
				034939	
<b>NOT DESIGNED FOR WELL TESTING</b>				<b>API Spec 16 C</b>	
				<b>Temperature rate:"B"</b>	
All metal parts are flawless					
WE CERTIFY THAT THE ABOVE HOSE HAS BEEN MANUFACTURED IN ACCORDANCE WITH THE TERMS OF THE ORDER INSPECTED AND PRESSURE TESTED AS ABOVE WITH SATISFACTORY RESULT.					
STATEMENT OF CONFORMITY: We hereby certify that the above items/equipment supplied by us are in conformity with the terms, conditions and specifications of the above Purchaser Order and that these items/equipment were fabricated inspected and tested in accordance with the referenced standards, codes and specifications and meet the relevant acceptance criteria and design requirements.					
COUNTRY OF ORIGIN HUNGARY/EU					
Date:		Inspector		Quality Control	
13. November 2013.				<p>ContiTech Rubber Industrial Kft. Quality Control Dept.</p> <p><i>[Signature]</i></p>	





**Hose Data Sheet**

CRI Order No.	537587
Customer	ContiTech Oil & Marine Corp.
Customer Order No	4500370505
Item No.	1
Hose Type	Flexible Hose
<b>Standard</b>	<b>API SPEC 16 C</b>
Inside dia in inches	3
Length	35 ft
Type of coupling one end	FLANGE 4.1/16" 10KPSI API SPEC 6A TYPE 6BX FLANGE C/W BX155STANDARD RING GROOVE
Type of coupling other end	FLANGE 4.1/16" 10KPSI API SPEC 6A TYPE 6BX FLANGE C/W BX155 STANDARD RING GROOVE
H2S service NACE MR0175	Yes
Working Pressure	10 000 psi
Design Pressure	10 000 psi
Test Pressure	15 000 psi
Safety Factor	2,25
Marking	USUAL PHOENIX
Cover	NOT FIRE RESISTANT
Outside protection	St. steel outer wrap
Internal stripwound tube	No
Lining	OIL RESISTANT
Safety clamp	No
Lifting collar	No
Element C	No
Safety chain	No
Safety wire rope	No
Max.design temperature [°C]	100
Min.design temperature [°C]	-20
Min. Bend Radius operating [m]	0,90
Min. Bend Radius storage [m]	0,90
Electrical continuity	The Hose is electrically continuous
Type of packing	WOODEN CRATE ISPM-15

Body

8083-8088

**TM**  
steels

3451-3466

42 0516 0045

Customer: Contitech Rubber Industrial Kft  
Order Number: 32258500  
Part Number: 4205160045  
Our Ref: SO84201  
Date: 11th February 2013  
Certificate Number: TR070687 (Rev. 18/06/2013)  
Approved Signatories: R M Greaves A Cocking J Jarvis A Pears S Selman

Description	CERTIFICATE OF CONFORMITY	Heat Treatment
AISI4130/BLACK ROLLED BAR, HEAT TREATED & TESTED TO 197-235 BHN, 655MPA MIN TENSILE, 517MPA MIN YIELD, 18% MIN ELONGATION, CHARPY IMPACT TESTING 27J MIN @ -30C (OR COLDER) LATERAL EXPANSION 0.38 MIN. ROLLING REDUCTION 3:1 MIN, NI 1% MAX & CE 0.82 MAX, TESTS MAY BE TAKEN FROM A 4" SQR QTC AS PER API 8A/PSL 3 QTC SIZE. MECHANICAL TEST SPECIMEN TO ASTM A370 NACE MR0175/ISO15158 APPLIES	HARDENED FROM 880°C FOR 5.30 HOURS (WATER QUENCH) TEMPERED AT 670°C FOR 10 HOURS (AIR COOL) WATER TEMPERATURE BEFORE QUENCH, 28°C, AFTER, 35°C. TEMP. MEASUREMENT, FURNACE ATMOSPHERE THERMOCOUPLE COMPONENT HARDNESS E10 - 211 HBW10/3000 TEST COUPON - 4" SQ X 8" LONG, TESTED AT 1/4 T LOCATION REDUCTION RATIO - 8.2 REDUCTION RATIO & HT APPLY TO BOTH JOB & TEST PIECE FURNACE CALIBRATION: API8A 20th ed, annex M C/E = 0.693	
APPROX 20 TONNES 210 MM DIA		
CERTS TO EN10204 3.1		

CAST 24613

C	Si	Mn	S	P	Ni	Cr	Mo	Al	Cu	Sn	Nb
0.3200	0.2590	0.5680	0.0090	0.0100	0.1860	1.0560	0.2350	0.0200	0.1420	0.0070	0.0010
V	Ta	Ti	Nb+Ta	Co	N	B	W	Ce	Fe	As	Sb
0.0010		0.0010			0.0079	0.0001					
Pb	Ca	H (ppm)	CEV								
		1.20	0.69								

TEST SPECIFICATION 517 N/mm2 MIN YIELD

Temperature	Re	Rp 0.2	Rm	A %	Z %	Impact	Temp.	Hardness
RT		517.000						
	N/mm2	N/mm2	N/mm2	%	%			

TEST RESULTS

Test Number	Dtr./Temp.	Re	Rp	Rm	A %	Z %	Joules	Charpy Direction	HBW10/3000
ST22561N	20.0°C		524.000	698.000	27.60	87.70	KCV -45°C 60 50 78	LONG	211
Specimen Ø 12.500mm							KCV -60°C 50 50 46	LONG	
							% Show Surface 62.0% 52.0% 60.0%		
							Lateral Expansion (mm) 0.840 0.740 1.020	LONG	

For and on Behalf of TM Steels Ltd.

*A. Cocking*

Contitech Rubber  
Industrial Kft.  
CERTIFICATE  
ACCEPTABLE  
QC INSPECTOR  
DATE: 14.06.21.

TM Steels Ltd  
Foxwood Way  
Foxwood Road  
Chesterfield  
S41 9RA

Steel for the Oil and Engineering Industries  
Machining and Boring Facilities

Tel: +44 (0)1246 268312  
Sales Fax: +44 (0)1246 268313  
Production Fax: +44 (0)1246 268841  
email: sales@tmsteels.co.uk  
Co Reg No: 3523528 Vat No: GB 706 2614 57



Carbrook Street  
Sheffield S9 2JN  
Telephone: +44 114 244 6711  
Facsimile: +44 114 244 7469



Cert No. 60293

Results quoted only refer to the items tested.

Material Specification		AISI4130	
Heat Treatment Spec		197-237BHN	
Melt Practice		EFVD	
Production Method		FORGED	
Test Spec		517N/MM2MIN.YLD	
Test Spec			
Temp recorded using		CONTACT THERMOCOUPLE	
Nature of T/P		Separate	
Qto size		4inch SQ X 6inch LONG	
Req. Min/Max		Achieved	
Hardness on T/P		197 237 HBW 228 228 HBW	
Hardness on Material		197 237 HBW 218 235 HBW	
Tensile -		Impacts -	
Location		Direction	
1/4T		LONGITUDINAL	
Results (N/mm2)		517 Min 855 to 800 18 Min (4d) 0 Min	
Results		Results (Joules)	
Results		Results	
Corrosion		Microstructure	
Pitting Resistance		Fertile	
Carbon Equivalent		.571	
Grain Size		Min 6 Max 6	
C		Si Mn P S Cr Mo Ni Cu	
0.2940		0.2920 0.5370 0.0110 0.0050 1.0620 0.2280 0.1860 0.2430	
Certs to BSEN10204.2004 3.1		NACE MR-01-75	
FE = BAL		REDUCTION RATIO 6.5:1	
CONITECH RUBBER Industrial Kft. CERTIFICATE ACCEPTABLE		All furnace Calibration conforms to API8A 20th Edition ANNEX M. Hardness load/penetration depth - HBW 10 diameter (mm)/3000 kgf test force per ASTM E10.	
QC INSPECTOR		Third party inspection :	

Names of Approved Signatories : S.Maxted G.Smith S.Sutar P.Rogers M.Brown  
This report is not to be reproduced without written approval.

Signature *M...*

Page 1 of 1

Body  
8089-8090

## Test Certificate

To:	Customer Order Number	32252193 - 01	Test Number	402483
CONTITECH RUBBER INDUSTRIAL KFT	Customer Order Date	27Feb12	Part Number	4205160045
H-6728,	Sales Order Number	EUR-352087-1	Cast Number	23171
SZEDED,	Report Date	25Sep12	Cert Number	EUR-265844
BUDAPESTI UT 10, K-1562-K1575	Quantity	14 Pcs 17402 Kgs 210 mm Dia		
HUNGARY,				
HUNGARY	Description AISI 4130 76KSI .2% PS API QTC		Steel Type	ALLOY 4130

CONTITECH RUBBER  
Industrial Kft.

No:QC-DB-651/2013  
Page: 11 / 44

HAMOR zRt.

Flange

FORGING, MACHINING, HEAT-TREATING

8083-8090

3386

4205140284

EMI-TÜV  
ISO9001

H-3531 Miskolc, Kiss Ernő u. 17. Phone: 36/46/401-033 Fax: 36/46/379-199

# INSPECTION CERTIFICATE

ACCEPTANCE ACCORDING EN 10204-05/3.1

Certificate No.: 86989/13-0

Date of issue: 2013.03.27 | Hámor No.: 98-39B5263 | Order No.: 32259784/13/2

Customer: Contitech Rubber Industrial Kft.  
6728 Szeged Budapesti út 10

Quality: AISI 4130/CONTI Spec.No.: API 6A PSL3 325/133 x 182

Dimension: MSO-100597-002/A/H mm

Final dim.:MSO-100597-002/A(4 1/16") Heat-treatment:Quenched & tempered

Quantity: 30 pcs | Weight: 73.0 kg/pc | Total weight: 2190.00 kg

nomination of product: Forged,machined disc

Chemical analysis %

Heat No.: 034939

Steelmaker: CELSA Hutaostrowiec POLA

Test No.	Spec. value Min. Max.	C	MN	SI	P	S	CR	MO	V	Ce
		0.45	1.80	1.00	0.025	0.025	2.75	1.500	0.300	0.82
	Result	0.28	0.56	0.20	0.006	0.003	0.99	0.170	0.003	0.62

Mechanical properties:

Test No.	Spec. value Min. Max.	HB	Rp0.2 MPa	Rm MPa	A5 %	KV-J -30°C
		197	517	655	18	27
	Result	235				
L13314	Result	238	525	662	19.50	35 52 82



Test bar from product.

Dimensional and visual control: passed

Ultrasonic test acc. to SEP 1921-84 spec. is satisfactory C/c

Steel making (melting) process: UHP-ASEA vacuum-treated.

NACE MR 0175/ISO 15156+API 17K + API 6A PSL3.

HB-E10, Mechanika: ASTM A370 acc.

Grade Of forging: 9.81

30 pc/series.

Executive

Hámor ZRt.  
Ellenőrző Osztály

Expért

MU-4-10/1/86  
HÁMOR zRt.  
FIALKA



MISKOLC Kiss Ernő u. 17. sz. H-3531

tel:36/46/401-033

fax:36/46/379-199


e-mail: hamor@t-online.hu

PROTOCOL NUMMER: 98-39B5263

# HEAT-TREATMENT PROTOCOL

<b>BUYER:</b> CONTITECH RUBBER INDUSTRIAL Kft. Szeged Budapesti út 10. sz.	<b>Order No. of Buyer:</b> 32259784/13/2	
<b>PRODUCT:</b> forged	<b>Work No. of Buyer:</b>  <b>QUANTITY: PIECE</b> 30	<b>No. of drawing:</b> MSO-100597-002/A/H
<b>MATERIAL QUALITY:</b> AISI 4130 CONTI API 6A PSL3	<b>Charge No.:</b> 34939	<b>Test No.:</b>
<b>HEAT-TREATMENT:</b> quenching and tempering Typ of furnace: electric furnace      Hardening medium: water		

## PROCESS OF HEAT-TREATMENT



Miskolc, Hámor ZRt. 2013-03-26.

*Kandó*  
head of heat-treatment

Hámor ZRt.  
fűtés ellenőrzés  
Cserény



CONTITECH RUBBER  
Industrial Kft.

No:QC-DB- 651 /2013

Page: 14 / 44

Feladó : 61344

gamma controll kft

19/10/13 12:54 Lap: 2



## HARDNESS TEST REPORT

Report No: 561/13.

CLIENT: JE-ZO KFT. SZEGED, KÜLTERÜLET, 01408/22.

TEST EQUIPMENT: TH 160-D Hardness tester

PROCEDURE: QCP-45-R1

DESCRIPTION OF COUPLING: coupling(s) after PWHT

DRAWING NUMBER: MT-3121-3000

SERIAL NUMBER: 8083; 8084; 8085; 8086

BRINELL HARDNESS REQUIREMENT	SERIAL NO OF COUPLING	PART OF THE COUPLING	ACTUAL HARDNESS RESULT (HB)
Min HB 197 Max HB 238	✓ 8083	body	224
		weld	222
		flange	236
		connection face	238
	✓ 8084	body	213
		weld	208
		flange	220
		connection face	238
	✓ 8085	body	214
		weld	214
		flange	219
		connection face	222
	✓ 8086	body	232
		weld	237
		flange	238
		connection face	197

The coupling(s) conform to API Spec 6A requirements.

DATE:

2013. október 30.

PREPARED:

Ménesi István

APPROVED:

GAMMA-CONTROL KFT.  
6750 Algyó, Kálterület 01884/14. hrsz.  
Adószám: 14094574-2-0  
www.gamma-control.hu  
Ménesi István



QCP-03 HB/11

Feladó :


61344

gamma controll kft

19/10/13 12:54 Lap: 3


		<b>HARDNESS TEST REPORT</b>		Report No: 562/13.
<b>CLIENT:</b> JE-ZO KFT. SZEGED, KÜLTERÜLET, 01408/22.				
<b>TEST EQUIPMENT:</b> TH 160-D Hardness tester				
<b>PROCEDURE:</b> QCP-45-R1				
<b>DESCRIPTION OF COUPLING:</b> coupling(s) after PWHT				
<b>DRAWING NUMBER:</b> MT-3121-3000				
<b>SERIAL NUMBER:</b> 8087; 8088; 8089; 8090				
BRINELL HARDNESS REQUIREMENT	SERIAL NO OF COUPLING	PART OF THE COUPLING	ACTUAL HARDNESS RESULT (HB)	
Min HB 197 Max HB 238	✓ 8087	body	213	
		weld	216	
		flange	220	
		connection face	225	
	✓ 8088	body	229	
		weld	212	
		flange	223	
		connection face	213	
	✓ 8089	body	219	
		weld	229	
		flange	231	
		connection face	238	
	✓ 8090	body	207	
		weld	210	
		flange	226	
		connection face	234	
The coupling(s) conform to API Spec 6A requirements.				
<b>DATE:</b> 2013. október 30.		<b>PREPARED:</b>  Ménési István		<b>APPROVED:</b> CONTROLL KFT. 6750 Algyó, Külterület 01408/14. hrsz. Adószám: 11024014-0-06 www.gammacontroll.hu Varga Péter


QCP-03 HB/11

 <p><b>GAMMA-CONTROLL</b> H-1125 Budapest, 1125. Szentgyörgyi Albert köz. 14. www.gamma-controll.hu 6750 Algyő, Kőterület 01584/14. hrsz. Tel./Fax.: +36 82/517-400 / 01344 A NAT által 1837-1-14/2010 sz.úval akkreditált vizsgálólaboratórium</p>	<p><b>ULTRAHANG VIZSGÁLATI JEGYZŐKÖNYV</b></p> <p><b>ULTRASONIC EXAMINATION REPORT</b></p>	<p>Vizsgálati szám: Report No.:  <b>513/13</b></p>
--	--	--


<b>Vizsgálat tárgya / Object of test</b>		<b>Coupling (Body)</b>	
Gyártó Manufacturer		Megrendelő Customer	JE-ZO Kft. Szeged
Gyáriszám Serial-No.		Rendelési szám Order-No.	---
Azonosító jel Identification	<b>8083-8088</b>	Követelmény Requirement	<b>ASTM A388</b>
Geometria kialakítás / Rajzsám Geometric configuration / Drawing-No.	<b>MT-3121-3000</b> ø200xø70x491	Vizsgálati hőkezelés Test heat treatment	előtt prior
Anyagminőség Material	<b>AISI 4130</b> /	Letapogatási irányok Direction of scanning	<b>axiális és radiális</b>
Adagszám Heat-No.	<b>24613</b> /		
Vizsgálati felület állapota Surface condition	forgácsolt machined	Vizsgálati terjedelem Extent of Test	<b>100%</b>
Vizsgált darabszám Testing pieces	<b>6 db</b>		
<b>Vizsgálati adatok / Examination data</b>			
Készülék típusa Type of US-equipment	<b>USM25</b>	Készülék gyári száma Serial-No. Of US-equipment	<b>7875f</b>
Vizsgálófej(ek) Searc unit(s)	<b>SEB-2, SEB4H</b>	Frekvencia(k) Frequency(ies)	2 MHz 4 MHz MHz MHz
Kalibrációs blokk Calibration standard identification	<b>ET1,ET2</b>	Erősítés(ek) Gain	axiálisan <b>18 dB</b> dB dB radiálisan <b>6 dB</b>
Csatoló közeg Couplant	olaj oil	Hanggyengülés Attenuation	dB/m
<b>Értékelés / észlelt kijelzések / Evaluation / recordable indications</b>			
Értékelés Evaluation	<b>X</b>	megfelelő satisfactory	nem megfelelő / not acceptable
Megjegyzés(ek) Remark(s)			
Hely / kelt Place / date	<p>Gamma-Controll Kft. Algyő, 2013.10.17</p> <p>Vizsgálatot végezte Tested by Tóth Ákos UT20103090307</p> <p>GAMMA-CONTROLL KFT. 6750 Algyő, Kőterület 01584/14. hrsz. Adószám: 11094614-2-06 www.gamma-controll.hu Tel.: 06-30-218-2640 Approved by Benkő Péter - Felelős vezetőh.</p>		


Ez a jegyzőkönyv részleteiben nem másolható! / Copying details is prohibited!

 <p><b>GAMMA-CONTROLL</b> www.gamma-controll.hu 6750 Algyő, Költérutca 01804/14. hrsz. Tel./Fax.: +36 82/517-400 / 81344 A NAT által NAT-1-1140/2010 sz. sz. elrendelés alapján vizsgálati engedéllyel rendelkező szervezet.</p>	<p><b>ULTRAHANG VIZSGÁLATI JEGYZŐKÖNYV</b></p> <p><b>ULTRASONIC EXAMINATION REPORT</b></p>	<p>Vizsgálati szám: Report No.:  <b>514/13</b></p>

<b>Vizsgálat tárgya / Object of test</b>		<b>Coupling (Body)</b>	
Gyártó Manufacturer	Megrendelő Customer <b>JE-ZO Kft. Szeged</b>		
Gyártás szám Serial-No.	Rendelési szám Order-No. ---		
Azonosító jel Identification <b>8089-8090</b>	Követelmény Requirement <b>ASTM A388</b>		
Geometria kialakítás / Rajzsám Geometric configuration / Drawing-No. <b>MT-3121-3000</b> <b>ø200xø70x491</b>	Vizsgálati hőkezelés Test heat treatment <b>előtt</b> <b>prior</b>		
Anyagminőség Material <b>AISI 4130 /</b>	Letapogatási irányok Direction of scanning <b>axiális és radiális</b>		
Adagszám Heat-No. <b>23171 /</b>			
Vizsgálati felület állapota Surface condition <b>forgácsolt</b> <b>machined</b>	Vizsgálati terjedeleme Exted of Test <b>100%</b>		
Vizsgált darabszám Testing pieces <b>2 db</b>			
<b>Vizsgálati adatok / Examination data</b>			
Készülék típusa Type of US-equipment <b>USM25</b>	Készülék gyári száma Serial-No. Of US-equipment <b>7875f</b>		
Vizsgálófeje(ek) Searc unit(s) <b>SEB-2,</b> <b>SEB4H</b>	Frekvencia(k) Frequency(ies) <b>2 MHz</b> <b>4 MHz</b> <b>MHz</b> <b>MHz</b>		
Kalibrációs blokk Calibration standard identification <b>ET1,ET2</b>	Erősítés(ek) Gain <b>axiálisan</b> <b>18 dB</b> <b>dB</b> <b>dB</b> <b>radiálisan</b> <b>6 dB</b>		
Csatoló közeg Couplant <b>olaj</b> <b>oil</b>	Hanggyengülés Attenuation <b>dB/m</b>		
<b>Értékelés / észlelt kijelzések / Evaluation / recordable indications</b>			
Értékelés Evaluation	<b>X</b>	<b>megfelelő</b> <b>satisfactory</b>	<b>nem megfelelő / not acceptable</b>
Megjegyzés(ek) Remark(s)			
Hely / kelt Place / date <b>Gamma-Controll Kft.</b> <b>Algyő, 2013.10.17</b>	 Vizsgálatot végezte Tested by <b>Tóth Ákos UT20103090307</b>		<b>GAMMA - CONTROLL KFT.</b> 6750 Algyő, Költérutca 01804/14. hrsz. Adatszám: 0094614-2-06 www.gamma-controll.hu Tel.: 06-82/517-2640 Approved by <b>Benkő Péter - Felső vezetőh.</b>

Ez a jegyzőkönyv részleteiben nem másolható! / Copying details is prohibited!

 <p><b>GAMMA-CONTROLL</b></p> <p>www.gamma-controll.hu          0750 Ágárdi Istvánéni 01336414 kass          Tel./Fax.: +36 02517-400 / 61364          ALBERT GABRIEL 114002013 szellemi tulajdoni jogok fenntartása</p>	<p><b>ULTRAHANG VIZSGÁLATI JEGYZŐKÖNYV</b></p> <p><b>ULTRASONIC EXAMINATION REPORT</b></p>	<p>Vizsgálati szám: Report No.:</p> <p><b>515/13</b></p>
---	--	--

<b>Vizsgálat tárgya / Object of test</b>		<b>Flange</b>	
Gyártó Manufacturer	Megrendelő Customer <b>JE-ZO Kft. Szeged</b>		
Gyűrűszám Serial-No.	Rendelési szám Order-No. <b>—</b>		
Azonosító jel Identification	Követelmény Requirement <b>ASTM A388</b>		
Geometria leírás / Rajzsám Geometric configuration / Drawing-No.	Vizsgálati hőkezelés Test heat treatment <b>előtt prior</b>		
<b>MT-3121-3000</b>	<b>e315x85x190x94x70</b>		
Anyagminőség Material	Létepozíciós irányok Direction of scanning <b>axiális és radiális</b>		
<b>AISI 4130 /</b>			
Adagszám Heat-No.			
<b>034939 /</b>			
Vizsgálati felület állapota Surface condition	Vizsgálati terjedelem Extent of Test <b>100%</b>		
<b>forgácsolt machined</b>			
Vizsgált darabszám Testing pieces			
<b>8 db</b>			
<b>Vizsgálati adatok / Examination data</b>			
Készülék típusa Type of US-equipment	Készülék gyári száma Serial-No. Of US-equipment <b>78751</b>		
<b>USM25</b>			
Vizsgálófej(ek) Search unit(s)	Frekvencia(k) Frequency(ies) <b>2 MHz 4 MHz MHz MHz</b>		
<b>SEB-2, SEB4H</b>			
Kalibrációs blokk Calibration standard Identification	Erősítés(ek) Gain <b>axiálisan 6 dB dB dB radiálisan 6 dB</b>		
<b>ET1,ET2</b>			
Csatoló közeg Couplant	Hanggyengülés Attenuation <b>dB/m</b>		
<b>olaj oil</b>			
<b>Ertékelés / észlelt jelenségek / Evaluation / recordable indications</b>			
Ertékelés Evaluation	<b>X</b>	<b>megfelelő satisfactory</b>	<b>nem megfelelő / not acceptable</b>
Megjegyzés(ek) Remark(s)			
Hely / hely Place / date	<div>  </div>		
<b>Gamma-Control Kft. Algyő, 2013.10.17</b>	<div> <b>Vizsgálatot készítette Tested by</b>  <b>Tóth Ákos UT2010350307</b> </div>		
<div> <b>GAMMA-CONTROL KFT.</b>          6500 Szeged, Kölcsey út 9/98. 14. sz. ép.          Adószám: 1122614-2-00          www.gamma-control.hu          J. Árkai vez.       </div>			
<b>Benkő Péter - Felelős vezető</b>			

**Ez a jegyzékönyv részleteiben nem másolható! / Copying details is prohibited!**



MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

**RONCSOLÁSMENTES ANYAGVIZSGÁLÓ TANÚSÍTVÁNY**  
(Certificate of NDT personnel)

Azonosító szám: **UT20103090307**  
(Identification No.):

A tanúsított neve:  
(The name and forename of  
the certificated individual):  
Születési hely/ideje:  
(Place and date of birth):

**Tóth Ákos József**

**Hódmezővásárhely, 1987. 09.  
19.**

A tanúsított személy aláírása  
(The signature of the certificated individual)

Vizsgálati eljárás(ok):  
(The NDT method(s)):

**Ultraszónikus anyagvizsgálat**  
(**Ultrasonic testing**)

Ipari terület:  
(Industrial sector):

**Készülékek, berendezések, létesítmények vizsgálata EM**  
(**Pre and in-service testing of equipment, plant and structure**)

Termék terület(ek):  
(Product sector(s)):

**(c)+Fv, (w)+Fv, (wp)+Fv, (f)+Fv**

A minősítés fokozata:  
(The level of certification):

**UT2**

A tanúsítás és kiadásának időpontja:  
(The date of certification and its issue):

**Budapest, 2009. 12. 07.**

A tanúsítás érvényes:  
(The date upon which certification expires):

**2014. 12. 06.**

Tanúsító Testület nevében  
(On behalf of certifying body)

Az ipari és/vagy termék terület érvényesség kiterjesztve:  
(The industrial and/or product sector has been expanded to):

**9/2001 GM, 97/23 EC**

Dátum (Date):

**2009. 12. 07.**

A tanúsítás érvényessége  
(Renewed the validity of the certification until (MSZ EN 473 9.):)

**-ig megújítva (MSZ EN 473 9.):**

Dátum (Date):

Tanúsító Testület nevében  
(On behalf of certification body)



AKKREDITÁLT  
MKE-5-0013/2006

A Magyar Hegesztéstechnikai és Anyagvizsgálati Egyesülés, mint a Nemzeti Akkreditáló Testület által a NAT-5-0013/2006 számon akkreditált tanúsító testület az MSZ EN 473 számú szabvány szerint eredményes vizsgálata alapján a nevezett személyt tanúsítja a fentiek szerint:  
(The Hungarian Association of Welding Technology and Material Testing as an accredited by the National Accreditation Board (under No. NAT-5-0013/2006) certification body, on the basis of his/her successful examination under the standard MSZ EN 473, hereby certifies the named individual according to the above.)

\* c - öntvények (castings); f - kovacsolt termékek (forgings); w - hegesztett kötések termékek (welded products); t - csövek (tubes); wp - alakított termékek (wrought products); p - műanyag termékek (plastics products); k - kompozitok (composites products)

UT20103090307



**MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS**  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

Meghatalmazzuk a tanúsítvány tulajdonosát, hogy vizsgálatokat végezzen és azok eredményéért felelősséget vállaljon.  
(MSZ EN 473 3.21)

(The holder of this certificate has been authorised to perform tests and take responsibility for the test results. (MSZ EN 473 3.21))

**GAMMA - CONTROLL KFT**

6722 Szeged, Gyertyános u. 14-16/A

Adószám: 11094514-206

Munkáltató aláírása:

(Signature of the employer.)

OTF Szám: 14738089/20406154

www.gamma-controll.hu

Tel: 06 30 218-2640

Dátum: 2009.12.07




(Date)

**Folyamatos munkavégzés igazolása (MSZ EN 473 9.)**  
(Evidence of continued work activity (MSZ EN 473 9.))

Sorsz.:	Munkáltató aláírása (Signature of the employer)	GAMMA-CONTROLL (Signature)	Dátum (Date)
1.		Anyagvizsgáló Kft. Működésellenőrző Kft.	2010.01.04.
2.		GAMMA-CONTROLL	2011.01.06.
3.		Anyagvizsgáló Kft. Működésellenőrző Kft.	2012.01.09.
4.		GAMMA-CONTROLL	2013.01.09.
5.		Anyagvizsgáló Kft. Működésellenőrző Kft.	
6.			
7.			
8.			
9.			
10.			

Kiegészítések:










(Additional remarks.)

		<b>TECHNICAL DATA SHEET</b>		<b>TDS</b>	Page
PHOENIX RUBBER INDUSTRIAL LTD.		<b>WELDING PROCEDURE SPECIFICATION</b>		<b>WPS</b>	Nº 1 of 2
CLIENT IDENTITY CODE		THIS SPECIFICATION IS BASED ON ASME CODE SECTION IX		WPS Nº 140-71 REV 4 SUPPORTING PQR Nº BUD 0700002/1	
ITEM Qty DATA FOR ACCEPTANCE		WELDING PROCESS: GTAW-SMAW TYPES: MANUAL		PERFORMED BY: WELDER'S STAMP	
JOINTS (QW-402)		  <p>Sequences of weld see on addendum</p>			
JOINT DESIGN		BACKING: YES/NO		WELD SEQUENCE	
BASE METALS (QW-403)		PART „A”		PART „B”	
DRW Nº					
GRADE:		WNo.:1.7220		ASTM A 322-91: AISI 4130 / 34CrMo4 (MSZ EN 10083-1) *	
CARBON EQUIVALENT		max. C <sub>e</sub> =		0.82	
MECHANICAL PROPERTIES:					
TENSILE STRENGTH		N/mm <sup>2</sup> min.		655	
DUCTILITY		% min.		18	
HARDNESS		HB max.		238	
IMPACT TEST -30°C		J Average		27	
THICKNESS:		t = 5-38 mm		OUTSIDE DIAMETER : ØD = 60-280 mm	
FILLER METALS (QW-404)					
WELD MATERIAL	DIAMETER	BRAND	STANDARD	SUPPLIER	
Rod	2.4 mm	EML 5	AWS A5.18-01: ER70S-3	Böhler	
Electrode	3.2; 4.0	T-PUT NiMo 100**	AWS A 5.5-96: E 10018-D2 (mod.)	Böhler	
LAPSE BETWEEN OF PASSES		MIN./min			
POSITIONS (QW-405)		PREHEAT (QW-406)			
POSITIONS: 1G Rotated (horizontal)		PREHEAT TEMP.: 300-330 °C			
WELDING PROGRESSION: Weld flat at or near to the top		INTERPASS TEMP.: max. 350 °C			
POSITION OF FILLET		PREHEAT MAINTENANCE: Till the beginning of postweld heat treating			
OTHER		METHOD OF PREHEATING: Furnace			



CONTINUATION OF WPS N° 140-71 Rev.4							Page N° 2 of 2
POSTWELD HEAT TREATMENT (QW-407)				GAS (QW-408)			
HOLDING TEMP. RANG 620 +20 / -0 C°				SHIELDING GAS Argon for root			
HOLDING TEMP. TIME 4 HR				PERCENTAGE COMPOSION (MIXTURE)			
HEATING RATE MAX.:				99.995 %			
COOLING RATE MAX.: 80 °C/HR				FLOW RATE 10-12 LITRES/min.			
LOCATION OF THERMOCOUPLE				GAS BACKING: Argon (for 1st and 2nd passes)			
FURNACE ATMOSPHERE Air				FLOW RATE 7-9 Litres/min			
TYPE:				TRAILING SHIELDING GAS COMP.			
ELECTRICAL CHARACTERISTICS (QW-409)							1st pass: -
CURRENT DC							ELECTRODE POLARITY : 2nd-28th passes: +
TUNGSTEN ELEKTRODE SIZE/TYPE: Ø3.2 mm thoriated tungsten							
MODE OF TRANSFER FOR GMAW							
ELECTRODE / WIRE FEED SPEED RANGE							
WELD LAYERS	PROCESS	FILLER METAL CLASS	DIAMETER	CURRENT TYPE POLAR.	AMP. RANGE	VOLT RANGE	HEAT INPUT (KJ/cm)
1	GTAW	EML 5	2.4 mm	-	110-130	11-12	5-8.4
2-3	SMAW	T-PUT	3.2 mm	+	120-140	24-26	12-19.6
4-28	SMAW	NiMo 100	4.0 mm	+	150-170	26-30	16.2-27.5
		T-PUT					
		NiMo 100					
TRAVEL SPEED RANGE 100-130 mm/min							
TECHNIQUE (QW-410)							
STRING OR WEAWE BEAD				ORIFACE OR GAS CUP SIZE Ø9mm			
INITAL/INTERPASS CLEANING: Brushing, Grinding							
EQUIPMENTS FOR WELDING:							
OTHER:							
EXAMINATION -				REMARKS			
Acc. to the acceptance instruction				- * Formerly CMo3 (MSZ 61)			
N° MIO-FB 2 Based on ASME IX.				- ** Ni content less than 1 %			
				- Before welding bake electrodes for 2 hours at 350 °C			
BY	DATE	TECHNICAL DATA SHEET				HOSE TECHNICAL DEPARTMENT	
Desig.	14.06.2007	WELDING PROCEDURE SPECIFICATION					
Appr.	14.06.2007	SUBJECT: Butt weld of hose coupling for H2S service;					
Chek'd		Strenght 75K					
						WPS N° 140-71 Rev.4	

PHOENIX RUBBER Industrial Ltd. Hose Division	Nº:	WPS 140-71 Addendum
	Revision:	4
<b>ADDENDUM</b> for the approved wall thickness range 5-38 mm Based on WPS 140-71 Rev.4, PQR No.: BUD 0700002/1	Page Nº:	1/2
	Date:	2007-06-12
	Designed:	Bacsi L.
	Checked:	
	Approval:	

No.	Wall thickness [mm]	Weld layers	Electrode Ø [mm]
1.	5-7	 1 2	3,2 3,2
2.	7-9	 1 2-3	3,2 3,2
3.	9-11	 1 2-3 4-5	3,2 3,2 4,0
4.	11-13	 1 2-3 4-6	3,2 3,2 4,0
5.	13-15	 1 2-3 4-8	3,2 3,2 4,0
6.	15-18	 1 2-3 4-10	3,2 3,2 4,0
7.	18-20	 1 2-3 4-11	3,2 3,2 4,0
8.	20-22,22	 1 2-3 4-15	3,2 3,2 4,0
9.	22,2-26	 1 2-3 4-19	3,2 3,2 4,0





Remarks: - Process for layer No1 GTAW with Ø3,2 mm thoriated tungsten electrode and Ø2,4 mm Rod EML 5;  
for the others: SMAW with electrode T-PUT NiMo 100

PHOENIX RUBBER Industrial Ltd.

# ADDENDUM

for the approved wall thickness range 5-38 mm  
Based on WPS 140-71Rev.4, PQR No.: BUD 0700002/1

Nº:	WPS 140-71 Addendum
Revision:	4
Page Nº:	2/2

No.	Wall thickness [mm]	Weld layers	Electrode Ø [mm]
10.	26-29		3,2 3,2 4,0
11.	29-32		3,2 3,2 4,0
12.	32-35		3,2 3,2 4,0
13.	35-38		3,2 3,2 4,0

Remarks: - Process for layer No1 GTAW with Ø3,2 mm thoriated tungsten electrode and Ø2,4 mm wire EML 5;  
for the others: SMAW with electrode T-PUT NiMo 100

Certificate no: BUD 0700002/1  
Page 1 of 2

**Lloyd's Register**

# Welding Procedure Qualification Record (PQR) ASME IX Energy and Transportation

Company Name: Phoenix Rubber Gumipart Kft. SZEGED

Procedure Qualification Record No. BUD 0700002/1



Date: 28 February 2007

WPS No. 140-71

Welding Process(es) GTAW/SMAW

Types (Manual, Automatic, Semi-Auto.) Manual

Joint: (QW-402)



Groove Design for Test Coupon

(For combination qualifications, the deposited weld metal thickness shall be recorded for each filler metal or process used.)

Base Metals (QW-403)

Material Spec. ASTM A 322-91, AISI 4130

Type or Grade AISI 4130

P.No. AISI 4130 to P.No. AISI 4130

Thickness of Test Coupon 19 mm

Diameter of Test Coupon 72 mm

Other

Postweld Heat Treatment (QW-407)

Temperature 620  $\pm$ 20-0 °C

Time 4 hours

Other

Gas (QW-406)

Percent Composition

	Gas	Shielding	Flow Rate
Shielding	Ar 99.95%		10-12 l/min
Tailing			
Backing	Ar 99.95%		7-9 l/min

Electrical Characteristics (QW-409)

Current DC

Polarity GTAW DCEN, SMAW DCEP

Amps.	Layer 1 120, Layer 2-3 127, Layer 4-12 136	Volts	Layer 1 11-13, Layer 2-3 140-16, Layer 4-12 28-30
-------	--	-------	---

Tungsten Electrode Size 3.2 mm

Other

Technique (QW-410)

Travel Speed Layer 1-11 100-150 Layer 12 max/min

String or Weave Bead Layer 1-11 String Layer 12 Weave

	GTAW	SMAW
Multipass or Single Pass (per side)	S	M
Single or Multiple Electrodes	S	M

Heat Input	Layer 1 6.0-8.6 kJ/cm, Layer 2-3 14.1-19.8 kJ/cm, Layer 4-12 18.7-28.1 kJ/cm
------------	--

Filler Metals (QW-404)

SFA Specification ER 70S-3

AWS Classification AS.18

Filler Metal F-No. 6

Weld Metal Analysis A-No. 1

Size of Filler Metal 2.4 mm

Other

SMAW

E 10018-G

AS.5

4

2

3.2, 4.0 mm

Other

Weld Metal Thickness 3 mm

16 mm

Position (QW-405)

Position of Groove 1G rotated

Weld Progression (Uphill, Downhill)

Other

Preheat (QW-408)

Preheat Temp. 300-350 °C

Interpass Temp. max 350 °C

Other

Lloyd's Register, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as the 'Lloyd's Register Group'. The Lloyd's Register Group assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant Lloyd's Register Group entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

Certificate no: BUD 0700002/1  
Page 2 of 2

PQR No. BUD 0700002/1

Specimen No.	Width mm	Thickness mm	Area mm <sup>2</sup>	Ultimate Total Load kN	Ultimate Unit Stress MPa	Type of Failure & Location
39/1	18.9	15.8		657		Base material
39/2	18.9	15.7		664		Base material

**Guided Bend Test (QW-160)**

Type and Figure No.

180° Bend roller dia. 36 mm 2+2 pts.

Results

Satisfactory

**Guided Bend Test (QW-170)**

Specimen No.	Notch Location	Specimen Size mm	Test Temp. °C	Impact Value J	% Shear	Mils	Drop Weight Break (Y/N)
39	S	10x10x55	-30	33			
39	S	10x10x55	-30	49			
39	S	10x10x55	-30	41			
39	HAZ	10x10x55	-30	38			
39	HAZ	10x10x55	-30	97			
39	HAZ	10x10x55	-30	62			

Comments:

**Brittle Fracture (QW-510)**

Result- Satisfactory: Yes ☐ No ☐ Penetration into Parent Metal: Yes ☐ No ☐

Macro - Results

**Other Tests**

Type of Test Hardness test

Deposit Analysis

Other

Macro - Satisfactory

X-ray - Satisfactory

Welder's Name Tivadar Szabo DC-IL 378258

Clock No. (8C 15)

Stamp No.


Test Conducted By: DKG EAST Anyagvizsgalati Labor.

Laboratory Test No: TMO 007-7/07 VJK 1207/2007


We certify that the statements in this record are correct and that the test welds were prepared, welded, and tested in accordance with the requirements of Section IX of the ASME Code.

Date issued: 28 February 2007

Manufacturer's Representative László Bajusz  
Manufacturer Phoenix Rubber Gumipari Kft, SZEGED



A member of the Lloyd's Register Group



Fluid Technology

# WELDER'S APPROVAL TEST CERTIFICATE - ASME CODE IX

Examiner or test body: ABS


Registration No.: RK1825997.R1

Designation ASME IX: GTAW / SMAW Pipe BW s19 1G

Welder's name: Tivadar Szabó (BC15)

Identification card No: 517278EA

Date and place of birth: 19. August 1949; SZEGED

		Weld test details	Range of approval	Photo (if required)
Welding process		GTAW/SMAW		
Filler metal	Type	Rod / Electrode		
	Designation	AWS 5.18: ER70S-3 AWS 5.5: E9018		
Parent metal group(s)		ASTM A 322-91; AISI 4130	ASTM A 322-91; AISI 4130	
Plate or pipe		Pipe	Pipe/Plate	
Welding position		1G	1G/Flat	
Outside diameter (mm)		72 mm	> 25 mm	WPS No.: <b>140-60 Rev.4</b>
Test piece thickness (mm)		19	Max to be welded	
Single/ both side welding		Single		Testing standard: <b>ASME IX</b>
Gouging/ backing				
Joint type		Groove	Groove / Fillet	
Shielding/ backing gas(es)		Argon (99,95%)		
Welding carried out, place: Szeged			Date: 29 April 2010 Welding Engineer: László Bajusz <i>Bajusz</i>	
Type of test	Performed and accepted	Not required		Place and date: <b>Szeged, 18-Jun-2010</b>  Surveyor: <b>Péter Szabó</b>  Stamp and signature: 
Visual	Accepted (Vjk-1739/10)			
Radiography	Accepted (Vjk-1739/10)			
Ultrasonic		+		
Magnetic particle		+		
Penetrant		+		
Macro		+		
Fracture		+		
Bend		+		
Additional tests		+		
See attached page(s) for prolongation by employer every 6 months				

## Fluid Technology

**Registration No.: RK1825997.R1**

**Date and place of birth:** 19. August 1949; SZEGED

[illegible]


<b>JE-ZO KFT.</b> 6728 Szeged, Külterület 01408/22 hrsz. Adószám: 13341039-2-06 Bankszámlaszám: 12067001-00127077-00160001		<b>WELDING LOG SHEET</b> <b>HEGESZTÉSI MUNKALAP</b>		WLS N <sup>o</sup> . Száma: 2013. / 2898.	
CLIENT Megrendelő: CONTITECH RUBBER Industrial Kft.		PURCH. ORDER N <sup>o</sup> . Rendel. szám: 32261598			
CONTRACT N <sup>o</sup> . Kötésszám:		SPOOL/JOB N <sup>o</sup> . Özem. m. szám: 2898 - 2905		WPS N <sup>o</sup> . Heg. ut. száma: 40-71. Rev. 4. / 7	
NAME OF WEDED PARTS Heg. alkatrész megnevezése: Body + Flange		DRWG N <sup>o</sup> . Rajzszám: WT 3121-3000			
NAME/ N <sup>o</sup> . OF WELDER Hegesztő neve és száma: Szabó Tivador László. D.C. 15.		LOCATION/SHOP Munkavégzés helye: Szeged. Tópe Szele 6.			
DATE Dátum: 2013. 10. 25		QUANTITY Darabszám: 8		SERIAL NUMBERS Sorszámok: 8083 - 8090	
1. MATERIAL CONTROL Anyag megfelelés azonosítása	SUBJECT 1 Tárgy 1	body	MATERIAL Anyag	ASTM A130.	CAST N <sup>o</sup> . Adagszám: 24613, 8093-8094
	SUBJECT 2 Tárgy 2	Flange	MATERIAL Anyag	ASTM A130.	CAST N <sup>o</sup> . Adagszám: 034939
2. FILLER METAL Elektroda minőség és méret	WELD LAYERS Varratszám		1.	2-3.	4-11.
	TYPE Típus		FWL 5.	NIMD. 100.	NIMD. 100.
	DIAMETER Átmérő		2.4.	3.2.	4.
	FILLER CAST N <sup>o</sup> . Elekt. adagszám		800303.	1124075	1127750.
3. ELECTRICAL CHARACTERISTICS Elektromos adatok	TYPE POLAR Polaritás		-	+	+
	VOLT (V)		12.	24.	26.
	AMPERE (A)		180.	140.	180.
4. PRE HEAT TREATMENT OF ELECTRODES Elektroda felhasználást megelőző hőkezelése			300. °C		8. Hours
5. APPLIED SHIELDING GAS Alkalmazott védőgáz		TYPE Típus: Argon.	Percentage Composition Tisztaság: 99.95. %		Flow Rate Áramlási seb. l/min: 8.
6. HEAT TREATMENT (pre-weld) Előmelegítés		300. °C		7. POSITION Helyzet: Forgatott.	
8. SPEED OF TRAVELS Hegesztési sebesség		100 ÷ 130. mm/min		9. LAPSE BETWEEN OF PASSES Varratfelrakási szünetek: 8. min	
10. POSTWELD HEAT TREATMENT Utóhőkezelési adatok		Time Idő: 240. min	Temperature Hőmérséklet: 620. °C	Furnace atmosph. Hőzőközeg: Levegő.	Cooling rate Hűlési sebesség: 80. °C/H
11. RADIOGRAPHIC TEST CERT. N <sup>o</sup> . Radiográfiai vizsg. biz. száma: 2430/15, 2431/15					
REPAIR Javítás	YES/ Igen		X NO/ Nem		
	PLACE OF DEFECT Hiba helye		TYPE OF DEFECT Hiba típusa		
	METHOD OF REPAIR Javítási módszer				
VISUAL INSPECTION Szemrevételezés: Megfelelő / Satisfactory.					
REMARKS Megjegyzés: Fronius. Magic. Wave. 2600.					
Date, end of cooling down time Dátum, kihűlés vége: 2013. 10. 26. - 13. óra		WARRANTEERED HEWESZTŐ GARANTÁLT HEGESZTŐ HEGESZTŐI TÁRSASÁG 6728 Szeged, Tópe Szele 6. Táv. 6733 Szeged, Heller köz 1. Adószám: 88742290-2-06 (3.)		INSPECTOR Ellenőrző: 2013 NOV 04 DATE Dátum: 2013 NOV 04	



Feladó : 61344

gamma controll kft

19/10/13 12:58 Lap: 1

 <p><b>GAMMA-CONTROLL</b> www.gamma-controll.hu 6750 Algyó, Kálvária út 14. sz. 1. em. Tel/Fax: +36 (0)71-480 / 61344 A NAT 613 440-1-1102270 számú elvárásnak megfelelően</p>	<p><b>SZEMREVÉTELEZÉSES VIZSGÁLATI JEGYZŐKÖNYV</b></p> <p><b>VISUAL EXAMINATION REPORT</b></p>	<p>Record No. Jegyzőkönyv száma:</p> <p><b>813/13</b></p>
---	--	---

Object Tárgy	Coupling welding Csatlakozó hegesztés	Serial No. Gyári szám	8083-8090
Customer Megrendelő	JE-ZO Kft. Szeged	Drawing No. Rajzszám	MT-3121-3000
Job Nr. Munkaszám	002/13	Material/Dimension Anyagminőség/méret	AISI 4130 115/77
Quantity Mennyiség	8 db	Extent of examination Vizsgálat terjedelme	100%
Requirements Követelmények	ASME code VIII/1	Heat treatment Hőkezelés	after PWHT
Written Procedure No. Vizsgálati eljárás száma	QCP-09-1	Welder Hegesztő	BC15

Visual examination / Szemrevételezéses vizsgálat

Technique Módszer	Direct visual	
Instrument Készülék		
Visual aids Segédesszközök	3x magnifying lens	

Measurement / Mérés

Equipment Készülék		
Instrument Készülék		
Surface temperature A felület hőmérséklete	20 °C	Surface condition Felület állapota
		machined
		Lighting intensity Megvilágítás
		1000lx

Test results Eredmények :	SATISFACTORY megfelelő.....8 pc(s)/db
	not accepted nem megfelelő.....0 pc(s)/db

Vizsgálat helye és ideje: Place and date of test:	Vizsgálatot végezte: Tested by:	Áttekintette és jóváhagyta: Reviewed and approved by:
Gamma-Controll Kft. Algyó, 2013.10.30. (10h)	Kla. Á. Á. Á. VT20103130102	GAMMA-CONTROLL KFT. 6750 Algyó, Kálvária út 14. sz. 1. em. Adaszék 110 4612-2-06 www.gamma-controll.hu Tel: 6750 480 61344

Ha a jegyzőkönyv részleteiben nem másolható / Copying details is prohibited



MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

**RONCSOLÁSMENTES ANYAGVIZSGÁLÓ TANÚSÍTVÁNY**  
(Certificate of NDT personnel)

A tanúsított neve:  
(The name and forename of  
the certificated individual):  
Születési hely/ideje:  
(Place and date of birth):

**Kis Gábor Balázs**

**Szeged, 1980. 02. 29.**

Azonosító szám: VT20103130102  
(Identification No.):

A tanúsított személy aláírása  
(The signature of the certificated individual)

Vizsgálati eljárás(ok):  
(The NDT method(s)):

**Szemrevételezéses anyagvizsgáló**  
(Visual testing)

Ipari terület:  
(Industrial sector):

**Készülékek, berendezések, létesítmények vizsgálata EM**  
(Pre and in-service testing of equipment, plant and structure)

Termék terület(ek):  
(Product sector(s)):

**(c), (w), (wp), (j)**

A minősítés fokozata:  
(The level of certification):

**VT2**

A tanúsítás és kiadásának időpontja:  
(The date of certification and its issue):

**Budapest, 2013. 02. 19.**

A tanúsítás érvényes:  
(The date upon which certification expires):

**2018. 02. 18.**

Tanúsító Testület nevében  
(On behalf of certifying body)

Vizsgáló  
(Examiner)

Az ipari és/vagy termék terület érvényesség kiterjesztése:  
(The industrial and/or product sector has been expanded to):

Dátum (Date):

Tanúsító Testület nevében  
(On behalf of certifying body)

A tanúsítás érvényessége

(Renewed the validity of the certification until (MSZ EN ISO 9712 10.):

-lg integrálva (MSZ EN ISO 9712 10.):

Dátum  
(Date):

Tanúsító Testület nevében  
(On behalf of certification body)

c - öntvények (castings); f - kovácsozott termékek (forgings); w - hegesztett és forrasztott termékek (welded products); t - csövek és csővezeték (pipes); wp - alakított termékek (wrought products); k - kompozit anyagok (composites products).

VT20103138102



**MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS**  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

Meghatározzuk a tanúsítvány tulajdonosát, hogy vizsgálatokat végezzen és azok eredményéért felelősséget vállaljon.  
(MSZ EN ISO 9712 3.21)

(The holder of this certificate has been authorized to perform tests and take responsibility for the test results. (MSZ EN ISO 9712 3.21))

6726 Szekes, Tuzok u. 8/A  
Munkáltató aláírása: Adószám: 11804614-2-067  
(Signature of the employer) Bank: 11335083-20100134  
www.gamma-control.hu  
Tel.: 06-30-2116-0000

Dátum: 2013.02.01.  
(Date)

Folyamatos munkatevékenység igazolása (MSZ EN ISO 9712 10.) (Evidence of continued work activity (MSZ EN ISO 9712 10.))			
Sorsz.	Munkáltató aláírása (Signature of the employer)	Fh. "GAMMA-CONTROL" Anyagvizsgáló és Minőségellenőrző Kft.	Dátum (Date)
1.			2013.02.01.
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			


Kiegészítések:  
(Additional remarks)

A tanúsítvány a munkáltató aláírásával érvényes  
(This certificate is valid with the signature of the employer.)

Feladó : 61344

gamma controll kft

19/10/13 12:54 Lap: 1

 <p><b>GAMMA-CONTROLL</b> www.gamma-controll.hu 6750 Algyő, Kálvária út 112-114. hrsz. Tel/Fax: +36 82/917-400 / 61344 A NAT által NAT-1-14203/13 sz. helyi ellenőrzési vizsgálatok elvégzésére</p>	<p><b>RADIOGRÁFIAI VIZSGÁLATI JEGYZŐKÖNYV</b></p> <p><b>RADIOGRAPHIC EXAMINATION REPORT</b></p>	<p>Jegyzőkönyv szám: Report No.: <b>2431/13</b></p> <p>Készítés dátuma: Date of report: <b>2013.10.30</b></p>
--	---	---

Vizsgált tárgy: Object:		Coupling		Megrendelő: Client:		JE-ZO Kft. Szeged	
Munkaszám: Job No.:		---		Rendelési szám: Order No.:		---	
Rajbszám: Drawing No.:		MT-3121-3000		Anyagminőség: Material:		AISI 4130	
Vizsgálati szabvány: Testing standard:		QCP-13-1		Vizsgálat terjedelme: Extent of testing:		100%	
Átvételi követelmény: Acceptance criteria:		ASTM E94		Hőkezelés: Heat treatment condition:		After PWHT	
Kód: Code:		MSZ EN ISO 6520-1		Hegesztési jele: Welder stamp:		(BC15)	
Berendezés típusa: Type of equipment:		GAMMAMAT		Képmínőségjelölés típusa: Type of IQI:		ASTM set B type	
Sugárforrás: Source:		Ir192		Képmínőség jelölés helye: Placement of IQI:		F	
Sugárforrás mérete: Source size:		3x1,5mm		Képmínőség: Required IQI:		2% (2-2T)	
Aktivitás: Activity:		0,4 TBq		Film típusa: Film Type:		FOMA RS	
Filmfeldolgozás módja: Film processing:		Kézi: Manual:		Automata: Automatic:		X	
Fóliafajta és vastagság: Screen type and thick:		Pb 0,027					

Megnevezés Designation	Méret Size ø	Féltérkép szám: Number of radiograph	Átvesztési vastagság: Penetration thickness	Sugárforrás film távolság: Source-to-film distance	Film és a tárgy sugárforrás távolság: Distance from source to film	Féltérkép: Density	Képmínőség jelölés: Expos. Time	Képmínőség jelölés: Expos. Time	Képmínőség jelölés: Expos. Time	Hibák/Defects					
										Gáz Porosity A	Salak Slag B	Kötés Lack of fusion C	Gyök Lack of penetration D	Repedés Crack E	Felület Surface F
✓ 8083	115/77	4	19	96	19	2,4	0,5	A	10,30 100						
✓ 8084	115/77	4	19	96	19	2,4	0,5	A	10,30 100						
✓ 8085	115/77	4	19	96	19	2,4	0,5	A	10,30 100						
✓ 8086	115/77	4	19	96	19	2,4	0,5	A	10,30 100						
✓ 8087	115/77	4	19	96	19	2,4	0,5	A	10,30 100						
✓ 8088	115/77	4	19	96	19	2,4	0,5	A	10,30 100						

A filmszámok és varratszámok azonosak, beazonosításuk a megrendelőt terheli.

The numbers of the films and welds are identical, their identification is the task of the customer.

Vizsgálatot végezte:

Ménesi I. - Szabó T.

Performed by:

Vizsgálat helye:  
Place of test:

6750 Algyő,  
Gamma-Controll Kft. Telephely

Értékelt:

Evaluated by:

Ménesi István  
RT20101120107

Jóváhagyta:  
Approved by:  
GAMMA-CONTROLL KFT  
6750 Algyő, Kálvária út 112-114. hrsz.  
Tel/Fax: +36 82/917-400 / 61344  
www.gamma-controll.hu  
E-mail: info@gamma-controll.hu


Ez a jegyzőkönyv részleteiben nem másolható! / Copying details is prohibited!

8. változat.2013.07.16

Feladó : 61344

gamma controll kft

19/10/13 12:48 Lap: 1

 <b>GAMMA-CONTROLL</b> www.gamma-controll.hu 6750 Algyő, Kálvária út 14. hrsz. Tel./Fax: +36 82/817-400 / 81344 E-mail: info@gamma-controll.hu	<b>RADIOGRÁFIAI VIZSGÁLATI JEGYZŐKÖNYV</b>  <b>RADIOGRAPHIC EXAMINATION REPORT</b>	Jegyzőkönyv szám: Report No.:  <b>2430/13</b>  Készítés dátuma: Date of report:  <b>2013.10.30</b>

Vizsgálat tárgya: Object:		Coupling		Megrendelő: Client:		JE-ZO Kft. Szeged									
Munkaszám: Job No.:		---		Rendelési szám: Order No.:		---									
Rajzszerinti: Drawing No.:		MT-3121-3000		Anyagminőség: Material:		AISI 4130									
Vizsgálati szabvány: Testing standard:		QCP-13-1		Vizsgálati terjedelmre: Extent of testing:		100%									
Átvételi követelmény: Acceptance criteria:		ASTM F94		Hőkezelés: Heat treatment condition:		After PWHT									
Kód: Code:		MSZ EN ISO 6520-1		Hegesztési jel: Welder stamp:		BC15									
Berendezés típusa: Type of equipment:		GAMMAMAT		Képmínőségjelölés típusa: Type of IQI:		ASTM set B type									
Sugárforrás: Source:		Ir192		Képmínőség jelölés helye: Placement of IQI:		F									
Sugárforrás mérete: Source size:		3x1,5mm		Képmínőség: Required IQI:		2% (2-2T)									
Aktivitás: Activity:		0,4 TBq		Film típusa: Film Type:		FOMA R5									
Félműködés módja: Film processing:		Kézi: Manual:	Automata: Automatic:	Fóliafajla és vastagság: Screen type and thick:											
			X	Pb 0,027											
Megnevezés Designation	Méret Size	Féltábla száma: Number of radiographs	Átlagosított képvesztés: Processed thickness	Sugárforrás távolság: Source-to-film distance	Fény és a tárgy közötti távolság: Distance from source side of object to film	Féltábla sűrűsége: Density	Képmínőség jelölés: Exposure time	Képmínőség jelölés: Exposure time	Képmínőség jelölés: Exposure time	Hibák/Defects					
										Porosítás A	Szalak B	Kötés C	Gyök D	Repedés E	Felület F
8089	115/77	4	19	96	19	2,4	0,5	A	10,30 10h						
8090	115/77	4	19	96	19	2,4	0,5	A	10,30 10h						
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

A filmszámok és varratszámok azonosak, beazonosításuk a megrendelőt terheli.

The numbers of the films and welds are identical, their identification is the task of the customer.

Vizsgálatot végezte:

Ménesi I. - Szabó T.

Performed by:

Vizsgálat helye:  
Place of test:

6750 Algyő,  
Gamma-Controll Kft. Telephely

Értékelte:

Evaluated by:

Ménesi István  
RT20101120107

Jóváhagyta:

Gamma-Controll Kft.  
6750 Algyő, Kálvária út 14. hrsz.  
Telefon: 06-82-817400  
Fax: 06-82-81344

Ez a jegyzőkönyv másolatban nem másolható / Copying details is prohibited

8. változat.2013.07.16



MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

**RONCSOLÁSMENTES ANYAGVIZSGÁLÓ TANÚSÍTVÁNY**  
(Certificate of NDT personnel)

A tanúsított neve:  
(The name and forename of  
the certificated individual):

**Ménesi István**

Születési hely/ideje:  
(Place and date of birth):

**Szentes, 1988. 09. 06.**

Azonosító szám:  
(Identification No.): **RT20101120107**

A tanúsított személy aláírása  
(The signature of the certificated individual)

Vizsgálati eljárás(ok):  
(The NDT method(s)):

**Radiográfiai anyagvizsgálat**  
(Radiographic testing)

Ipari terület:  
(Industrial sector):

**Készülékek, berendezések, létesítmények vizsgálata EM**  
(Pre and in-service testing of equipment, plant and structure)  
(c), (w)

Termék terület(ek):  
(Product sector(s)):

A minősítés fokozata:  
(The level of certification):

**RT2**

A tanúsítás és kiadásának időpontja:  
(The date of certification and its issue):

**Budapest, 2012. 03. 28.**

A tanúsítás érvényes:  
(The date upon which certification expires):

**2017. 03. 27.**

Tanúsító Testület nevében  
(On behalf of certifying body)

Vizsgáló  
(Examiner)

Az ipari és/vagy termék terület érvényesség kiterjesztve:  
(The industrial and/or product sector has been expanded to):

Dátum (Date):

A tanúsítás érvényessége  
(Renewed the validity of the certification until (MSZ EN 473 9.):

-ig megújítva (MSZ EN 473 9.):

Dátum (Date):

Tanúsító Testület nevében  
(On behalf of certification body)

A Magyar Hegesztéstechnikai és Anyagvizsgálati Egyesülés, mint „a Nemzeti Akkreditáló Testület által a NAT-S-0013/2010 számon akkreditált személytanúsító szervezet” a fentebb megnevezett személyt tanúsítja az MSZ EN 473 szerint eredményes vizsgálata alapján a fentiek szerint:  
(The Hungarian Association of Welding Technology and Material Testing as an “accredited certification body for person as by National Accreditation Board (under No. NAT-S-013/2010”, on the basis of his/her successful examination under the standard MSZ EN 473, hereby certifies the named individual according to the above:)

c - öntvények (castings); f - kovácsolt termékek (forgings); w - hegesztett kötések-termékek (welded products); t - csövek (tubes); wp - alakított termékek (wrought products); p - műanyag termékek (plastics products); k - kompozitok (composites products).

RT20101120107



**MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS**  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

Meghatalmazzuk a tanúsítvány tulajdonosát, hogy vizsgálatokat végezzen és azok eredményéért felelősséget vállaljon.  
(MSZ EN 473 3.21)

(The holder of this certificate has been authorized to perform tests and take responsibility for the test results. (MSZ EN 473 3.21))

Munkáltató aláírása:  
(Signature of the employer.)

**GAMMA CONTROLL Kft.**  
6126 Szeged, Tuzsok utca 34.  
Adószám: 11094614-2-06  
OTP Bank: 11735005-20406154  
www.gammacontroll.hu  
Tel: 06-30-218-2640

Dátum:  
(Date:)

2012. 04. 19.

Folyamatos munkavégzés igazolása (MSZ EN 473 9.) (Evidence of continued work activity (MSZ EN 473 9.))			
Sorsz.:	Munkáltató aláírása (Signature of the employer)	Ph "GAMMA CONTROLL" Anyagvizsgáló és Minőségellenőrző Kft. "GAMMA CONTROLL" Anyagvizsgáló és Minőségellenőrző Kft.	Dátum (Date)
1.			2012. 04. 19.
2.			2013. 06. 09.
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			

Kiegészítések:  
(Additional remarks:)

ContiTech Rubber Industrial Kft. Szeged/Hungary		<b>Examination record</b> <b>Vizsgálati jegyzőkönyv</b> Liquid penetrant examination Festékdifúziós vizsgálat <input checked="" type="checkbox"/> Magnetic particle examination Mágneses repedésvizsgálat		Record No. Jegyzőkönyv száma : 1222/13	
Manufacturer Gyártó		JE-ZO Kft.		Serial No. Gyári szám	
Customer Megrendelő		ContiTech Rubber Industrial Kft.		8083-8090	
Object Tárgy		coupling(s)		Drawing No. Rajzszám	
Quantity Mennyiség		8 pc(s)		MT 3121-3000	
Requirements Követelmények		ASTM E 709		Material Anyagminőség	
Written Procedure No. Vizsgálati eljárás száma		QCP-11-1		AISI 4130	
				Extent of examination Vizsgálat terjedelme	
				100 % outside	
				Heat treatment Hőkezelés	
				yes	
				Welder: Hegesztő:	
				Szabó T.	
Liquid penetrant examination /Folyadékbehatolásos vizsgálat					
Penetrant Behatoló anyag		Remover Tisztító		Developer Előhívó	
Dwell time Behatolási idő		Drying Szárítás		Developing time Előhívási idő	
Surface temperature A felület hőmérséklete		Surface condition Felület állapota		Lighting intensity Megvilágítás	
Magnetic particle examination/Mágnesezhető poros vizsgálat					
Equipment type Készülék típusa		Testing material Vizsgáló anyag		Magnetizing current Mágnesező áram	
TSW 1000		MR 76F		1000 A	
Black light type UV-A lámpa típusa		Field strength checking Térerőmérő		Field strength Térerő	
Superlight C 10A-HE		Berthold disc		4,2 kA/m	
Surface temperature A felület hőmérséklete		Surface condition Felület állapota		Lighting intensity Megvilágítás	
23 °C		machined		1000 µW/cm²	
Test results Eredmények :					
satisfactory megfelelő.....8..... pc(s)/db					
not accepted nem megfelelő.....-..... pc(s)/db					
Performed by NDE Level II. Vizsgálatot végezte			Revised by Q.C. manager Ellenőrizte – MEO vezető		
Signature Aláírás			Signature Aláírás		
Oravec Gábor			Markó László		
Place/Date Kelt			Place/Date Kelt		
Szeged, 04.11.2013.			Szeged, 04.11.2013.		





MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

**RONCSOLÁSMENTES ANYAGVIZSGÁLÓ TANÚSÍTVÁNY**  
(Certificate of NDT personnel)

Azonosító szám: **MT20103010506Ú**  
(Identification No.):

A tanúsított neve:  
(The name and forename of  
the certificated individual):

**Oravecz Gábor**

Születési hely/ideje:  
(Place and date of birth):

**Szeged, 1958. 07. 07.**

A tanúsított személy aláírása:  
(The signature of the certificated individual)

Vizsgálati eljárás(ok):  
(The NDT method(s)):

**Mágnesezhető poros anyagvizsgáló**  
(Magnetic particle testing)

Ipari terület:  
(Industrial sector):

**Fémfeldolgozás MM**  
(Metal manufacturing)

Termék terület(ek):  
Product sector(s):

**(c), (f), (w), (wp)**

A minősítés szintje:  
(The level of certification):

**MT2**

A tanúsítás és kiadásának időpontja:  
(The date of certification and its issue):

**Budapest, 2012. 02. 21.**

A tanúsítás érvényes:  
(The date upon which certification expires):

**2017. 02. 20.**

Tanúsító Testület nevében  
(On behalf of certifying body)

Vizsgáztató  
(Examiner)

Az ipari és/vagy termék terület érvényesség kiterjesztve:  
(The industrial and/or product sector has been expanded to):

Dátum (Date):

Tanúsító Testület nevében  
(On behalf of certifying body)

A tanúsítás érvényessége  
(Renewed the validity of the certification until (MSZ EN 473 9.):)

-lg megújítva (MSZ EN 473 9.):

Dátum (Date):

Tanúsító Testület nevében  
(On behalf of certification body)

A Magyar Hegesztéstechnikai és Anyagvizsgáló Egyesülés, mint „a Nemzeti Akkreditáló Testület által a NAT-5-0013/2010 számon akkreditált személytanúsító szervezet” a nevezett személyt tanúsítja az MSZ EN 473 szerint eredményes vizsgája alapján a fentiek szerint:  
(The Hungarian Association of Welding Technology and Material Testing as an “accredited certification body for person an by National Accreditation Board (under No. NAT-5-013/2010”, on the basis of his/her successful examination under the standard MSZ EN 473, hereby certifies the named individual according to the above:)

\* c - öntvények (castings); f - kovácolt termékek (forgings); w - hegesztett kötések-termékek (welded products); t - csövek (tubes); wp - alakított termékek (wrought products); p - műanyag termékek (plastics products); k - kompozitok (composites products).



**MAGYAR HEGESZTÉSTECHNIKAI ÉS ANYAGVIZSGÁLATI EGYESÜLÉS**  
(HUNGARIAN ASSOCIATION OF WELDING TECHNOLOGY AND MATERIAL TESTING)  
(Certification Body)

\* Meghatalmazzuk a tanúsítvány tulajdonosát, hogy vizsgálatokat végezzen és azok eredményéért felelősséget vállaljon.  
(MSZ EN 473 3.21)

(The holder of this certificate has been authorised to perform tests and take responsibility for the test results. (MSZ EN 473 3.21))

Munkáltató aláírása:  
(Signature of the employer:)

*[Handwritten signature]*

Dátum: 2012. 02. 21.  
(Date:)

Folyamatos munkavégzés igazolása (MSZ EN 473 9.) (Evidence of continued work activity (MSZ EN 473 9.))			
Sorsz.:	Munkáltató aláírása (Signature of the employer)	Ph. <del>Contitech Rubber</del> Industrial Kft. Quality Control Dept. (1)	Dátum (Date)
1.	<i>[Handwritten signature]</i>		2013. 01. 24.
2.			
3.			
4.			
5.			
6.			
7.			
8.			
9.			
10.			

Kiegészítések:  
(Additional remarks:)

**Bekaert Hlohovec a.s.**  
Mierová 2317  
92028 Hlohovec / Slovakia  
Tel.: 00421337363111  
Fax: 00421337422742

505760

**STEELCORD**  
**MANUFACTURER : BKHL**

Page : 1 / 1

Certificate of Analysis

Delivery No. : 4046181212

Contitech Rubber Industrial Kft.  
**CONTITECH RUBBER IND SZEGED**  
Budapesti út 10  
H-6728 SZEGED

Sales Order 3046058220/10  
Purchase Order 32260330  
Inspection lot 090000200665/000001  
Batch 3500245379  
Date produced 01.07.2013  
Date COA 09.08.2013  
Spools 32 delivered from a batch of 32 produced  
Units 16 delivered from a batch of 16 produced  
Delivery net Qty. 10517 KG  
Material Description Zinc coated steelcord 1X24DW/3.6 NT 20/36 ZZ B850  
5000 M  
Lay direction ZZ  
Lay length 20/36

Spec customer Contitech Rubber Industrial Kft.  
Your code 14-18-07/1  
Your spec REV.3 / 15.01.2002  
Our Spec H207297 / 28.10.2012

Tests			Specs		Results		
Test	Procedure	Unit	Alm	Min. Max.	Avg. N	Min ind Max ind	
Cord diameter	RA12-100	mm	3,6000	3,4200 3,7800	3,6845 6	3,6840 3,8930	
Linear density	RA30-110	g/m	65,000	61,700 68,300	65,632 6	65,300 65,870	
Cord breaking strength	RA30-203	N		17900,0	19337,0 6	19087,0 19584,0	
Cord elongation at break	RA30-203	%		2,50	2,98 6	2,80 3,15	
Zinc D1	RA40-741	g/m2		32,000	40,057 6	37,870 44,630	
Zinc D2	RA40-741	g/m2		44,000	48,788 6	45,350 55,100	
Residual torsions	RA30-150	Nl	0,000	-3,000 3,000	-0,250 6	-0,500 0,000	

**Comments :**

D1: 0,54

D2: 0,73

**Nominal Chemical composition of High Grade Oxysteel:**

%Carbon : 0.70-0.80

%Manganese: 0.40-0.60

%Silicon: <0.230

%S: <0.011

%P: <0.012

**Microstructure/Texture:** Metallurgically the texture is known as a highly drawn, fine ferritic structure.



**PAG 1/1**

Conforme a EN.10204/ 3.1

n° : 63892/2012

**Specifica/Specification:**  
EN 10088-2

**Destinatario/Receiver:**  
ACCIAI VENDER S.P.A.  
VIA A. NOBEL, 3/A  
43100 PARMA

**Cliente/Customer: ACCIAI VENDER S.P.A.**

VIA A.NOBEL, 4/A Q.RE IND.LE S.P.I.P  
43100 PARMA

**Acclalo/Steel:** 304PS

DDT/DEL. NOTE : 16753 DEL/OF: 24/05/2012 Ordine/order Terninox : P04249 Ord. Cliente/Customer :

25 vol. 6 mm

IL MATERIALE SOPRA ELENCATO E' STATO DIMENSIONALMENTE E/O SUPERFICIALMENTE TRASFORMATO DA TERNINOX SENZA ALTERARNE LE CARATTERISTICHE MECCANICHE E CHIMICHE  
THE MATERIAL DESCRIBED ABOVE HAS BEEN DIMENSIONALLY AND/OR SUPERFICIALLY TRANSFORMED BY TERNINOX WITHOUT CHANGING THE MECHANICAL AND CHEMICAL FEATURES

### Analisi di colata/Chemical Composition

OUTSIDE STRIPWOUND TUBE

**Risultati delle prove/Test Result (1N/mm<sup>2</sup>=1 M Pa)**

NIM	P PELLERONE	S SNOR	Caric. unit. snervamento Yield strenght		Caric. unit. Rottura Tensile strength	Allungamento a rottura Ultimate elongation (%)			Durezza Hardness	Piega a Bend To 180°	Trat.termico Ricott. di solub./ heat treatment of annealing for solubiliz.	Resistenza alla corrosione intergranulare secondo / Resistance to corrosion intergranulare	Gran Grain
			Rp02% N/mm²	Rp1% N/mm²	Rm N/mm²	Lo =Z"	Lo =80	Lo =A5	HRB				
310727	T	T	245	271	607		80.7		70.5		1050	EN ISO 3651-2	
	C	T	230	261	604		82.8		66.0				
324612	T	T	235	262	588		62.4		70.5		1050	EN ISO 3651-2	
	C	T	237	267	605		62.1		72.0				

I dati chimici e fisici sopra riportati sono tratti dal certificato di qualità del nostro fornitore qualificato. Il cui originale è in nostra possesso e disponibile su richiesta.  
Chemical and physical data reported above are extracted from quality certificate emitted from our qualified supplier; the original document is in our possession and it is available upon your request.

**Certificiamo che i prodotti sopra elencati sono conformi alle prescrizioni dell'etichetta/We certify that products listed above are compliant to order prescriptions**

(1) Sampling  
T = Tests - Top  
C = Coda - Bottom

(2) Sens  
T = Transverse - Transverse  
L = Longitudinale - Longitudinal

**3. ITAL INOX**  
HUNGÁRIA KFT.  
1184 Budapest, Leibes út 42/A.  
☎ 077-1250, 291-6239. Fax: 290-5067  
Addáshím: 12141537-2-43  
BAR sz. 16800080-00000005-0130144

COMPLIES WITH ED 2000/53/EC

**Certificato emesso automaticamente**

Data/Date 24/05/2012

R. GOVONI

**CONTITECH RUBBER**  
Industrial Kft.

No:QC-DB- 651 /2013  
Page: 41 / 44



**MKEH**  
Metrológiai Hatóság/Metrology Authority  
Mechanikai Mérések Osztály  
Section of Mechanical Measurements  
BUDAPEST XII., NEMETVÖLGYI ÚT 37-39.  
1535 Budapest, Pf. 919  
Telefon: 458-5800  
Telefax: 458-5927

Ügyiratszám / File No.: MKEH-MH/00287-003/2013/NY  
Bizonyítványszám / Certificate No.: NYO - 0008/2013  
Hivatkozási szám / Reference No.: 32259470  
Page 1/3 oldal  
Kiadva / Issued  
Budapest, 2013. 01. 28. / 28 01 2013

**KALIBRÁLÁSI BIZONYÍTVÁNY**  
**CALIBRATION CERTIFICATE**

**A kalibrálás tárgya:** villamos kimenőjelű nyomásmérő  
**Object of calibration:** electrical-output manometer  
**Gyártó / Manufacturer:** AFRISO-EURO-INDEX GmbH  
**Típus / Type:** DMU03 HD  
**Azonosító szám / Serial No.:** 1518086  
**Műszaki adatok / Technical data:** (0...2500) bar méréstartomány / measuring range (0...2500) bar  
(4...20) mA kimenőjel tartomány / output signal range (4...20) mA

**Kalibrálásra bemutatta:** ContiTech Rubber Industrial Kft.  
**Customer:** 6728 Szeged, Budapesti út 10.

**A kalibrálás helye és ideje:** Magyar Kereskedelmi Engedélyezési Hivatal  
**Place and date of calibration:** Hungarian Trade Licensing Office  
Metrológiai Hatóság, Mechanikai Mérések Osztály  
Metrology Authority, Section of Mechanical Measurements  
Budapest, 2013.01.24.

**A kalibrálást végezte:**  
**Calibrated by:** Szaulich Dénes  
metrológus / metrologist

**A kalibrálásnál alkalmazott etalonok:**  
**Standards used for the calibration:**

Megnevezés: Designation:	Gyártó: Manufacturer:	Típus: Type:	Gyártási szám: Serial No.:	Bizonyítvány szám: Certificate No.:
túlnyomás etalon / pressure standard	Budenberg	283	20603	NYO-0001/2013
digitális multiméter / digital multimeter	Keithley	2000	0597910	ELD-0014/2012
normál ellenállás / resistance standard	ZIP	P 331	117530	ELD-0021/2012
hőmérő / temperature measuring instr.	GANZ MM	DTH1	33656	Hőm-0296/2012

A mérési eredmények a nemzeti (nemzetközi) etalonra visszavezetettek.  
The measuring results are traceable to national standards.

**A kalibrálás módja:**

**Calibration method:**

A kalibrálást a KE NYO-3-2002 számú kalibrálás eljárás alapján végeztük.  
The calibration was done according to the calibration procedure No.: KE NYO-3-2002.



This certificate is consistent with Calibration and Measurement Capabilities (CMCs) that are included in Appendix C of the Mutual Recognition Arrangement (MRA) drawn up by the International Committee for Weights and Measures (CIPM). Under the MRA, all participating institutes recognize the validity of each other's calibration and measurement certificates for the quantities, ranges and measurement uncertainties specified in Appendix C (for details see <http://www.bipm.org>).

A bizonyítvány az MKEH írásbeli engedélye nélkül csak teljes formájában és terjedelmében másolható!  
The calibration certificate shall not be reproduced except in full, without written approval of MKEH!



**MKEH**  
Metrológiai Hatóság/Metrology Authority  
Mechanikai Mérések Osztály  
Section of Mechanical Measurements

Ügyiratszám / File No.:

MKEH-MH/00287-003/2013/NY

Bizonyítványszám / Certificate No.:

NYO - 0008/2013

Page 2/3 oldal

**A kalibrálás körülményei:**

*Calibration conditions:*

környezeti hőmérséklet / Ambient temperature

21,1 °C

a kalibrált eszköz helyzete / Position of the calibrated manometer

függőleges / vertical

a kalibrált eszköz tápfeszültsége / Supply voltage of the calibrated manometer

24V DC

nyomóközeg / Pressure transfer medium

olaj / oil

**Mérési eredmények a (0...2500) bar nyomástartományban:**

*Results of the measurements in the pressure range of (0...2500) bar:*

Nyomás, névleges érték  <i>Pressure, nominal value</i>  bar	Áram-kimenőjel, névleges érték  <i>Current-Output, nominal value</i>  mA	Áram-kimenőjel, mért eltérés a helyes értéktől  <i>Current-Output, measured deviation from the reference value</i>  mA	Nyomás, mért eltérés a helyes értéktől  <i>Pressure, measured deviation from the reference value</i>  bar	Eredő mérési bizonytalanság  <i>Expanded uncertainty of the measurement</i>  bar
0	4,0	-0,0042	-0,7	2,6
250	5,6	-0,0002	0,0	
500	7,2	0,0029	0,5	
750	8,8	0,0050	0,8	
1000	10,4	0,0063	1,0	
1250	12,0	0,0053	0,8	
1500	13,6	0,0033	0,5	
1750	15,2	-0,0003	-0,1	
2000	16,8	-0,0052	-0,8	
2250	18,4	-0,0117	-1,8	
2500	20,0	-0,0192	-3,0	

**Mérési bizonytalanság:** A mérési eredmény(ek) mellett közölve.

*Uncertainty of measurement:* See next to the results of the measurements.

A közölt kiterjesztett mérési bizonytalanság a standard bizonytalanságnak  $k$  kiterjesztési tényezővel szorzott értéke ( $k = 2$ ), amely normális (Gauss) eloszlás feltételezésével közelítőleg 95%-os fedési valószínűségnek felel meg.

*The reported expanded uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor  $k=2$ , which for a normal distribution corresponds to coverage probability of approximately 95 %.*

A mérési bizonytalanság tartalmazza az etalonból, a kalibrálás módszeréből, a környezeti feltételekből, a kalibrált mérőeszközből stb. eredő részbizonytalanságokat.

*It contains the uncertainties of the standards, calibration method, environmental conditions, calibrated device etc.*

A standard bizonytalanság meghatározása az EA-4/02 (Expression of the Uncertainty of Measurement in Calibration) kiadványnak megfelelően történt.

*The standard uncertainty of measurement has been determined in accordance with the EA Publication EA 4/02 (Expression of the Uncertainty of Measurement in Calibration).*

A bizonyítvány az MKEH írásbeli engedélye nélkül csak teljes formájában és terjedelmében másolható!

*The calibration certificate shall not be reproduced except in full, without written approval of MKEH!*



**MKEH**  
Metrológiai Hatóság/Metrology Authority  
Mechanikai Mérések Osztály  
Section of Mechanical Measurements

Ügyiratszám / File No.:

MKEH-MH/00287-003/2013/NY

Bizonyítványszám / Certificate No.:

NYO - 0008/2013

Page 3/3 oldal

**Bélyegzés:**

*Calibration mark:*

A kalibrált mérőeszközön **K067662** azonosító számú kalibrálási bélyeget helyeztünk el.

*We have placed a calibration stamp No.: K067662 on the calibrated instrument.*

**Megjegyzések:**

*Additional remarks:*

Jelen bizonyítvány összhangban van a Nemzetközi Súly és Mértékügyi Bizottság (CIPM) Kölcsonös Elismerési Megegyezése (MRA) C függeléke által tartalmazott kalibrálási és mérési képességekkel (CMCs). Az MRA minden aláíró intézete elismeri egymás kalibrálási és mérési bizonyítványait a C függelék szerinti mennyiségfajtákra, azok értéktartományaival és mérési bizonytalanságaival (közelebbit lásd: <http://www.bipm.org>)

*This certificate is consistent with Calibration and Measurement Capabilities (CMCs) that are included in Appendix C of the Mutual Recognition Arrangement (MRA) drawn up by the International Committee for Weights and Measures (CIPM). Under the MRA, all participating institutes recognize the validity of each other's calibration and measurement certificates for the quantities, ranges and measurement uncertainties specified in Appendix C (for details see <http://www.bipm.org>)*

A kalibrálási bizonyítványban megadott értékek a mérőeszköznek a kalibrálás idejére és körülményeire jellemző adatai.

*The measurement results show the metrological properties of the device during the time of the calibration under the environmental conditions listed above.*

Az újrakalibrálás időpontját a felhasználó dönti el a mérőeszköz használatának és állapotának függvényében.

*The date of the next calibration is decided by the user. It depends on the usage and the condition of the device.*

**A bizonyítvány kiadható / Approved by:**



*Kálóczi László*  
osztályvezető / Head of Section

## Requested Exceptions

- Variance is requested to connect the BOP choke outlet to the choke manifold using a co-flex line (instead of using a 4" OD steel line) with a 10,000 psi working pressure that has been tested to 15,000 psi and is built to API Spec 16C. Once the flex line is installed it will be tied down with safety clamps.
- Variance is requested to allow Option of rig not capable of reaching TD presetting Surface, Drilling Plan will be same using Fresh Water fluid system.
- Variance is requested to wave any centralizer requirements on the 5-1/2" casing. Ameredev will utilize cement expansion additives in the cement slurry to maximize cement bond and zonal isolation.
- Variance is requested to wave any centralizer requirements on the 9-5/8" casing. Ameredev will utilize cement expansion additives in the cement slurry to maximize cement bond and zonal isolation.
- Variance is requested to allow Temporary Postponement of Operations on well to skid to adjacent well if multiple wells on drilling pad are drilled.
- Variance is requested to allow use of Multi-Bowl Well Head System.
- Variance is requested to allow adjustment of Casing Design Safety Factor on conditions that Ameredev keeps minimum of 1/3 casing capacity filled with OMW drilling fluids.
- Variance is requested to allow 5M Annular Preventer on 10M BOPE System to drill Production Interval. (Supporting Documentation Attached)



**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

### Section 1 - Existing Roads

**Will existing roads be used?** YES

**Existing Road Map:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELL\_PAD\_ACCESS\_MAP\_REV\_20190205083053.pdf

**Existing Road Purpose:** ACCESS

**Row(s) Exist?** NO

**ROW ID(s)**

**ID:**

**Do the existing roads need to be improved?** NO

**Existing Road Improvement Description:**

**Existing Road Improvement Attachment:**

### Section 2 - New or Reconstructed Access Roads

**Will new roads be needed?** YES

**New Road Map:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELL\_PAD\_ACCESS\_MAP\_REV\_20190205083120.pdf

Juniper\_Pimento\_Road\_20190205083832.pdf

**New road type:** RESOURCE

**Length:** 4442

**Feet**

**Width (ft.):** 30

**Max slope (%):** 2

**Max grade (%):** 2

**Army Corp of Engineers (ACOE) permit required?** NO

**ACOE Permit Number(s):**

**New road travel width:** 20

**New road access erosion control:** Crowned and Ditched

**New road access plan or profile prepared?** NO


**New road access plan attachment:**

**Access road engineering design?** NO

**Access road engineering design attachment:**


**Access surfacing type:** OTHER

**Access topsoil source:** ONSITE



SECTION 4, TOWNSHIP 26-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'



**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1853 OR (800) 787-1853 • FAX: (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Stan W. Lloyd, P.S. No. 19642  
JULY 13, 2018

NORTH ROAD EASEMENT	REVISION:	
	MML	08/10/17
	MEH	08/15/17
DATE: 07/20/17	MML	11/03/17
FILE: EP_NORTH_ROAD_EASEMENT_SEC_4_REV7	ACC	02/19/18
DRAWN BY: MML	EAH	05/07/18
SHEET: 1 OF 1	BKG	07/13/18

- NOTES:**
1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
  2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
  3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
  5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
  6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT

SECTION 34, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'



LEGEND

- TOWNSHIP LINE
- SECTION LINE
- SURVEYED BASELINE
- TRACT BORDER
- EDGE OF EASEMENT
- EXISTING PIPELINE
- FENCE LINE
- MONUMENT

FND. BRASS CAP,  
U.S. G.L.O. SUR.

FND. BRASS CAP,  
U.S. G.L.O. SUR.

FND. BRASS CAP,  
U.S. G.L.O. SUR.

FND. BRASS CAP,  
U.S. G.L.O. SUR.

DETAIL VIEW  
SCALE: 1" = 40'

PRIVATE  
OWNERSHIP

LINE TABLE

LINE	BEARING	DISTANCE
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		

E.O.L.  
X=873815.22  
Y=394882.83

SEE  
DETAIL

P.O.B.  
X=873820.80  
Y=394342.86

NORTH ROAD EASEMENT

Being a proposed road easement being 30 feet in width, 15 feet left and right of the above platted centerline  
total line footage containing 540.00 feet or 32.73 rods, containing 0.37 acres more or less.



Stan W. Lloyd, P.S. No. 19642  
MAY 09, 2018



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 767-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM


**AMEREDEV**

AMEREDEV OPERATING, LLC

NORTH ROAD EASEMENT	REVISION:	
	IMU	05/09/2018
DATE:	05/07/18	
FILE:	EP_NORTH_ROAD_EASEMENT_SEC_34_REV1	
DRAWN BY:	EAH	
SHEET:	1 OF 1	

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT



**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7548  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1853 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

STAN W. LLOYD  
NEW MEXICO  
19642  
PROFESSIONAL SURVEYOR

*Stan W. Lloyd*  
Stan W. Lloyd, P.S. No. 19642  
JULY 12, 2018

NORTH ROAD EASEMENT	REVISION:		NOTES:
	IMU	05/09/2018	
DATE: 04/03/18	AMD	07/12/2018	1. ORIGINAL DOCUMENT SIZE: 8.5" X 11" 2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET. 3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY. 4. P.O.B. = POINT OF BEGINNING 5. E.O.L. = END OF LINE
FILE: EP_NORTH_ROAD_EASEMENT_SEC_3_REV2			
DRAWN BY: GJU			
SHEET: 1 OF 1			

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Access surfacing type description:** Caliche

**Access onsite topsoil source depth:** 6

**Offsite topsoil source description:**

**Onsite topsoil removal process:** Grader

**Access other construction information:** NM One Call (811) will be notified before construction starts.

**Access miscellaneous information:**

**Number of access turnouts:**

**Access turnout map:**

### Drainage Control

**New road drainage crossing:** OTHER

**Drainage Control comments:** Crowned and Ditched

**Road Drainage Control Structures (DCS) description:** Crowned and Ditched

**Road Drainage Control Structures (DCS) attachment:**

### Access Additional Attachments

**Additional Attachment(s):**

### Section 3 - Location of Existing Wells

**Existing Wells Map?** YES

**Attach Well map:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_ONE\_MI\_RAD\_EXIST\_WELLS\_20190205083915.pdf

**Existing Wells description:**

### Section 4 - Location of Existing and/or Proposed Production Facilities

**Submit or defer a Proposed Production Facilities plan?** SUBMIT

**Production Facilities description:** A multiple well pad will be located on section 3, and will measure 400'x500'. The top 6" of soil and brush will be stockpiled south of the well pad. A buried 4" poly flowline (750 psi maximum) will be run approximately 570' from the Juniper Fed Com 25 36 34 121H to the Juniper/Pimento CTB north of the well pad. A 20' pipeline ROW containing three buried 12" poly water lines (200 psi maximum) will be run from the Juniper/Pimento CTB to tie into existing water lines at the Firethorn CTB. The overall length of disturbance for the new water lines will be approximately 4,857'. A power line will be run parallel to the water line and will connect into the power line at the Firethorn CTB. The power line will be approximately 4,857'. The Juniper/Pimento CTB will be 500'x525' and will include a separator, heat exchanger, VRU, VRT, meter run and a tank battery. The new production facility will have a secondary containment structure that is constructed to hold the capacity of 1-1/2 times the largest tank, plus freeboard to account for precipitation, unless more stringent protective requirements are deemed necessary.

**Production Facilities map:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_FACILITIES\_MAP\_REV\_20190205084025.pdf


Ameredev Operating, LLC  
Juniper Fed Com 25 36 34 111H  
Section 34, Township 25S, Range 36E  
Lea County, New Mexico

**AMEREDEV**

Ameredev, LLC

**Section 3 – Location of Existing Wells**

*Exhibit 2 – One Mile Radius Existing Wells* depicts all known wells within a one mile radius of the Juniper Fed Com 25 36 34 111H. See *Exhibit 2a – One Mile Radius Wells List* for a list of wells depicted.














***Exhibit 2 – One Mile Radius Existing Wells***

API	WELL NAME	STATUS	TD
30025208430000	SOUTHWEST JALIT-FED 1	PLUGGAS	13505

***Exhibit 2a – One Mile Radius Existing Wells List***

## Legend

### BLM\_Status

-  CTB Pad
-  Caliche Pit
-  Electric
-  Flowline
-  Fresh Water Well
-  Pipeline
-  Proposed CTB Pad
-  Proposed Well Pad
-  Road
-  Route
-  Well Pad

New Water &  
Power Lines

Juniper/  
Pimento CTB

New Flow Lines

Juniper Fed Com  
25 36 34 111H Well  
Pad (JUN/PIM #1S)


New Road: 4,442'

Route Into Location  
on Existing Roads



SCALE: 1" = 1000'

SECTION 34, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO



JUNIPER/PIMENTO FED COM  
BATTERY SITE

Mets and Bounds Description of a proposed 6.03 acre battery site located within Section 34, Township 25 South, Range 36 East, N.M.P.M., in Lea County, New Mexico.

BEGINNING at a 1/2" iron rod with cap stamped "Topographic" set for the Southwest corner of this site, from whence a brass cap monument found for the Southwest corner of said Section 34, bears: S 00°35'33" E, a distance of 540.00 feet;

Thence N 00°35'33" W, a distance of 500.00 feet to a 1/2-inch iron rod with cap stamped "TOPOGRAPHIC" set for the Northwest corner of this site;

Thence N 89°26'45" E, a distance of 525.00 feet to a 1/2-inch iron rod with cap stamped "TOPOGRAPHIC" set for the Northeast corner of this site;

Thence S 00°35'33" E, a distance of 500.00 feet to a 1/2-inch iron rod with cap stamped "TOPOGRAPHIC" set for the Southeast corner of this site;

Thence S 89°26'45" W, a distance of 525.00 feet to the Point of Beginning.

LEGEND

- TOWNSHIP LINE
- SECTION LINE
- PROPOSED SITE
- TRACT BORDER
- ROAD WAY
- EXISTING PIPELINE
- FENCE LINE
- IRON ROD SET
- MONUMENT
- IRON ROD FOUND

LINE TABLE

LINE	BEARING	DISTANCE
1	N 00°35'33" W	2638.94'
2	S 00°35'33" E	540.00'
3	S 89°26'45" W	2640.74'
4	N 89°27'27" E	2642.15'
5	N 89°29'01" E	2642.48'
6	S 00°33'00" E	527.68'
7	S 89°28'55" W	2640.76'
8	N 00°34'32" W	2639.35'

**AMEREDEV**

AMEREDEV OPERATING, LLC



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 - FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
TEXAS FIRM REGISTRATION NO. 10042504  
WWW.TOPOGRAPHIC.COM



Stan W. Lloyd, P.S. No. 19642  
MAY 09, 2018


JUNIPER/PIMENTO FED COM BATTERY SITE	REVISION:	
	IMU	05/09/2018
DATE: 11/16/2017		
FILE:BO_JUNIPER_FED_COM_BATTERY_SITE_REV1		
DRAWN BY: GJU		
SHEET: 1 OF 1		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
4. P.O.B. = POINT OF BEGINNING


SECTION 3, TOWNSHIP 26-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'  
0' 500' 1000'



**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7548  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1853 • FAX: (432) 682-1743  
WWW.TOPOGRAPHIC.COM




Michael Blake Brown, R.P.L.S. No 18329  
JANUARY 2, 2019

JUN/PIM #1S FLOWLINE EASEMENT	REVISION:		NOTES:
	INT	DATE	
DATE: 01/02/19			<p>1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"</p> <p>2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.</p> <p>3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.</p> <p>4. P.O.B. = POINT OF BEGINNING</p> <p>5. E.O.L. = END OF LINE</p>
FILE:EP_JUN_PIM_1S_FLOWLINE_SEC_3			
DRAWN BY: ACC			
SHEET: 1 OF 1			

SECTION 34, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO


SCALE: 1" = 1000'



Being a proposed road easement being 30 feet in width, 15 feet left and right of the above platted centerline  
total line footage containing 540.00 feet or 32.73 rods, containing 0.37 acres more or less.


**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1853 OR (800) 787-1853 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Michael Blake Brown, R.P.L.S. No 18329  
JANUARY 2, 2019


JUN/PIM #1S FLOWLINE EASEMENT	REVISION:		NOTES:
	INT	DATE	
DATE: 01/02/19			1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
FILE: EP_JUN_PIM_1S_FLOWLINE_SEC_34			2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
DRAWN BY: ACC			3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
SHEET: 1 OF 1			5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
			6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT



Being a proposed electric line easement being 20 feet in width, 10 feet left and right of the above platted centerline total line footage containing 2966.28 feet or 179.77 rods, containing 1.36 acres more or less.

**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Stan W. Lloyd, P.S. No. 19642  
MAY 7, 2018

NORTH ELECTRIC LINE	REVISION:	
	MML	07/28/17
	MML	09/11/17
DATE: 07/20/17	AMD	11/03/17
FILE: EP_NORTH_ELECTRIC_SEC_4_REV5	GJU	11/10/17
DRAWN BY: MML	EAH	05/07/18
SHEET: 1 OF 1		

**NOTES:**

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
6. E.O.L./P.O.E. = END OF LINE/POINT OF EXT

SECTION 33, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'  
0' 500' 1000'




LEGEND

- TOWNSHIP LINE
- SECTION LINE
- SURVEYED BASELINE
- CONTINUED BASELINE
- TRACT BORDER
- EDGE OF EASEMENT
- EXISTING PIPELINE
- FENCE LINE
- ROAD WAY
- POINT OF INTERSECTION
- MONUMENT
- IRON ROD FOUND

LINE TABLE

LINE	BEARING	DISTANCE
1	N 00°33'24" W	2638.53'
2	N 89°26'32" E	2640.71'
3	N 89°24'38" E	2642.18'
4	S 00°34'32" E	2639.36'
5	S 00°35'33" E	2638.94'
6	S 89°25'51" W	2641.81'
7	S 89°25'29" W	2642.68'
8	S 00°35'33" E	410.00'
9	N 89°25'40" E	674.34'




Being a proposed electric line easement being 20 feet in width, 10 feet left and right of the above platted centerline total line footage containing 3726.79 feet or 225.87 rods, containing 1.71 acres more or less.

**AMEREDEV**  
AMEREDEV OPERATING, LLC



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1853 OR (800) 787-1853 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM



Stan W. Lloyd, P.S. No. 19642  
MAY 7, 2018


NORTH ELECTRIC LINE	REVISION:	
	INT	DATE
DATE: 05/07/18		
FILE: EP_NORTH_ELECTRIC_SEC_33		
DRAWN BY: EAH		
SHEET: 1 OF 1		

NOTES:

1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT

SECTION 34, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'



Being a proposed electric line easement being 20 feet in width, 10 feet left and right of the above platted centerline total line footage containing 830.00 feet or 50.30 rods, containing 0.38 acres more or less.


**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 148 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1853 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM




Stan W. Lloyd, P.S. No. 19642  
MAY 7, 2018

NORTH ELECTRIC LINE	REVISION:		NOTES:
	INT	DATE	
DATE: 05/07/18			<p>1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"</p> <p>2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.</p> <p>3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.</p> <p>5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING</p> <p>6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT</p>
FILE:EP_NORTH_ELECTRIC_SEC_34			
DRAWN BY: EAH			
SHEET: 1 OF 1			



Being a proposed water line easement being 20 feet in width, 10 feet left and right of the above platted centerline total line footage containing 2926.28 feet or 177.35 rods, containing 1.34 acres more or less.



*Stan W. Lloyd*  
Stan W. Lloyd, P.S. No. 19642  
MAY 7, 2018

**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 140 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

NORTH WATER LINE	REVISION:	
	MML	07/28/17
	MML	09/11/17
DATE: 07/20/17	AMD	11/04/17
FILE: EP_NORTH_WATER_SEC_4_REV5	GJU	11/10/17
DRAWN BY: MML	EAH	05/07/18
SHEET: 1 OF 1		

- NOTES:**
1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"
  2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.
  3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.
  5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING
  6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT

SECTION 33, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'  
0' 500' 1000'




LEGEND

- TOWNSHIP LINE
- SECTION LINE
- SURVEYED BASELINE
- CONTINUED BASELINE
- TRACT BORDER
- EDGE OF EASEMENT
- EXISTING PIPELINE
- FENCE LINE
- ROAD WAY
- POINT OF INTERSECTION
- MONUMENT
- IRON ROD FOUND

LINE TABLE

LINE	BEARING	DISTANCE



Being a proposed water line easement being 20 feet in width, 10 feet left and right of the above platted centerline total line footage containing 3766.78 feet or 228.29 rods, containing 1.73 acres more or less.

**AMEREDEV**  
AMEREDEV OPERATING, LLC

**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY  
1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX: (817) 744-7554  
2803 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM




Stan W. Lloyd, P.S. No. 19642  
MAY 7, 2018

NORTH WATER LINE	REVISION:		NOTES:
	INT	DATE	
DATE: 05/07/18			<p>1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"</p> <p>2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.</p> <p>3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.</p> <p>5. B.O.L./P.O.B. = BEGINNING OF LINE/POINT OF BEGINNING</p> <p>6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT</p>
FILE: EP_NORTH_WATER_SEC_33			
DRAWN BY: EAH			
SHEET: 1 OF 1			



SECTION 34, TOWNSHIP 25-S, RANGE 36-E, N.M.P.M.  
LEA COUNTY, NEW MEXICO

SCALE: 1" = 1000'



*Stan W. Lloyd*  
Stan W. Lloyd, P.S. No. 19842  
MAY 7, 2018



**TOPOGRAPHIC**  
LOYALTY INNOVATION LEGACY

1400 EVERMAN PARKWAY, Ste. 146 • FT. WORTH, TEXAS 76140  
TELEPHONE: (817) 744-7512 • FAX (817) 744-7554  
2903 NORTH BIG SPRING • MIDLAND, TEXAS 79705  
TELEPHONE: (432) 682-1653 OR (800) 787-1653 • FAX (432) 682-1743  
WWW.TOPOGRAPHIC.COM

**AMEREDEV**  
AMEREDEV OPERATING, LLC

NORTH WATER LINE	REVISION:		NOTES:
	INT	DATE	
DATE: 05/07/18			<p>1. ORIGINAL DOCUMENT SIZE: 8.5" X 11"</p> <p>2. ALL BEARINGS, DISTANCES, AND COORDINATE VALUES CONTAINED HEREIN ARE GRID BASED UPON THE NEW MEXICO COORDINATE SYSTEM OF 1983, EAST ZONE, U.S. SURVEY FEET.</p> <p>3. CERTIFICATION IS MADE ONLY TO THE LOCATION OF THIS EASEMENT, IN RELATION TO THE EVIDENCE FOUND DURING A FIELD SURVEY, MADE ON THE GROUND, UNDER MY SUPERVISION, AND USING DOCUMENTATION PROVIDED BY AMEREDEV OPERATING LLC. ONLY UTILITIES/EASEMENTS THAT WERE VISIBLE ON THE DATE OF THIS SURVEY, WITHIN/ADJOINING THIS EASEMENT, HAVE BEEN LOCATED AS SHOWN HEREON OF WHICH I HAVE KNOWLEDGE. THIS CERTIFICATION IS LIMITED TO THOSE PERSONS OR ENTITIES SHOWN ON THE FACE OF THIS PLAT AND IS NON-TRANSFERABLE, AND MADE FOR THIS TRANSACTION ONLY.</p> <p>5. B.O.L./P.O.E. = BEGINNING OF LINE/POINT OF BEGINNING</p> <p>6. E.O.L./P.O.E. = END OF LINE/POINT OF EXIT</p>
FILE: EP_NORTH_WATER_SEC_34			
DRAWN BY: EAH			
SHEET: 1 OF 1			

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

BO\_JUNIPER\_FED\_COM\_BATTERY\_SITE\_REV1\_20190205084100.pdf

EP\_JUN\_PIM\_1S\_FLOWLINE\_SEC\_34\_S\_20190205084103.pdf

EP\_JUN\_PIM\_1S\_FLOWLINE\_SEC\_3\_S\_20190205084102.pdf

Juniper\_CTB\_Electric\_20190205084105.pdf

Juniper\_CTB\_Water\_20190205084107.pdf

## Section 5 - Location and Types of Water Supply

### Water Source Table

**Water source use type:** DUST CONTROL,  
INTERMEDIATE/PRODUCTION CASING, STIMULATION, SURFACE  
CASING

**Water source type:** GW WELL

**Describe type:**

**Source longitude:**

**Source latitude:**

**Source datum:**

**Water source permit type:** PRIVATE CONTRACT

**Source land ownership:** PRIVATE

**Water source transport method:** PIPELINE, TRUCKING

**Source transportation land ownership:** FEDERAL

**Water source volume (barrels):** 20000

**Source volume (acre-feet):** 2.577862

**Source volume (gal):** 840000

**Water source and transportation map:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WATER\_WELLS\_LIST\_20190205084202.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WATER\_WELLS\_MAP\_REV\_20190205084203.pdf

**Water source comments:** Water will be trucked or surface piped from existing water wells on private land. See attached list of available wells.

**New water well?** NO

### New Water Well Info

**Well latitude:**

**Well Longitude:**

**Well datum:**

**Well target aquifer:**

**Est. depth to top of aquifer(ft):**

**Est thickness of aquifer:**

**Aquifer comments:**

**Aquifer documentation:**

**Well depth (ft):**

**Well casing type:**

**Well casing outside diameter (in.):**

**Well casing inside diameter (in.):**

**New water well casing?**

**Used casing source:**

Approval Date: 04/19/2019

Page 11 of 23

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Reserve pit liner specifications and installation description**

### **Cuttings Area**

**Cuttings Area being used?** NO

**Are you storing cuttings on location?** YES

**Description of cuttings location** Steel tanks on pad

**Cuttings area length (ft.)**

**Cuttings area width (ft.)**

**Cuttings area depth (ft.)**

**Cuttings area volume (cu. yd.)**

**Is at least 50% of the cuttings area in cut?**

**WCuttings area liner**

**Cuttings area liner specifications and installation description**

### **Section 8 - Ancillary Facilities**

**Are you requesting any Ancillary Facilities?:** NO

**Ancillary Facilities attachment:**

**Comments:**

### **Section 9 - Well Site Layout**

**Well Site Layout Diagram:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELL\_SITE\_DIAGRAM\_20190205084420.pdf

**Comments:**

### **Section 10 - Plans for Surface Reclamation**

**Type of disturbance:** New Surface Disturbance

**Multiple Well Pad Name:** JUNIPER

**Multiple Well Pad Number:** 111H

**Recontouring attachment:**

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_WELL\_SITE\_DIAGRAM\_20190205084439.pdf

**Drainage/Erosion control construction:** Crowned and ditched

**Drainage/Erosion control reclamation:** Harrowed on the contour

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

<b>Well pad proposed disturbance (acres):</b> 4.59	<b>Well pad interim reclamation (acres):</b> 0.79	<b>Well pad long term disturbance (acres):</b> 3.8
<b>Road proposed disturbance (acres):</b> 3.06	<b>Road interim reclamation (acres):</b> 0	<b>Road long term disturbance (acres):</b> 3.06
<b>Powerline proposed disturbance (acres):</b> 2.23	<b>Powerline interim reclamation (acres):</b> 0	<b>Powerline long term disturbance (acres):</b> 2.23
<b>Pipeline proposed disturbance (acres):</b> 0.39	<b>Pipeline interim reclamation (acres):</b> 0	<b>Pipeline long term disturbance (acres):</b> 0.39
<b>Other proposed disturbance (acres):</b> 6.03	<b>Other interim reclamation (acres):</b> 0	<b>Other long term disturbance (acres):</b> 6.03
<b>Total proposed disturbance:</b> 16.3	<b>Total interim reclamation:</b> 0.79	<b>Total long term disturbance:</b> 15.51

**Disturbance Comments:**

**Reconstruction method:** Interim reclamation will be completed within 6 months of completing the well. Interim reclamation will consist of shrinking the pad 17% (.79 acre) by removing caliche and reclaiming 40' wide swaths on the south and west sides of the pad. This will leave 3.8 acres for producing three wells, with tractor-trailer turn around. Disturbed areas will be contoured to match pre-construction grades. Soil and brush will be evenly spread over disturbed areas and harrowed on the contour. Disturbed areas will be seeded in accordance with the surface owner's requirements.

**Topsoil redistribution:** Enough stockpiled topsoil will be retained to cover the remainder of the pad when the well is plugged. New road will be similarly reclaimed within 6 months of plugging. Noxious weeds will be controlled.

**Soil treatment:** None

**Existing Vegetation at the well pad:**

**Existing Vegetation at the well pad attachment:**

**Existing Vegetation Community at the road:**

**Existing Vegetation Community at the road attachment:**

**Existing Vegetation Community at the pipeline:**

**Existing Vegetation Community at the pipeline attachment:**

**Existing Vegetation Community at other disturbances:**

**Existing Vegetation Community at other disturbances attachment:**

**Non native seed used?** NO

**Non native seed description:**

**Seedling transplant description:**

**Will seedlings be transplanted for this project?** NO

**Seedling transplant description attachment:**

**Will seed be harvested for use in site reclamation?** NO

**Seed harvest description:**

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Seed harvest description attachment:**

**Seed Management**

**Seed Table**

**Seed type:**

**Seed source:**

**Seed name:**

**Source name:**

**Source address:**

**Source phone:**

**Seed cultivar:**

**Seed use location:**

**PLS pounds per acre:**

**Proposed seeding season:**

Seed Summary	
Seed Type	Pounds/Acre

**Total pounds/Acre:**

**Seed reclamation attachment:**

**Operator Contact/Responsible Official Contact Info**

**First Name:**

**Last Name:**

**Phone:**

**Email:**

**Seedbed prep:**

**Seed BMP:**

**Seed method:**

**Existing invasive species? NO**

**Existing invasive species treatment description:**

**Existing invasive species treatment attachment:**

**Weed treatment plan description:** To BLM standards

**Weed treatment plan attachment:**

**Monitoring plan description:** To BLM standards

**Monitoring plan attachment:**

**Success standards:** To BLM satisfaction

**Pit closure description:** No pit

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Pit closure attachment:**

### **Section 11 - Surface Ownership**

**Disturbance type:** NEW ACCESS ROAD

**Describe:**

**Surface Owner:** PRIVATE OWNERSHIP

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Disturbance type:** PIPELINE

**Describe:**

**Surface Owner:** PRIVATE OWNERSHIP

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Disturbance type:** WELL PAD

**Describe:**

**Surface Owner:** PRIVATE OWNERSHIP

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

**Disturbance type:** OTHER

**Describe:** Powerline

**Surface Owner:** PRIVATE OWNERSHIP

**Other surface owner description:**

**BIA Local Office:**

**BOR Local Office:**

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**COE Local Office:**

**DOD Local Office:**

**NPS Local Office:**

**State Local Office:**

**Military Local Office:**

**USFWS Local Office:**

**Other Local Office:**

**USFS Region:**

**USFS Forest/Grassland:**

**USFS Ranger District:**

## Section 12 - Other Information

**Right of Way needed?** NO

**Use APD as ROW?**

**ROW Type(s):**

### ROW Applications

**SUPO Additional Information:**

**Use a previously conducted onsite?** YES

**Previous Onsite information:** On-site inspection was held with Jeff Robertson (BLM) on 11/28/17. Ameredev made a donation with the MOU fund in lieu of an archaeology report.

### Other SUPO Attachment

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_Owner\_Agreement\_Letter\_20190205084732.pdf

JUNIPER\_FED\_COM\_25\_36\_34\_111H\_\_SUPO\_REV\_20190204\_20190205084734.pdf

PWD




**AMEREDEV**

6/27/2018

To whom it may concern:

Ameredev Operating, LLC is negotiating a private surface owner agreement with EOG Resources Inc. (P.O. Box 267 Midland, TX 79702; 432-425-1204) for a power line, flowline, saltwater disposal line, roads, central production facility, and pad for the Juniper Fed Com 25-36-34 111H well in section 3 of T26S, R36E.

Thank you,

A handwritten signature in cursive script that reads "Julia Steger".

Julia Steger  
Engineer

## Surface Use Plan of Operations

### Introduction

The following Surface Use Plan of Operations will be implemented by Ameredev Operating, LLC (Ameredev), after APD approval. No disturbance will be created other than those described in this surface use plan. If any additional surface disturbance becomes necessary after APD approval, the appropriate BLM approved sundry notice or right of way application will be acquired prior to such disturbance. This Surface Use Plan includes Ameredev's well pad, battery site, electrical, water and flow lines, and access roads.

Before any surface disturbance is created, stakes or flagging will be installed to mark boundaries of permitted areas of disturbance, including soil storage areas. As necessary, slope, grade, and other construction control stakes will be placed to ensure construction is in accordance with the surface use plan. All boundary markers will be maintained in place until final construction cleanup is completed. If disturbance boundary markers are displaced, they will be replaced before construction proceeds. Adjacent operators will be contacted before construction starts to mark adjacent pipelines.

### Directions to proposed pad:

At the intersection of 3<sup>rd</sup> St/NM-205/Frying Pan Rd & NM-128, head south on 3<sup>rd</sup> St/NM-205/Frying Pan Road approximately 5.6 miles. Turn right on Anthony Road and proceed west approximately 3.4 miles. Continue North (right) on Anthony Road and proceed north approximately 0.3 miles. Turn right on Pipeline Road and proceed east approximately 0.3 miles. Turn left on lease road and proceed north approximately 1 mile. Turn right on unnamed lease road and proceed east for approximately 1.1 miles to the north side of the location.

See *Exhibit 1 – Well Pad Access* for a map of the route.


**AMEREDEV**

### Section 1 – Existing Roads

- A. The existing access road route to the proposed project is depicted on *Exhibit 1 – Well Pad Access*. Improvements to the driving surface will be done where necessary. No new surface disturbance will be done, unless otherwise noted in the New or Reconstructed Access Roads section of this surface use plan.
- B. Right-Of-Way will be acquired before construction begins.
- C. The operator will improve or maintain existing roads in a condition the same as or better than before operations begin. The operator will repair pot holes, clear ditches, repair the crown, etc. All existing structures on the entire access route such as cattle guards, other range improvement projects, culverts, etc. will be properly repaired or replaced if they are damaged or have deteriorated beyond practical use.
- D. Operator will prevent and abate fugitive dust as needed, whether created by vehicular traffic, equipment operations, or wind events. BLM written approval will be acquired before application of surfactants, binding agents, or other dust suppression chemicals on roadways.

### Section 2 – New or Reconstructed Access Roads

- A. A section of new access road will be needed for this proposed project. See *Exhibit 1 – Well Pad Access*, for locations.
- B. The length of new access road needed to be constructed for this proposed project is approximately 4,442 feet.
- C. New access road will be constructed with 6 inches of compacted caliche.
- D. The maximum driving width of the access road will be 20 feet. The maximum width of surface disturbance when constructing the access road will not exceed 30 feet. All areas outside of the driving surface will be revegetated.
- E. When the road travels on fairly level ground, the road will be crowned and ditched with a maximum 2% slope from the tip of the road crown to the edge of the driving surface. Ditches will be constructed on each side of the road. The ditches will be 3 feet wide with 3:1 slopes. See road cross section diagram below:




- F. No turnouts will be constructed on the new portions of access road.
- G. No cattle guards will be installed on the new portions of access road.
- H. Right-Of-Way will be acquired before construction begins.
- I. No culverts or low water crossings will be constructed for the new portions of access road.
- J. Since the access road is on level ground, no lead-off ditches will be constructed for the new portions of access road.
- K. Any sharp turns in the in the new road will be rounded to facilitate turning by trucks.

- L. Newly constructed or reconstructed roads, on surface under the jurisdiction of the Bureau of Land Management, will be constructed as outlined in the BLM "Gold Book" and to meet the standards of the anticipated traffic flow and all anticipated weather requirements as needed. Construction will include ditching, draining, crowning and capping or sloping and dipping the roadbed as necessary to provide a well-constructed and safe road.
- M. All topsoil and fragmented rock removed in excavation will be used as directed in approved plan.

**Section 3 – Location of Existing Wells**

*Exhibit 2 – One Mile Radius Existing Wells* depicts all known wells within a one mile radius of the Juniper Fed Com 25 36 34 111H. See *Exhibit 2a – One Mile Radius Wells List* for a list of wells depicted.




***Exhibit 2 – One Mile Radius Existing Wells***

API	WELL NAME	STATUS	TD
30025208430000	SOUTHWEST JALIT-FED 1	PLUGGED	13505

***Exhibit 2a – One Mile Radius Existing Wells List***

**Section 4 - Location of Existing and/or Proposed Production Facilities**

- A. The multiple well pad will be located on Section 3, and will measure 400'x500'. Should any type of production facilities be located on the well pad, they will be strategically placed to allow for maximum interim reclamation, re-contouring, and revegetation of the well location.
- B. Production from the proposed well will be transported to a new production facility named Juniper/Pimento CTB, north of the well pad.
- C. A buried 4" poly flowline (750 psi maximum) will be run approximately 570' from the Juniper Fed Com 25 36 34 111H to the Juniper/Pimento CTB north of the well pad. A 20' pipeline ROW containing three buried 12" poly water lines (200 psi maximum) will be run from the Juniper/Pimento CTB to tie into existing water lines at the Firethorn CTB. The overall length of disturbance for the new water lines will be approximately 4,857'. A power line will be run parallel to the water line and will connect into the power line at the Firethorn CTB. The power line will be approximately 4,857'. The Juniper/Pimento CTB will be 500'x525' and will include a separator, heat exchanger, VRU, VRT, meter run and a tank battery. The new production facility will have a secondary containment structure that is constructed to hold the capacity of 1-1/2 times the largest tank, plus freeboard to account for precipitation, unless more stringent protective requirements are deemed necessary.
- D. All permanent (lasting more than six months) above ground structures including but not limited to pump jacks, storage tanks, barrels, pipeline risers, meter housing, etc., that are not subject to safety requirements will be painted a non-reflective paint color, Shale Green, from the BLM Standard Environmental Colors chart, unless another color is required in the APD Conditions of Approval.
- E. If any plans change regarding the production facility or other infrastructure (pipeline, electrical lines, etc.), Ameredev will submit a sundry notice or right-of-way (if applicable) prior to installation or construction.



**Exhibit 3 – Well Site Diagram**

**Section 5 - Location and Types of Water Supply**

- A. This location will be drilled using a combination of water and mud systems (outlined in the Drilling Program). The water will be obtained from preexisting water wells, by running a pump directly to the drilling rig. See *Exhibit 4 - Water Wells*, for a list of available water wells. In cases where a polyline is used to transport water for drilling or completion purposes, the existing and proposed roads into location will be utilized.

Ameredev Operating, LLC  
 Juniper Fed Com 25 36 34 111H  
 Section 34, Township 25S, Range 36E  
 Lea County, New Mexico

**AMEREDEV**


<u>Permit #</u>	<u>Well Name</u>	<u>Location (Lat/Lon)</u>
CP 1049 POD 2	Bennett	32°04'14.32" N, 103°12'32.30" W
CP 1378	S. Eppenour	32°05'40.62" N, 103°13' 35.26" W
CP 1285	Sec. 5	32°03'56.50" N, 103°17'37.04" W
CP 857	Capped	32°04'39.70" N, 103°16'51.13" W
C 2287	#1	32°03'59.0" N, 103°33'16.8" W
C 2286	#2	32°03'59.2" N, 103°33'15.2" W
C 2290	#3	32°04'1.0" N, 103°33' 12.6" W
C 2285	#4	32°04'3.7" N, 103°33'9.7" W
C 2288	#5	32°04'0.5" N, 103°33'8.4" W
C 2294	Garden	32°03'3.2" N, 103°32'38.1" W
C 2293	House	32°03'2.3" N, 103°32'36.8" W
J-11-S-3	Farm Well #2	32°03'08.4" N, 103°16'35.2" W
J-11-S-2	Farm Well #3	32°03'11.5" N, 103°17'02.0" W
J-11-S	Farm Well #4	32°03'24.6" N, 103°17'02.1" W
CP 1170 POD 1	CB 1	32°03'57.2" N, 103°18'45.3" W
CP 1170 POD 5		32°07'17.1" N, 103°17'48.0" W
CP 1263 POD 5	CB 2	32°03'56.27" N, 103°18'27.4" W
CP 1263 POD 3	CB 3	32°03'54.90" N, 103°18'16.74" W
CP 1351 POD 1	CB 4	32°03'57.16" N, 103°17'45.13" W
CP 1351 POD 2	CB 5	32°03'30.70" N, 103°17'45.70" W
J 26	Ryan	32°01'20.41" N, 103°15'49.46" W
J 3		32°02'41.5" N, 103°18'55.8" W

**Exhibit 4 – Water Wells**



**Section 6 – Construction/Construction Materials**

- A. Caliche will be obtained from the caliche pit located at Lat: 32° 6'28.78"N, Long: 103°16'58.77"W or the caliche pit at Lat: 32° 6'33.14"N, Long: 103°18'44.16"W or the caliche pit at Lat: 32° 3'8.30"N, Long: 103°13'57.00"W.
- B. Caliche utilized for the drilling pad will be obtained either from the locations listed above, an existing approved mineral pit, or by benching into a hill, which will allow the pad to be level with existing caliche from the cut, or extracted by "flipping" the well location. A mineral material permit will be obtained from the BLM prior to excavating any caliche on Federal Lands. Amount will vary for each pad. The procedure for "flipping" a well location is as follows:
1. An adequate amount of topsoil/root zone (usually top 6 inches of soil) will be stripped from the proposed well location and stockpiled along the side of the well location as depicted on the *Exhibit 3 - Well Site Diagram*.
  2. An area will be used within the proposed well site dimensions to excavate caliche.
  3. Subsoil will be removed and stockpiled within the surveyed well pad dimensions.
  4. Once caliche/surfacing mineral is found, the mineral material will be excavated and stock piled within the approved drilling pad dimensions.
  5. Subsoil will then be pushed back in the excavated hole and caliche will be spread accordingly across the entire well pad and road (if available).
  6. Neither caliche, nor subsoil will be stockpiled outside of the well pad dimensions. Topsoil will be stockpiled along the edge of the pad as depicted in *Exhibit 5 – Enlarged Well Site Diagram*.
  7. In the event that no caliche is found onsite, caliche will be hauled in from a BLM approved caliche pit or other established mineral pit. A BLM mineral material permit will be acquired prior to obtaining any mineral material from BLM pits or federal land.



**Exhibit 5 – Enlarged Well Site Diagram**

### **Section 7 - Methods of Handling Waste**

- A. Drill cuttings, mud, salts and other chemicals will be properly disposed of into steel tanks on site and hauled to a State approved commercial disposal facility.
- B. Garbage and trash produced during drilling and completion operations will be collected in a portable metal trash container and disposed of properly at a state approved disposal facility. All trash on and around the well site will be collected for disposal.
- C. Human waste and grey water will be properly contained and disposed of properly at a state approved disposal facility.
- D. After drilling and completion operations, trash, chemicals, salts, frac sand and other waste material will be removed and disposed of properly at a state approved disposal facility.

### **Section 8 - Ancillary Facilities**

- A. No ancillary facilities will be needed for the proposed project.

### **Section 9 - Well Site Layout**

- A. See *Exhibit 3 - Well Site Diagram* and *Exhibit 5 – Enlarged Well Site Diagram*. The following information is presented:
1. Reasonable scale
  2. Well pad dimensions/orientation
  3. Drilling rig components/layout
  4. Proposed access road
  5. Topsoil stockpile
- B. The proposed drilling pad was staked and surveyed by a professional surveyor. The attached survey plat of the well site depicts the drilling pad layout as staked.
- C. Topsoil salvaging
1. Grass, forbs, and small woody vegetation such as mesquite will be excavated as the topsoil is removed. Large woody vegetation will be stripped and stored separately and re-spread evenly on the site following topsoil re-spreading. Topsoil depth is defined as the top layer of soil that contains 80% of the roots. In areas to be heavily disturbed, the top 6 inches of soil material will be stripped and stockpiled on the perimeter of the well location and along the perimeter of the access road to control run-on and run-off, to keep topsoil viable, and to make redistribution of topsoil more efficient during interim reclamation. Stockpiled topsoil should include vegetative material. Topsoil will be clearly segregated and stored separately from subsoils. Contaminated soil will not be stockpiled, but properly treated and handled prior to topsoil salvaging.

### **Section 10 - Plans for Final Surface Reclamation**

#### **Reclamation Objectives**

- A. The objective of interim reclamation is to restore vegetative cover and a portion of the landform sufficient to maintain healthy, biologically active topsoil, to control erosion, and to minimize habitat and forage loss, visual impact, and weed infestation during the life of the well or facilities.
- B. The long-term objective of final reclamation is to return the land to a condition similar to what existed prior to disturbance. This includes restoration of the landform and natural vegetative community, hydrologic systems, visual resources, and wildlife habitats. To ensure that the long-term objective will be reached through human and natural processes, actions will be taken to ensure standards are met for site stability, visual quality, hydrological functioning, and vegetative productivity.

- C. The BLM will be notified at least 3 days prior to the commencement of any reclamation procedures.
- D. If circumstances allow, interim reclamation and/or final reclamation actions will be completed no later than 6 months from when the final well on location has been completed or plugged. Ameredev will gain written permission from the BLM if more time is needed.
- E. Interim reclamation will be performed on the well site after the well is drilled and completed. *Exhibit 3 – Well Site Diagram and Exhibit 5 – Enlarged Well Site Diagram* depict the location and dimension of the planned interim reclamation for the well site.

**Interim Reclamation Procedures (if performed)**

- A. Within 30 days of well completion, the well location and surrounding areas will be cleared of, and maintained free of, all materials, trash, and equipment not required for production.
- B. In areas planned for interim reclamation, all the surfacing material will be removed and returned to the original mineral pit or recycled to repair or build roads and well pads.
- C. The areas planned for interim reclamation will then be contoured to the original contour if feasible, or if not feasible, to an interim contour that blends with the surrounding topography as much as possible. Where applicable, the fill material of the well pad will be backfilled into the cut to bring the area back to the original contour. The interim cut and fill slopes prior to re-seeding will not be steeper than a 3:1 Ratio, unless the adjacent native topography is steeper. Note: Constructed slopes may be much steeper during drilling, but will be re-contoured to the above ratios during interim reclamation.
- D. Topsoil will be evenly re-spread and aggressively revegetated over the entire disturbed area not needed for all-weather operations, including cuts and fills. To seed the area, the proper BLM mixture, free of noxious weeds, will be used. Final seedbed preparation will consist of contour cultivating to a depth of 4 to 6 inches within 24 hours prior to seeding, dozer tracking, or other imprinting, in order to break the soil crust and create seed germination micro-sites.
- E. Proper erosion control methods will be used on the area to control erosion, runoff, and siltation of the surrounding area.
- F. The interim reclamation will be monitored periodically to ensure that vegetation has reestablished and that erosion is controlled.

**Final Reclamation Procedures (well pad, buried pipelines, etc.)**

- A. Prior to final reclamation procedures, the well pad, road, and surrounding area will be cleared of material, trash, and equipment.
- B. All surfacing material will be removed and returned to the original mineral pit or recycled to repair or build roads and well pads.
- C. All disturbed areas, including roads, pipelines, pads, production facilities, and interim reclaimed areas will be re-contoured to the contour existing prior to initial construction or a contour that blends indistinguishably with the surrounding landscape. Topsoil that was spread over the interim reclamation areas will be stockpiled prior to re-contouring. The topsoil will be redistributed evenly over the entire disturbed site to ensure successful revegetation.

**Ameredev Operating, LLC**  
**Juniper Fed Com 25 36 34 111H**  
**Section 34, Township 25S, Range 36E**  
**Lea County, New Mexico**

**AMEREDEV**

- D. After all the disturbed areas have been properly prepared, the areas will be seeded with the proper BLM seed mixture, free of noxious weeds. Final seedbed preparation will consist of contour cultivating to a depth of 4 to 6 inches within 24 hours prior to seeding, dozer tracking, or other imprinting, in order to break the soil crust and create seed germination micro-sites.
- E. Proper erosion control methods will be used on the area to control erosion, runoff, and siltation of the surrounding area.
- F. All unused equipment and structures including pipelines, electric line poles, tanks, etc. that serviced the well will be removed.
- G. All reclaimed areas will be monitored periodically to ensure that revegetation occurs, that the area is not re-disturbed, and that erosion is controlled.

**Section 11 - Surface Ownership**

- A. EOG has surface ownership for proposed project area.

**Section 12 - Other Information**

- A. There are no dwellings within 1 mile of this location.
- B. An on-site meeting for the Juniper Fed Com 25 36 34 111H well was held on Nov. 28, 2017.
- C. The well pad described in this document - Juniper/Pimento (JUN/PIM #1S) - will contain 6 wells that produce into a central tank battery (CTB) located north of the well pad. The wells share a common pad access road, and the six total flowlines from the individual wells will share a common corridor that terminates into the CTB. The CTB will be tied into a shared pipeline and electrical corridor. The wells that share the pad are:
  - Juniper Fed Com 25 36 34 081H, APD ID# 10400031765
  - Juniper Fed Com 25 36 34 091H, APD ID# 10400031762
  - Juniper Fed Com 25 36 34 111H, APD ID# 10400031759
  - Juniper Fed Com 25 36 34 121H, APD ID# 10400031755
  - Pimento Fed Com 26 36 03 111H, APD ID# 10400031732
  - Pimento Fed Com 26 36 03 121H, APD ID# 10400031733

**Ameredev field representative:**

Zac Boyd, Operations Supervisor

Cell: (432) 385-6996

Email: [zboyd@ameredev.com](mailto:zboyd@ameredev.com)

**Ameredev office contact:**

Christie Hanna, Regulatory Coordinator

Direct: (737) 300-4723

Email: [channa@ameredev.com](mailto:channa@ameredev.com)

**Ameredev Operating, LLC Address:** 5707 Southwest Parkway Building 1, Suite 275 Austin, Texas 78735

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

### **Section 1 - General**

**Would you like to address long-term produced water disposal?** NO

### **Section 2 - Lined Pits**

**Would you like to utilize Lined Pit PWD options?** NO

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Lined pit PWD on or off channel:**

**Lined pit PWD discharge volume (bbl/day):**

**Lined pit specifications:**

**Pit liner description:**

**Pit liner manufacturers information:**

**Precipitated solids disposal:**

**Describe precipitated solids disposal:**

**Precipitated solids disposal permit:**

**Lined pit precipitated solids disposal schedule:**

**Lined pit precipitated solids disposal schedule attachment:**

**Lined pit reclamation description:**

**Lined pit reclamation attachment:**

**Leak detection system description:**

**Leak detection system attachment:**

**Lined pit Monitor description:**

**Lined pit Monitor attachment:**

**Lined pit: do you have a reclamation bond for the pit?**

**Is the reclamation bond a rider under the BLM bond?**

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Lined pit bond number:**

**Lined pit bond amount:**

**Additional bond information attachment:**

### **Section 3 - Unlined Pits**

**Would you like to utilize Unlined Pit PWD options?** NO

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Unlined pit PWD on or off channel:**

**Unlined pit PWD discharge volume (bbl/day):**

**Unlined pit specifications:**

**Precipitated solids disposal:**

**Describe precipitated solids disposal:**

**Precipitated solids disposal permit:**

**Unlined pit precipitated solids disposal schedule:**

**Unlined pit precipitated solids disposal schedule attachment:**

**Unlined pit reclamation description:**

**Unlined pit reclamation attachment:**

**Unlined pit Monitor description:**

**Unlined pit Monitor attachment:**

**Do you propose to put the produced water to beneficial use?**

**Beneficial use user confirmation:**

**Estimated depth of the shallowest aquifer (feet):**

**Does the produced water have an annual average Total Dissolved Solids (TDS) concentration equal to or less than that of the existing water to be protected?**

**TDS lab results:**

**Geologic and hydrologic evidence:**

**State authorization:**

**Unlined Produced Water Pit Estimated percolation:**

**Unlined pit: do you have a reclamation bond for the pit?**

**Is the reclamation bond a rider under the BLM bond?**

**Unlined pit bond number:**

**Unlined pit bond amount:**

**Additional bond information attachment:**

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

#### **Section 4 - Injection**

**Would you like to utilize Injection PWD options?** NO

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Injection PWD discharge volume (bbl/day):**

**Injection well mineral owner:**

**Injection well type:**

**Injection well number:**

**Injection well name:**

**Assigned injection well API number?**

**Injection well API number:**

**Injection well new surface disturbance (acres):**

**Minerals protection information:**

**Mineral protection attachment:**

**Underground Injection Control (UIC) Permit?**

**UIC Permit attachment:**

#### **Section 5 - Surface Discharge**

**Would you like to utilize Surface Discharge PWD options?** NO

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Surface discharge PWD discharge volume (bbl/day):**

**Surface Discharge NPDES Permit?**

**Surface Discharge NPDES Permit attachment:**

**Surface Discharge site facilities information:**

**Surface discharge site facilities map:**

#### **Section 6 - Other**

**Would you like to utilize Other PWD options?** NO

**Produced Water Disposal (PWD) Location:**

**PWD surface owner:**

**PWD disturbance (acres):**

**Other PWD discharge volume (bbl/day):**

**Other PWD type description:**



**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Other PWD type attachment:**

**Have other regulatory requirements been met?**

**Other regulatory requirements attachment:**

## Bond Info

### Bond Information

**Federal/Indian APD:** FED

**BLM Bond number:** NMB001478

**BIA Bond number:**

**Do you have a reclamation bond?** NO

**Is the reclamation bond a rider under the BLM bond?**

**Is the reclamation bond BLM or Forest Service?**

**BLM reclamation bond number:**

**Forest Service reclamation bond number:**

**Forest Service reclamation bond attachment:**

**Reclamation bond number:**

**Reclamation bond amount:**

**Reclamation bond rider amount:**

**Additional reclamation bond information attachment:**

## Operator Certification

### Operator Certification

*I hereby certify that I, or someone under my direct supervision, have inspected the drill site and access route proposed herein; that I am familiar with the conditions which currently exist; that I have full knowledge of state and Federal laws applicable to this operation; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed in conformity with this APD package and the terms and conditions under which it is approved. I also certify that I, or the company I represent, am responsible for the operations conducted under this application. These statements are subject to the provisions of 18 U.S.C. 1001 for the filing of false statements.*

**NAME:** Christie Hanna

**Signed on:** 03/22/2019

**Title:** Senior Engineering Technician

**Street Address:** 5707 Southwest Parkway, Building 1, Suite 275

**City:** Austin

**State:** TX

**Zip:** 78735

**Phone:** (737)300-4723

**Email address:** channa@ameredev.com

**Operator Name:** AMEREDEV OPERATING LLC

**Well Name:** JUNIPER FED COM 25 36 34

**Well Number:** 111H

**Field Representative**

**Representative Name:**

**Street Address:**

**City:**

**State:**

**Zip:**

**Phone:**

**Email address:**

**Payment Info**

**Payment**

**APD Fee Payment Method:** PAY.GOV

**pay.gov Tracking ID:** 26B5EJE4