

Submit 1 Copy To Appropriate District
Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-44810
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/>		5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
2. Name of Operator AMERDEV OPERATING, LLC		6. State Oil & Gas Lease No.
3. Address of Operator 5707 SOUTHWEST PKWY. BLDG. 1, STE 275 AUSTIN, TX 78735		7. Lease Name or Unit Agreement Name Magnolia 26 36 22 State Com
4. Well Location Unit Letter B : 200 feet from the North line, and 2,400 feet from the East line Section 27 Township 26S Range 36E County LEA		8. Well Number 125H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 2905'		9. OGRID Number 372224
		10. Pool name or Wildcat WC-025 G-09 S263619C;WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐
CLOSED-LOOP SYSTEM ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☒ P AND A ☐
CASING/CEMENT JOB ☐
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


4/4/2019 - Cement pilot hole from 11793' to KOP, Set Isolation plug : PJSM Pump 25 bbls Spacer, 280 sks (59 bbls) Clas H + .35% PF-013 @ 15.6 ppg W/ 1.18 Yield, 5 bbls spacer, Displace with 190 bbls OBM, Had returns throughout job.

4/5/2019 - Circulate @ 10,845' while waiting on Cement to reach 500 psi Compressive // Wash from 10,845' to 11,230' (TOC @ 11,230')

Spud Date: 3/2/2019

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Operations Superintendent DATE 5-14-2019

Type or print name: Zachary Boyd E-mail address: zboyd@amerdev.com PHONE: (737) 300-4725

For State Use Only

APPROVED BY:  TITLE Petroleum Engineer DATE 05/16/19

Conditions of Approval (if any):