State of New Mexico Energy, Minerals and Natural Resources Department

> Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

t Submit Original to Appropriate DEBS OCTIVIC Office DUN 22019 JUN RECEIVED

GAS CAPTURE PLAN

Date: 6/3/2019

Original

Operator & OGRID No.: OXY USA INC. - 16696

Amended - Reason for Amendment: Added 2H and 72H

This Gas Capture Plan outlines actions to be taken by the Operator to reduce well/production facility flaring/venting for new completion (new drill, recomplete to new zone, re-frac) activity.

Note: Form C-129 must be submitted and approved prior to exceeding 60 days allowed by Rule (Subsection A of 19.15.18.12 NMAC).

Well(s)/Production Facility – Name of facility

The well(s) that will be located at the production facility are shown in the table below.

Well Name	API	Well Location (ULSTR)	Footages	Expected MCF/D	Flared or Vented	Comments
Avogato 30-31 State Com 34H	30-025-45930	B-30-22S-33E	240 FNL 1820 FEL	3646	0	
Avogato 30-31 State Com 31H	30-025-45929	C-30-22S-33E	240 FNL 1350 FWL	3646	0	
Avogato 30-31 State Com 35H	30-025-45931	B-30-22S-33E	240 FNL 1785 FEL	3646	0	
Avogato 30-31 State Com 32H	30-025-45927	C-30-22S-33E	240 FNL 1385 FWL	3646	0	
Avogato 30-31 State Com 21H	30-025-45924	C-30-22S-33E	420 FNL 1350 FWL	2123	0	
Avogato 30-31 State Com 33H	30-025-45928	C-30-22S-33E	240 FNL 1420 FWL	3646	0	
Avogato 30-31 State Com 22H	30-025-45925	C-30-22S-33E	420 FNL 1385 FWL	2123	0	
Avogato 30-31 State Com 4H	30-025-45923	A-30-22S-33E	160 FNL 1120 FEL	1728	0	
Avogato 30-31 State Com 13H	30-025-45958	B-30-22S-33E	160 FNL 2375 FEL	2299	0	
Avogato 30-31 State Com 23H	30-025-45926	C-30-22S-33E	420 FNL 1420 FWL	2123	0	
Avogato 30-31 State Com 24H	30-025-45960	B-30-22S-33E	420 FNL 1820 FEL	2123	0	
Avogato 30-31 State Com 11H	30-025-45956	D-30-22S-33E	160 FNL 885 FWL	2299	0	
Avogato 30-31 State Com 74H	30-025-45964	A-30-22S-33E	160 FNL 1155 FEL	1574	0	
Avogato 30-31 State Com 14H	30-025-45959	B-30-22S-33E	160 FNL 2340 FEL	2299	0	
Avogato 30-31 State	30-025-45961	B-30-22S-33E	420 FNL 1785 FEL	2123	0	
Avogato 30-31 State Com 12H	30-025-45957	D-30-22S-33E	160 FNL 920 FWL	2299	0	
Avogato 30-31 State	30-025-45962	C-30-22S-33E	240 FNL 2195 FWL	1574	0	
Com 71H Avogato 30-31 State	30-025-45963	C-30-22S-33E	240 FNL 2265 FWL	1574	0	
Com 73H Avogato 30-31 State Com 1H	30-025-45954	C-30-22S-33E	420 FNL 2195 FWL	1728	0	

Avogato 30-31 State	30-025-45955	C-30-22S-33E	420 FNL 2265 FWL	1728	0	
Com 3H						
Avogato 30-31 State	Pending	C-30-22S-33E	420 FNL 2230 FWL	1728	0	
Com 2H 30	025-4603	0				
Avogato 30-31 State	Pending	C-30-22S-33E	240 FNL 2230 FWL	1574	0	
Com 72H						

Gathering System and Pipeline Notification

Well(s) will be connected to a production facility after flowback operations are complete, where a gas transporter system is in place. The gas produced from production facility is dedicated to <u>DCP Midstream, LP ("DCP")</u> and will be connected to <u>DCP's</u> low/high pressure gathering system located in Lea County, New Mexico. <u>OXY USA INC. ("OXY")</u> provides (periodically) to <u>DCP</u> a drilling, completion and estimated first production date for wells that are scheduled to be drilled in the foreseeable future. In addition, <u>OXY</u> and <u>DCP</u> have periodic conference calls to discuss changes to drilling and completion schedules. Gas from these wells will be processed at <u>DCP's Zia</u> Processing Plant located in Sec. <u>19</u>, Twn. <u>19S</u>, Rng. <u>32E</u>, <u>Lea</u> County, New Mexico. The actual flow of the gas will be based on compression operating parameters and gathering system pressures.

Flowback Strategy

After the fracture treatment/completion operations, well(s) will be produced to temporary production tanks and gas will be flared or vented. During flowback, the fluids and sand content will be monitored. When the produced fluids contain minimal sand, the wells will be turned to production facilities. Gas sales should start as soon as the wells start flowing through the production facilities, unless there are operational issues on <u>DCP's</u> system at that time. Based on current information, it is <u>OXY's</u> belief the system can take this gas upon completion of the well(s).

Safety requirements during cleanout operations from the use of underbalanced air cleanout systems may necessitate that sand and non-pipeline quality gas be vented and/or flared rather than sold on a temporary basis.

Alternatives to Reduce Flaring

Below are alternatives considered from a conceptual standpoint to reduce the amount of gas flared.

- Power Generation On lease
 - Only a portion of gas is consumed operating the generator, remainder of gas will be flared
- Compressed Natural Gas On lease
 - o Gas flared would be minimal, but might be uneconomical to operate when gas volume declines
- NGL Removal On lease
 - o Plants are expensive, residue gas is still flared, and uneconomical to operate when gas volume declines