Do not use thi	NOTICES AND REPOR is form for proposals to (II. Use form 3160-3 (APD	RTS ON WELLS drill or to re-enter an	6. If Indian, Allottee	or Tribe Name	
		RTS ON WELLS drill or to re-enter an o) for such proposals. ructions on page 200 W	Classical Contraction CA/Age	eement, Name and/or N	
	RIPLICATE - Other Insu	ructions on page	7. If Unit or CA/Agr 10084910		
 Type of Well Oil Well Gas Well Oth 	ner	H.	8. Well Name and No. WDQSU 86 9. API Well No. 30-025-30083).	
2. Name of Operator CHAPARRAL ENERGY LLC		CONNIE SWAN SWANDERLANDOK.COM	9. API Well No. 30-025-30083-	00-S1	
3a. Address 701 CEDAR LAKE BOULEVARD OKLAHOMA CITY, OK 73114		3b. Phone No. (include area code) Ph: 918-621-6533) 10. Field and Pool or DOLLARHIDE	10. Field and Pool or Exploratory Area DOLLARHIDE	
4. Location of Well (Footage, Sec., T., R., M., or Survey Descrip			11. County or Parish	11. County or Parish, State	
Sec 31 T24S R38E NENE 125	50FNL 1250FEL		LEA COUNTY	, NM	
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NATURE O	F NOTICE, REPORT, OR OT	HER DATA	
TYPE OF SUBMISSION	· · · · · ·	TYPE O	F ACTION		
□ Notice of Intent	C Acidize	Deepen	Production (Start/Resume)	UWater Shut-C	
Subsequent Report	Alter Casing	Hydraulic Fracturing	Reclamation	U Well Integrity	
	Casing Repair	X ■ New Construction	Recomplete	Other	
Final Abandonment Notice	Change Plans Convert to Injection	 Plug and Abandon Plug Back 	Temporarily Abandon Water Disposal		
testing has been completed. Final Ab determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500'	operations. If the operation res andonment Notices must be file inal inspection. AND SPOTTED 25SX FR	ults in a multiple completion or reco d only after all requirements, includ	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION	60-4 must be filed one and the operator has PROCEDURE	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM.	operations. If the operation res andonment Notices must be file inal inspection. AND SP <u>QTTED 25</u> SX FR '2368'. SPOTTED <u>40SX FROM</u>	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1256'-1010'. WOC & TAG @	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ED.MLE. ATTAC	60-4 must be filed one and the operator has	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19 TAGGED @ 2313'.	AND SPOTTED 25SX FR 2368' SPOTTED 40SX FROM SURFACE, VERIFIED CI	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1 <u>256'-1010</u> '. WOC & TAG @ EMENT AT SURFACE.	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION (ED.MLE. (945'. ION	60-4 must be filed onc and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' 02/17/19 TAGGED @ 2313'. SPOTTED 55SX FROM 471-	AND SPOTTED 25SX FR 2368' SPOTTED 40SX FROM SURFACE, VERIFIED CI	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1 <u>256'-1010</u> '. WOC & TAG @ EMENT AT SURFACE.	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION 1945'. ION RECLAN	60-4 must be filed ond and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' 02/17/19 TAGGED @ 2313'. SPOTTED 55SX FROM 471-	AND SPOTTED 25SX FR 2368' SPOTTED 40SX FROM SURFACE, VERIFIED CI	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1 <u>256'-1010</u> '. WOC & TAG @ EMENT AT SURFACE.	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION (ED.MLE. (945'. ION	60-4 must be filed one and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' 02/17/19 TAGGED @ 2313'. SPOTTED 55SX FROM 471-	operations. If the operation respondent Notices must be file andonment Notices must be file inal inspection. 2368'. SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU	ults in a multiple completion or reca d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. RNOVER FOR RECLAMAT	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION 1945'. ION RECLAM DUE_8-1	60-4 must be filed onc and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471'- CUT-OFF WELLHEAD, INST/	operations. If the operation res pandonment Notices must be file inal inspection. AND SP <u>QTTED 25</u> SX FR 2368'. SPOTTED <u>40SX FROM</u> <u>SURFACE</u> . VERIFIED CI ALLED MARKER AND TU CILED MARKER AND TU Electronic Submission #4 For CHAPAR	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1 <u>256'-1010</u> '. WOC & TAG @ IMENT AT SURFACE. IRNOVER FOR RECLAMAT	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAM DUE_8-1 off Information System te Hobbs	60-4 must be filed onc and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471- CUT-OFF WELLHEAD, INST/	operations. If the operation res pandonment Notices must be file inal inspection. AND SP <u>QTTED 25</u> SX FR 2368'. SPOTTED <u>40SX FROM</u> <u>SURFACE</u> . VERIFIED CI ALLED MARKER AND TU CILED MARKER AND TU Electronic Submission #4 For CHAPAR	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT S9957 verified by the BLM We RAL ENERGY LLC, sent to th ing by DEBORAH MCKINNEY	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION 1945'. ION RECLAM DUE_8-1	60-4 must be filed onc and the operator has PROCEDURE HED	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471- CUT-OFF WELLHEAD, INST/	AND SPOTTED 25SX FR 2368'. SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU Electronic Submission #4 For CHAPAR itted to AFMSS for process N PATTERSON	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT S9957 verified by the BLM We RAL ENERGY LLC, sent to th ing by DEBORAH MCKINNEY	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAM DUE_3-1 ON NII Information System The Hobbs on 04/03/2019 (19DLM0223SE) ATIONS MANAGER	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19_	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471'- CUT-OFF WELLHEAD, INST/ CUT-OFF WELLHEAD, INST/	operations. If the operation respandonment Notices must be file inal inspection. AND SP <u>QTTED 25</u> SX FR (2368) SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU Electronic Submission #4 For CHAPAR itted to AFMSS for process N PATTERSON	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT Title OPERA	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ED_MLE. 945'. ION RECLAMATION DUE_3-1 onll Information System THONS MANAGER ACCEPTED 2019 OFFICE USE	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19 FOR RECOR	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471'- CUT-OFF WELLHEAD, INST/ CUT-OFF WELLHEAD, INST/	operations. If the operation respandonment Notices must be file inal inspection. AND SP <u>QTTED 25</u> SX FR (2368) SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU Electronic Submission #4 For CHAPAR itted to AFMSS for process N PATTERSON	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ TMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT Title OPERA Date 04/02/2	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION OFFICE USE APR	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19 FOR RECOR	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' 02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471- CUT-OFF WELLHEAD, INST/ CUT-OFF WELLHEAD, INST/ 14. I hereby certify that the foregoing is Commi Name (Printed/Typed) MATTHEV Signature (Electronic S	operations. If the operation respandonment Notices must be file inal inspection. AND SPOTTED 25SX FR 2368'. SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU Electronic Submission #4 For CHAPAR itted to AFMSS for process N PATTERSON Submission) THIS SPACE FO	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT Ing by DEBORAH MCKINNEY Title OPERA Date 04/02/2 R FEDERAL OR STATE	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION RECLAMATION ATTAC 945'. ION DUE_3-1 ATTAC 945'. ION III Information System 16 Hobbs on 04/03/2019 (19DLM0223SE) ATIONS MANAGER PR	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19 FOR RECOR 3-2019 Date ME	
following completion of the involved testing has been completed. Final At determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - <u>SET CIBP @3500'</u> SPOTTED 40SX FROM 2763' 02/17/19 TAGGED @ 2313'. SPOTTED 55SX FROM 471- CUT-OFF WELLHEAD, INST/ CUT-OFF WELLHEAD, INST/ 14. I hereby certify that the foregoing is Commi Name (Printed/Typed) MATTHEV Signature (Electronic S	andonment Notices must be file inal inspection. AND SPOTTED 25SX FR 2368'. SPOTTED 40SX FROM SURFACE. VERIFIED CI ALLED MARKER AND TU Electronic Submission #4 For CHAPAR itted to AFMSS for process W PATTERSON Submission) THIS SPACE FO	ults in a multiple completion or reco d only after all requirements, includ COM 3500'-3254'. CIRCULAT 1256'-1010'. WOC & TAG @ IMENT AT SURFACE. RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT RNOVER FOR RECLAMAT INCLASSING STATE Date 04/02/2 R FEDERAL OR STATE	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAM DUE_3-1 office use ATIONS MANAGER ACCEPTED OFFICE USE APR BUREAU OF L	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19 FOR RECOR	
following completion of the involved testing has been completed. Final Ab determined that the site is ready for fi 02/11/19 - NOTIFIED BLM. 02/12/19 - MIRU. 02/16/19 - SET CIBP @3500' SPOTTED 40SX FROM 2763' (02/17/19) TAGGED @ 2313'. SPOTTED 55SX FROM 471- CUT-OFF WELLHEAD, INST/ CUT-OFF WELLHEAD, INST/ 14. I hereby certify that the foregoing is Commi Name (Printed/Typed) MATTHEV Signature (Electronic S Approved By	andonment Notices must be file inal inspection. AND SPQTTED 25SX FR (2368). SPOTTED 40SX FROM SURFACE, VERIFIED CI ALLED MARKER AND TU Fure and correct. Electronic Submission #4 For CHAPAR itted to AFMSS for process N PATTERSON Submission) THIS SPACE FO	ults in a multiple completion or reco d only after all requirements, includ COM 350 <u>0'-3254'. CIRCULAT</u> 1256'-1010'. WOC & TAG @ EMENT AT SURFACE. IRNOVER FOR RECLAMAT RNOVER FOR RECLAMAT INCLESSION OF THE STATE INCLESSION OF THE STATE Date 04/02/2 IR FEDERAL OR STATE Title OPERA Date 04/02/2 IR FEDERAL OR STATE Office	ompletion in a new interval, a Form 31 ding reclamation, have been completed RECLAMATION ATTAC 945'. ION RECLAN DUE_3-1 office use ATIONS MANAGER ACCEPTED 2019 OFFICE USE APR BUREAU OF L CARLSBA	60-4 must be filed onc and the operator has PROCEDURE HED IATION 7-19 FOR RECOR 3 - 2019 Date LIE AND MANAGEMEN D FIELD OFFICE	

Reelamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre--disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Flan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas Operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would

 be when filling the Well Completion or Recompletion Report and Log (Form 3160-4). For final
 - reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7 At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, and/or access road have not achieved the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

6 v

Crystal Weaver Environmental Protection Specialist 575-234-5943

Shelly Tucker Environmental Protection Specialist 575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612