t SUNDRY Do not use thi abandoned we	UNITED STATES PARTMENT OF THE IN UREAU OF LAND MANAG NOTICES AND REPOINT is form for proposals to II. Use form 3160-3 (APL TRIPLICATE - Other inst	NTERIOR GEMENT RTS ON WELLS drill or to re-enter an D) for such proposals.	^{ଅଇ} ଜ ମ ତିତିନ	OMB N Expires: Ja 5. Lease Serial No. NMNM92199 6-If/Indian, Allottee of 7. If Unit or CA/Agree	ement, Name and/or No.		
1. Type of Well	NMN#139078						
B Oil Well Gas Well Oth	RIO BLANCO 4-33 FED COM 38H						
2. Name of Operator DEVON ENERGY PRODUCT	VED	9. API Well No. 30-025-44829-00-X1					
3a. Address 3b. Phone No. (include area code) 333 WEST SHERIDAN AVENUE Ph: 405-228-8429 OKLAHOMA CITY, OK 73102 Ph: 405-228-8429				10. Field and Pool or Exploratory Area WC025G06S223421L-BONE SPRING			
4. Location of Well (Footage, Sec., T	11. County or Parish, State						
Sec 4 T23S R34E SWNW 263 32.333679 N Lat, 103.482086	LEA COUNTY, NM						
12. CHECK THE AF	PROPRIATE BOX(ES)	TO INDICATE NATURE OI	F NOTICE,	REPORT, OR OTH	IER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION						
Notice of Intent	Acidize	🗋 Deepen	Production (Start/Resume)		□ Water Shut-Off		
Notice of Intent	Alter Casing	Hydraulic Fracturing	🗖 Reclama	tion	Well Integrity		
Subsequent Report	Casing Repair	New Construction	Recomplete		🗖 Other		
Final Abandonment Notice	Change Plans	Plug and Abandon	🗖 Tempora	arily Abandon			
	Convert to Injection	Plug Back	🛛 Water D	isposal			
13. Describe Proposed or Completed Op If the proposal is to deepen directions Attach the Bond under which the wor following completion of the involved testing has been completed. Final At determined that the site is ready for fin WATER PRODUCTION & DIS	ally or recomplete horizontally, rk will be performed or provide operations. If the operation res- pandonment Notices must be file inal inspection.	give subsurface locations and measur the Bond No. on file with BLM/BIA sults in a multiple completion or reco	red and true ver . Required sub mpletion in a n	rtical depths of all pertin sequent reports must be ew interval a Form 316	ent markers and zones. filed within 30 days 0-4 must be filed once		
Site Name: Rio Blanco 4-33							
1. Name(s) of formation(s) pro	ducing water on the lease	e: [97922] WC-025 G-06 S22	3421L; BON	E SPRING			
2. Amount of water produced t	irom all formations in barr	rels per day: 1784 BWPD 🦟	-				
4. How water is stored on leas	e: 4-750BBL water tanks						

5. How water is moved to the disposal facility: Piped \checkmark

.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #464467 verified by the BLM Well Information System For DEVON ENERGY PRODUCTION COMPAN, sent to the Hobbs Committed to AFMSS for processing by PRISCILLA PEREZ on 05/07/2019 (19PP1800SE)									
Name (Printed/Typed)	REBECCA DEAL	Title REGULATORY COMPLIANCE PROFESSI							
Signature	(Electronic Submission)	Date 05/07/2019 EPTED FOR PEOCH							
THIS SPACE FOR FEDERAL OR STATE ORPICE USE									
Approved By		Title		MAY	8 201 9	I	Date		
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office	e B	UREAU OF L	Adm. Ass AND MANAGEME	NT			
Title 18 U.S.C. Section 100 States any false, fictitious	1 and Title 43 U.S.C. Section 1212, make it a crime for any pr or fraudulent statements or representations as to any matter w	erson kno ithin its j	owingly and wi jurisdiction.	lifully to make	to any department.	or agency o	f the United		
(Instructions on page 2)									

^{on page 2)} ** BLM REVISED **

Additional data for EC transaction #464467 that would not fit on the form

32. Additional remarks, continued

6. Identify the Disposal Facility by:

A. Facility Operators Name: A) Devon Energy B) Devon Energy

B. Facility or well name/number: A) Rio Blanco 33-2 SWD B) Rio Blanco 4-3 SWD

C. Type of Facility or well (WDW) (WIW): A) WDW B) WDW

D.1) Location by ? ? NW/4 SE/4 Section 4 Township 23S Range 34E

D.2) Location by ? ? SW/4 NW/4 Section 33 Township 22S Range 34E

State of New Mexico Energy, Minerals and Natural Resources Department

Susana Martinez

1

David Martin Cabinet Secretary

Tony Delfin Deputy Cabinet Secretary David R. Catanach, Division Director Oil Conservation Division



Administrative Order SWD-1618 February 25, 2016

ADMINISTRATIVE ORDER OF THE OIL CONSERVATION DIVISION

Pursuant to the provisions of Division Rule 19.15.26.8B. NMAC, Devon Energy Production Company, LP (the "operator") seeks an administrative order for its Rio Blanco 33 Federal SWD Well No. 2 with a location 1980 feet from the North Line and 1980 feet from the West line, Unit F of Section 33, Township 22 South, Range 34 East, NMPM, Lea County, New Mexico, for disposal of produced water.

THE DIVISION DIRECTOR FINDS THAT:

The application has been duly filed under the provisions of Division Rule 19.15.26.8B. NMAC and satisfactory information has been provided that affected parties have been notified and no objections have been received within the prescribed waiting period. The applicant has presented satisfactory evidence that all requirements prescribed in Division Rule 19.15.26.8 NMAC have been met and the operator is in compliance with Division Rule 19.15.5.9 NMAC.

IT IS THEREFORE ORDERED THAT:

Devon Energy Production Company, LP (OGRID 6137), is hereby authorized to utilize its Rio Blanco 33 Federal SWD Well No. 2 (API 30-025-36360) with a location 1980 feet from the North Line and 1980 feet from the West line, Unit F of Section 33, Township 22 South, Range 34 East, NMPM, Lea County, for disposal of oil field produced water (UIC Class II only) into the Devonian formation through open-hole interval from 14570 feet to 14660 feet. Disposal shall occur through internally-coated tubing and a packer set within 100 feet of the permitted disposal interval.

This permit does not permit disposal into the Ellenburger formation (lower Ordovician) or lost circulation intervals directly on top and obviously connected to this formation.

IT IS FURTHER ORDERED THAT:

The operator shall take all steps necessary to ensure that the disposed water enters only the approved disposal interval and is not permitted to escape to other formations or onto the surface. The well construction shall be as proposed and described in the application.

After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage

Administrative Order SWD-1618 Devon Energy Production Company, LP February 24, 2016 Page 2 of 3

in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

The well shall pass an initial mechanical integrity test ("MIT") prior to initially commencing disposal and prior to resuming disposal each time the disposal packer is unseated. All MIT procedures and schedules shall follow the requirements in Division Rule 19.15.26.11A. NMAC. The Division Director retains the right to require at any time wireline verification of completion and packer setting depths in this well.

The wellhead injection pressure on the well shall be limited to <u>no more than 2914 psi</u>. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate Test.

The operator shall notify the supervisor of the Division's District office of the date and time of the installation of disposal equipment and of any MIT so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's District office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with Division Rules 19.15.26.13 and 19.15.7.24 NMAC.

Without limitation on the duties of the operator as provided in Division Rules 19.15.29 and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's District office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

The injection authority granted under this order is not transferable except upon division approval. The Division may require the operator to demonstrate mechanical integrity of any injection or disposal well that will be transferred prior to approving transfer of authority to inject.

The Division may revoke this disposal permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

The disposal authority granted herein shall terminate two (2) years after the effective date of this order if the operator has not commenced disposal operations into the subject well. One year after the last date of reported disposal into this well, the Division shall consider the well abandoned, and the authority to dispose will terminate *ipso facto*. The Division, upon written request mailed by the operator prior to the termination date, may grant an extension thereof for good cause. Administrative Order SWD-1618 Devon Energy Production Company, LP February 24, 2016 Page 3 of 3

Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing, terminate the disposal authority granted herein.

DAVID R. CATANACH Director

DRC/wvjj

cc: Oil Conservation Division – Hobbs District Office Bureau of Land Management – Carlsbad Field Office Well File: 30-025-36360

STATE OF NEW MEXICO ENERGY, MINERALS, AND NATURAL RESOURCES DEPARTMENT OIL CONSERVATION DIVISION

IN THE MATTER OF THE HEARING CALLED BY THE OIL CONSERVATION DIVISION FOR THE PURPOSE OF CONSIDERING:

RECEIVED JUN 20 2011 WESTERN LAND

CASE NO. 14600 ORDER NO. R-13410

APPLICATION OF DEVON ENERGY PRODUCTION COMPANY, L.P. FOR APPROVAL OF A SALT WATER DISPOSAL WELL, LEA COUNTY, NEW MEXICO

ORDER OF THE DIVISION

BY THE DIVISION:

This case came on for hearing at 8:15 a.m. on March 17, 2011, at Santa Fe, New Mexico, before Examiner William V. Jones.

NOW, on this 13th day of June, 2011, the Division Director, having considered the testimony, the record, and the recommendations of the Examiner,

FINDS THAT:

(1) Due public notice has been given, and the Division has jurisdiction of this case and its subject matter.

(2) The applicant, Devon Energy Production Company, L.P. ("Devon" or "applicant"), seeks authority to utilize its Rio Blanco 4 Federal Well No. 3 (API No. 30-025-36425, the "subject well"), located 1650 feet from the South line and 1650 feet from the East line, Unit J of Section 4, Township 23 South, Range 34 East, NMPM, Lea County, New Mexico, for oil field water disposal into the Devonian formation from 14,500 feet to 14,653 feet.

(3) This application was set to hearing by the applicant due to the presence of two Devonian gas wells within the ¹/₂ mile Area of Review:

a. The Rio Blanco 4 Federal Well No. 1 (API No. 30-025-34515) operated by Devon is a vertical well producing from the Northeast Bell Lake-Devonian Gas Pool (Pool Code 97328) at approximately 200 Mcf gas per Case No. 14600 Order No. R-13410 Page 2 of 5

day and 700 barrels of water per day. The estimated ultimate gas recovery from this well is 7.6 Bcf gas (Exhibit No. 3).

b. The Rio Blanco 9 State Well No. 1 (API No. 30-025-36302) also operated by Devon is a vertical well producing from the Northeast Bell Lake-Devonian Gas Pool (Pool Code 97328) at approximately 100 Mcf gas per day and 30 barrels of water per day. The estimated ultimate gas recovery from this well is 1.1 Bcf gas (Exhibit No. 3).

(4) Devon presented exhibits and testimony at the hearing from a geologist and an engineer. An affidavit from a landman was subsequently presented for the record. The testimony and exhibits indicate the following:

- a. The subject well was completed in May of 2004 in the Northeast Bell Lake-Devonian Gas Pool (Pool Code 97328). The Devonian formation gas production from this well has totaled approximately 3.4 Bcf gas. The production has declined and the last reported production approximately one year ago showed the well produced at a rate of 592 Mcf gas per day and 2464 barrels of water per day.
- b. The subject well has produced approximately 2.8 million barrels of water, or more than both of the two offsetting wells combined. The water seems to have come from below rather than laterally.
- c. Devon does not intend to attempt any further production from the Devonian formation within this wellbore and intends to convert this temporarily abandoned well to injection into the existing open hole interval.
- d. Devon expects disposal waters to preferentially enter the fractures in the Devonian formation and travel down instead of horizontally.
- e. The source waters going into this well would originate primarily from Devon's local Devonian wells.
- f. There is no effect predicted on the two offsetting gas wells and if such production were in fact harmed by this disposal, then Devon could immediately cease injection into this well.
- g. Devon does not expect any waste of oil or gas to occur as a result of disposal into the Devonian formation.
- h. Devon expects to extend the producing life of the existing producing wells by using this well for disposal of waste water.

- i. The U.S. Bureau of Land Management is the surface and mineral owner. The BLM was notified and examined the application and submitted a letter in support.
- j. The well is adequately equipped and comented to isolate any fresh water intervals.

(5) The half mile Area of Review around this well contains no plugged wells and two wells that are active or have not yet been plugged, that penetrate the disposal interval. All Area of Review wells are adequately cased and cemented in order to isolate the disposal interval.

(6) The application has been duly filed under the provisions of 19.15.26.8 NMAC. Affected parties have been notified and no objections have been received. There were no other appearances at the hearing or objections to this application.

(7) The applicant has presented satisfactory evidence that all requirements prescribed in 19.15.26.8 NMAC have been met and the operator is in compliance with 19.15.5.9 NMAC.

(8) This application as presented by Devon should be approved.

IT IS THEREFORE ORDERED THAT:

(1) Devon Energy Production Company, L.P. ("Devon" or "operator"), is hereby authorized to utilize its Rio Blanco 4 Federal Well No. 3 (API No. 30-025-36425) located 1650 feet from the South line and 1650 feet from the East line, Unit J of Section 4, Township 23 South, Range 34 East, NMPM, Lea County, New Mexico, for oil field water disposal (limited only to UIC Class II fluids) into the Devonian formation open hole interval from 14,500 feet to 14,653 feet through lined tubing and a packer set within 100 feet above the permitted disposal interval.

(2) The operator shall take all steps necessary to ensure that the disposed water enters only the permitted disposal interval depths and is not permitted to escape to other formations or onto the surface.

(3) After installing tubing, the casing-tubing annulus shall be loaded with an inert fluid and equipped with a pressure gauge or an approved leak detection device in order to determine leakage in the casing, tubing, or packer. The casing shall be pressure tested from the surface to the packer setting depth to assure casing integrity.

(4) The wellhead injection pressure on the well shall be limited to no more than 2900 psi. In addition, the disposal well or system shall be equipped with a pressure limiting device in workable condition which shall, at all times, limit surface tubing pressure to the maximum allowable pressure for this well.

Case No. 14600 Order No. R-13410 Page 4 of 5

٢

(5) The Director of the Division may authorize an increase in tubing pressure upon a proper showing by the operator of said well that such higher pressure will not result in migration of the disposed fluid from the target formation. Such proper showing shall be demonstrated by sufficient evidence including but not limited to an acceptable Step-Rate-Test.

(6) The operator shall notify the supervisor of the Division's district office of the date and time of the installation of disposal equipment and of any mechanical integrity test so that the same may be inspected and witnessed. The operator shall provide written notice of the date of commencement of disposal to the Division's district office. The operator shall submit monthly reports of the disposal operations on Division Form C-115, in accordance with rules 19.15.26.13 NMAC and 19.15.7.24 NMAC.

(7) Without limitation on the duties of the operator as provided in 19.15.29 NMAC and 19.15.30 NMAC, or otherwise, the operator shall immediately notify the Division's district office of any failure of the tubing, casing or packer in the well, or of any leakage or release of water, oil or gas from or around any produced or plugged and abandoned well in the area, and shall take such measures as may be timely and necessary to correct such failure or leakage.

(8) The injection authority granted under this order is not transferable except upon Division approval. The Division may require the operator to demonstrate mechanical integrity of any injection well that will be transferred prior to approving transfer of authority to inject.

(9) The Division may revoke this injection permit after notice and hearing if the operator is in violation of 19.15.5.9 NMAC.

(10) The Division Director shall be authorized to amend this permit administratively after proper notice and opportunity for hearing.

(11) The disposal authority granted herein shall terminate two years after the effective date of this order if the operator has not commenced injection operations into the subject well, provided however, the Division, upon written request, mailed by the operator prior to the termination date, may grant an extension thereof for good cause.

(12) One year after disposal into the well has ceased, the authority to dispose will terminate *ipso facto*.


(13) Compliance with this order does not relieve the operator of the obligation to comply with other applicable federal, state or local laws or rules, or to exercise due care for the protection of fresh water, public health and safety and the environment.

(14) Jurisdiction is retained by the Division for the entry of such further orders as may be necessary for the prevention of waste and/or protection of correlative rights or

Case No. 14600 Order No. R-13410 Page 5 of 5

upon failure of the operator to conduct operations (1) to protect fresh or protectable waters or (2) consistent with the requirements in this order, whereupon the Division may, after notice and hearing or prior to notice and hearing in event of an emergency, terminate the disposal authority granted herein.

DONE at Santa Fe, New Mexico, on the day and year hereinabove designated.



STATE OF NEW MEXICO OIL CONSERVATION DIVISION

in Eng

JAMI BAILEY Director