SUNDRY	NOTICES AND REPO	PRTS ON WELLS		NMNM86927		
abandoned we	ell. Use form 3160-3 (AP	D) for such proposals P 2	3 20	If Indian, Allottee of	or Tribe Name	
SUBMIT IN	TRIPLICATE - Other ins		20/9 7.		ement, Name and/or	No
			VED 8	Well Name and No. LITTLE JACK 30		
Oil Well Gas Well Other Contact: KAY MADI EOG RESOURCES INCORPORATEDE-Mail: kay_maddox@eogreso		KAY MADDOX	9.	9. API Well No.		
EOG RESOURCES INCORP	ORATEDE-Mail: kay_madd	ox@eogresources.com 3b. Phone No. (include area code) 10	30-025-32481-0		
PO BOX 2267 MIDLAND, TX 79702		Ph: 432-686-3658	,	TRISTE DRAW	-DELAWARE, W	/E
4. Location of Well (Footage, Sec., T., R., M., or Survey Description		n)		11. County or Parish, State		
Sec 30 T23S R32E SWNE 19	980FNL 2310FEL			LEA COUNTY,	NM	
12. CHECK THE A	PPROPRIATE BOX(ES)	TO INDICATE NATURE C	OF NOTICE, RE	PORT, OR OTI	HER DATA	
TYPE OF SUBMISSION	••• •	TYPE O	F ACTION	TION		
□ Notice of Intent			Production	(Start/Resume)	U Water Shut-	Of
_	Alter Casing	Hydraulic Fracturing	Reclamation	n	🗖 Well Integri	ty
Subsequent Report	Casing Repair	New Construction	Recomplete	•	Other	
Final Abandonment Notice	Change Plans	🛛 Plug and Abandon	Temporarily	y Abandon		
		Plug Back	U Water Disp			
13. Describe Proposed or Completed Op If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involve testing has been completed. Final A determined that the site is ready for t	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi	, give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec	ured and true vertica A. Required subseq ompletion in a new	al depths of all pertinuent reports must be interval, a Form 316 ive been completed a	nent markers and zon filed within 30 days for 4 must be filed or	nes. S Ice
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection.	, give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha	al depths of all pertinuent reports must be interval, a Form 316 ive been completed a RECL	nent markers and zon filed within 30 day 50-4 must be filed or and the operator has AMATION PROC	nes. S Ice
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the EOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USI RODS & TBG, RDMO	, give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha	al depths of all pertin uent reports must be interval, a Form 316 ive been completed a RECL	nent markers and zon c filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the EOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86 08/15/2019 PMP 25 SXS CL H CMT.WOC.PMP 42 SXS C	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USI RODS & TBG, RDMO <u>10'</u> <u>H CMT ON TOP, WOC</u> , L C.CMT @ 7363', WOC	, give subsurface locations and meas the Bond No. on file with BLM/BL esults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIB	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE:	al depths of all pertin uent reports must be interval, a Form 316 ive been completed a RECL	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86 08/15/2019 SET CIBP @ 86 08/15/2019 JAG TOC @ 69 08/16/2019 JAG TOC @ 693	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI	, give subsurface locations and meas the Bond No. on file with BLM/BL ssults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC <u>TAG TOC @ 8570'.SET CIB</u> F MT @ 4734'_WOC	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8 <u>286' PN</u>	al depths of all pertin uent reports must be interval, a Form 316 ive been completed a RECL RE DU MP 25 SXS CL	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE_2-21-2	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86 08/15/2019 EMP 25 SXS CL H CMT.WOC.PMP 42 SXS CD 08/16/2019 TAG TOC @ 693	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USIF RODS & TBG, RDMO <u>10'</u> <u>H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 25 SXS CL C CI</u>	, give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC <u>TAG TOC @ 8570'.SET CIB</u> F <u>MT @ 4734'. WOC</u> <u>MT @ 1455'. WOC</u> TAG TOC	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2	al depths of all pertin uent reports must be interval, a Form 316 ive been completed a RECL QP 25 SXS CL QP 25 SXS CL 25 SXS CL C CM	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CCLAMAT UE_2-21-2	nes. s ice EE
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the EOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/16/2019 JAG TOC @ 69: 08/20/2019 TAG TOC @ 43: 1355' WOC	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 65 SXS CL C CI 63', PMP 65 SXS CL C CI	, give subsurface locations and meas the Bond No. on file with BLM/BL ssults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MI @ 4734', WOC MI @ 1455', WOC TAG TOC MI TO SURFACE, CMT FEL	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PN @1355', PMP 2 	al depths of all pertin uent reports must be interval, a Form 316 ive been completed a RECL AP 25 SXS CL 25 SXS CL C CM D TO PMP 40 S	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CCLAMAT UE_2-21-2	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/15/2019 JAG TOC @ 69: 08/16/2019 JAG TOC @ 69: 08/20/2019 TAG TOC @ 126 08/21/2019 TAG TOC @ 126	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI s true and correct. Electronic Submission #	, give subsurface locations and meas the Bond No. on file with BLM/BL. sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734', WOC MT @ 1455', WOC TAG TOC MT TO SURFACE, CMT FEL WIT TO SURFACE, CMT FEL WIT TO SURFACE, CMT FEL WIT TO SURFACE, CMT FEL	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PN @1355', PMP 2 _ 120', BLM SAI _ 120', BLM SAI	al depths of all pertin uent reports must be interval, a Form 316 ive been completed RECL AP 25 SXS CL 25 SXS CL C CM D TO PMP 40 S	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CCLAMAT UE_2-21-2	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/15/2019 JAG TOC @ 69: 08/16/2019 JAG TOC @ 69: 08/20/2019 TAG TOC @ 126 08/21/2019 TAG TOC @ 126	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USIF RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 25 SXS CL C CI 36', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI s true and correct. Electronic Submission # For EOG RESOU	A give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734'.WOC MT @ 1455'.WOC TAG TOC MT TO SURFACE, CMT FEL 480900 verified by the BLM We JRCES INCORPORATED, sent assing by PRISCILLA PEREZ of	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2 	Al depths of all pertinuent reports must be interval, a Form 316 ive been completed a RECL AP 25 SXS CL 25 SXS CL C CM D TO PMP 40 S Stem DLM0346SE) ALIST	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CCLAMAT UE 2-21-2 MT @ XS	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 08/09/2019 MIRU, PULLED 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86: 08/15/2019 PMP 25 SXS CL H CMT.WOC.PMP 42 SXS C 08/20/2019 TAG TOC @ 69: 08/20/2019 TAG TOC @ 126 08/20/2019 TAG TOC @ 126 14. I hereby certify that the foregoing i Name (Printed/Typed) KAY MAE	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USIN RODS & TBG, RDMO <u>10' H CMT ON TOP, WOC, 1</u> C CMT @ 7363', WOC <u>31', PMP 32 SXS CL C CI</u> <u>36', PMP 32 SXS CL C CI</u> <u>36', PMP 65 SXS CL C CI</u> <u>53', PMP 65 SXS CL C CI</u> <u>55 true and correct.</u> <u>Electronic Submission #</u> For EOG RESOL unitted to AFMSS for proce	A give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734'.WOC MT @ 1455'.WOC TAG TOC MT TO SURFACE, CMT FEL 480900 verified by the BLM We JRCES INCORPORATED, sent assing by PRISCILLA PEREZ of Title REGUI	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 2 8286' PN @1355', PMP 2 120', BLM SAI 120', BLM SAI 110 Information Sy to the Hobbs 0 08/29/2019 (19D ATORY SPECH	Al depths of all pertinuent reports must be interval, a Form 316 ive been completed a RECL AP 25 SXS CL 25 SXS CL C CM D TO PMP 40 S Stem DLM0346SE) ALIST	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CCLAMAT UE_2-21-2	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 08/09/2019 MIRU, PULLED 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86: 08/15/2019 PMP 25 SXS CL H CMT WOC PMP 42 SXS C 08/20/2019 TAG TOC @ 69: 08/20/2019 TAG TOC @ 126 08/21/2019 TAG TOC @ 126 14. I hereby certify that the foregoing i Name (Printed/Typed) KAY MAE	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 25 SXS CL C CI 63', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI s true and correct. Electronic Submission # For EOG RESOL mitted to AFMSS for proce DDOX Submission)	A give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734'.WOC MT @ 1455'.WOC TAG TOC MT TO SURFACE, CMT FEL 480900 verified by the BLM We JRCES INCORPORATED, sent assing by PRISCILLA PEREZ of	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2 41355', PMP 2 120', BLM SAI 110 Information Sy to the Hobbs 0 08/29/2019 (19D ATORY SPECH 2019	Al depths of all pertinuent reports must be interval, a Form 316 interval, a Form 316 RECL RE DU MP 25 SXS CL 25 SXS CL C CM D TO PMP 40 S Stem DLM0346SE) ALIST ACCEPTED	nent markers and zon filed within 30 days of 4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE 2-21-2 MT @ XS	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 08/09/2019 MIRU, PULLED 08/09/2019 MIRU 08/13/2019 SET CIBP @ 86: 08/15/2019 PMP 25 SXS CL H CMT.WOC.PMP 42 SXS C 08/20/2019 TAG TOC @ 69: 08/20/2019 TAG TOC @ 126 08/20/2019 TAG TOC @ 126 14. I hereby certify that the foregoing i Name (Printed/Typed) KAY MAE	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 25 SXS CL C CI 63', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI s true and correct. Electronic Submission # For EOG RESOL mitted to AFMSS for proce DDOX Submission)	A give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MI @ 4734', WOC MT @ 1455', WOC TAG TOC MT TO SURFACE, CMT FEL 480900 verified by the BLM We JRCES INCORPORATED, sent assing by PRISCILLA PEREZ of Title REGUI Date 08/29/2	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2 41355', PMP 2 120', BLM SAI 110 Information Sy to the Hobbs 0 08/29/2019 (19D ATORY SPECH 2019	ALIST ACCEPTED	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE <u>2-21-2</u> MT @ XS	
If the proposal is to deepen direction Attach the Bond under which the wor following completion of the involves testing has been completed. Final A determined that the site is ready for the BOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 JAG TOC @ 69: 08/16/2019 JAG TOC @ 69: 08/20/2019 TAG TOC @ 120 08/20/2019 TAG TOC @ 120 08/21/2019 TAG TOC @ 120 14. I hereby certify that the foregoing i Com Name (Printed/Typed) KAY MAE Signature (Electronic	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP, WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 32 SXS CL C CI 36', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI 50 mitted to AFMSS for proce DDOX Submission) THIS SPACE FO	, give subsurface locations and meas the Bond No. on file with BLM/BL sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734'.WOC MT @ 1455'.WOC TAG TOC MT TO SURFACE, CMT FEL 480900 verified by the BLM We JRCES INCORPORATED, sent assing by PRISCILLA PEREZ of Title REGUI Date 08/29/2 DR FEDERAL OR STATE	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2 41355', PMP 2 120', BLM SAI 110 Information Sy to the Hobbs 0 08/29/2019 (19D ATORY SPECH 2019	ALIST ACCEPTED SEP	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE 2-21-2 MT @ XS UFOR RECC 1 0 2019	
If the proposal is to deepen direction Attach the Bond under which the wo following completion of the involves testing has been completed. Final A determined that the site is ready for the EOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 PMP 25 SXS CL H CMT.WOC.PMP 42 SXS C 08/16/2019 TAG TOC @ 439 1355' WOC 08/21/2019 TAG TOC @ 126 14. I hereby certify that the foregoing i Name (Printed/Typed) KAY MAE Signature (Electronic	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP_WOC, L C CMT @ 7363', WOC 31', PMP 32 SXS CL C CI 36', PMP 25 SXS CL C CI 63', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI s true and correct. Electronic Submission # For EOG RESOU mitted to AFMSS for proce DDOX Submission) THIS SPACE FO	a give subsurface locations and meas the Bond No. on file with BLM/BL. sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734'. WOC MT @ 1455'. WOC TAG TOC MT TO SURFACE, CMT FELI 480900 verified by the BLM We JRCES INCORPORATED, sent passing by PRISCILLA PEREZ of Title REGUI Date 08/29/2 DR FEDERAL OR STATE Title	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 8286' PM @1355', PMP 2 41355', PMP 2 120', BLM SAI 110 Information Sy to the Hobbs 0 08/29/2019 (19D ATORY SPECH 2019	ALIST ACCEPTED SEP BUREAU OF D	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE <u>2-21-2</u> MT @ XS	
If the proposal is to deepen direction Attach the Bond under which the wor following completion of the involves testing has been completed. Final A determined that the site is ready for the EOG PLUGGED AND ABANI 06/26/2019 MIRU, PULLED 1 08/09/2019 MIRU, PULLED 1 08/09/2019 MIRU, 08/13/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/15/2019 SET CIBP @ 86: 08/15/2019 JAG TOC @ 692 08/16/2019 JAG TOC @ 692 08/20/2019 TAG TOC @ 126 14. I hereby certify that the foregoing i Com Name (Printed/Typed) KAY MAE Signature (Electronic	ally or recomplete horizontally, ork will be performed or provide d operations. If the operation re bandonment Notices must be fi final inspection. DONED THIS WELL USII RODS & TBG, RDMO 10' H CMT ON TOP WOC, L C CMT @ 7363'. WOC 31', PMP 32 SXS CL C CI 36', PMP 32 SXS CL C CI 36', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI 53', PMP 65 SXS CL C CI 50 THIS SPACE F(CODX Submission) THIS SPACE F(ed. Approval of this notice does uitable title to those rights in th uct operations thereon.	a give subsurface locations and meas the Bond No. on file with BLM/BL. sults in a multiple completion or rec led only after all requirements, inclu NG THE FOLLOWING PROC TAG TOC @ 8570'.SET CIBF MT @ 4734', WOC MT @ 1455', WOC TAG TOC MT TO SURFACE, CMT FELL 480900 verified by the BLM We JRCES INCORPORATED, sent passing by PRIS CILLA PEREZ of Title REGUI Date 08/29/2 DR FEDERAL OR STATE S not warrant or e subject lease Office orime for any person knowingly and	ured and true vertica A. Required subseq ompletion in a new ding reclamation, ha EDURE: 2 8286' PN @1355', PMP 2 @1355', PMP 2 120', BLM SAI will Information Sy to the Hobbs n 08/29/2019 OFFICE USE d willfully to make t	Al depths of all pertin uent reports must be interval, a Form 316 ive been completed RECL AP 25 SXS CL AP 25 SXS CL C CM D TO PMP 40 S Stem D TO PMP 40 S	nent markers and zon filed within 30 days 50-4 must be filed or and the operator has AMATION PROC ATTACHED CLAMAT UE 2-21-2 AT @ XS VFOR REC(1 0 2019 Date 216 NDMANAGEMED FIELD OFFICE	

Additional data for EC transaction #480900 that would not fit on the form

32. Additional remarks, continued

CL C CMT FROM SURFACE TO FILL VOID - VERIFIED CMT TO SURFACE

WELL IS PLUGGED AND ABANDONED

620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



TAKE PRIDE

In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Well Completion or submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months.
- 3 The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612