District 1 1625 N. French District II	Dr., Hobh	s. NM 88240	E		State of New Minerals & 1		our	ces	Form C-104 S Revised August 1, 2011				
811 S. First St., <u>District III</u> 1000 Rio Brazos					l Conservatio				one co	py to appre	opriate District Offic	e	
District IV 1220 S. St. Fran		122					MENDED REPOR	Г					
	I.		EST FO	OR ALI	.OWABLE	AND AUT	ΉQ	RIZATION		TRANS	PORT	-	
¹ Operator n				² OGRID Number 6137									
Devon Energy Production Company, L.P.								³ Reason for F	filing (tive Date	-	
333 West She	ridan, Ok	lahoma Cit	/, OK 731	02						NW / 8/:			
⁴ API Numbe		* P oo	Name	WC-025	G-06 \$253201N	/; UPPER BON	E SPI	RING	4 P	ool Code	97784 K	17	
30-025		d David	perty Nar							ell Numbe	〕	-0	
Property C	out	Pro	perty Mar	nc	Bell Lake 19	-18 State Com	I		¥	ren numbe	er 9H		
II. ¹⁰ Sur	face Lo	ocation										-	
		Township	Range	Lot Idn	Feet from the	North/South	line	Feet from the	East/West line		County	1	
Р	19	245	33E		481	South		1092		East	LEA		
		le Location										-	
UL or lot	Section	Township	Range	Lot Idn	Feet from the	North/South	line	Feet from the	East/	West line	line County		
no. A	18	245	33E		134	North	į	394		East	LEA		
¹² Lse Code		ring Method Tode		mnection ate	¹⁵ C-129 Pern	nit Number	¹⁶ C	-129 Effective	Date	" C-12	9 Expiration Date		
S	•	F		7/19									
		s Transpo	rters									_	
Transpor OGRID	ter				" Transpor and Ad						²⁰ O/G/W		
92591									Oil				
52551					Vestern Refining			05	-				
				6500 I	rowbridge Driv	e El Paso, D	/99	05					
371960					Lucid Energy F	alawara IIC					Gas		
	Lucid Energy Delaware, LLC 3100 McKinnon St. Ste 800 Dallas TX 75201							2					
	3100 McKinnon St., Ste. 800, Dallas, TX 75201 日のこのののの												
<u></u>	UCT 082019										· · · · · · ·		
	RECEIVED												

Second states and a feature of the second states and

うちちち あいち ちちいち ちちちちち

²¹ Spud Date		adv Date	u TD	²⁴ PBTD	²⁵ Pe	rforations	²⁶ DHC, MC	
3/30/19		/17/19	19,442' ·	19,426.7	970	5' - 19,417'		
" Hole Siz	-	& Tubing Size	2º Depth Se	t		³⁰ Sacks Cement		
17.5			13.375	1208' 1060 sx cmt; Circ 58				
12.25			9.625	5048'		1	450 sx ClH; Circ 434 sx	
8 3/4 & 8 1	1/2		5.5	19,430'			2560 sx cmt; Circ 0	
		Tub	ing: 2.875	9029'				
V. Well Test	Data							
³¹ Date New Oil	" Gas D	elivery Date	" Test Date	²⁴ Test Lengtl	1	" Thg. Press	ure ³⁶ Csg. Pressure	
8/17/19	8,	/17/19	9/17/19	24 hrs		574 ps	si 194 psi	
" Choke Size		4 Oil	³⁹ Water	* Gas			⁴ Test Method	
	60	6.5 bbl	1452.5bbl	1094.5 mc	f			
een complied with complete to the best	and that the of my know	information giv	ervation Division have sen above is true and ef.	Approved by:			DIVISION	
Printed name:	Rebecca (T itle:	L:	m.		
l'itle. Regu	altory Ana	lyst		Approval Date:	10	18/2	2019	
E-mail Address:	Rebecca.	Deal@dvn.com						
Date:	/2019	Phone:	405-228-8429					

Devon - Internal

Submit To Appropriate District Office Two Copies District I				State of New Mexico Energy, Minerals and Natural Resources						Form C-105 Revised April 3, 2017							
1625 N. French Dr District II									1. WELL API NO. 30-025-45452								
811 S. First St., Ar District 111 1000 Rio Brazos R		Oil Conservation Division 1220 South St. Francis Dr.							2. Type of Lease X STATE FEE FED/INDIAN								
District IV 1220 S. St. Francis	Dr., Santa	Fe, NM 875	05			Santa Fe, N	NM 8	7505			3. State Oil &						
WELL	COMP	LETIO		RECC	MPL	ETION RE	POR	T AND LOG									
4. Reason for fil	ing:										5. Lease Name Bell Lake 1					1	
COMPLET					•			6. Well Number: HOBBS OCD									
C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) 9H 0CT 082									2019								
NEW	7. Type of Completion:																
8. Name of Open	ator I	Devon Ene	rgy Produ	ction Co	mpany,	L.P.					9. OGRID	6137		R	ECE	IVED	
10. Address of O	perator	333 West S	heridan A	venue, C	Oklahom	na City, OK 7310	02				11. Pool name						
12.Location	Unit Ltr	Secti	on	Towns	hip	Range	Lot		Feet from t	the	N/S Line		from the			NE SPRING County	
Surface:	Р	19	1	24S		33E			481		South	1	092	East		Lea	
BH:	A	18		24S		33E			134		North	3	94	East		Lea	
13. Date Spudded 3/30/2019		ate T.D. R 4/15/2019	eached		4.	Released /18/2019	•		8/17/	/201			R	T, GR, et	ic.) 39	and RKB, 541.1 GL'	
· · ·	MD/9335	.95' TVD		19. Plug Back Measured Depth 20. Was Directional Survey Made? 21. Type Electric and Other CBL					her Logs Run								
22. Producing Int	terval(s),		pletion - 1 6'-19,417'	-													
23.						ING REC	ORD			ring							
CASING SI	ZE	WEIC 54	GHT LB./I	·T.		DEPTH SET 1208'			OLE SIZE		CEMENTIN			AM	IOUNT	PULLED	
9.625		40	-			5048'					1060 sx cmt 1450sx CIH;						
5.5		1.	7			19,430'		8.75 & 8.5			2560sx cmt; circ 0			TOC @ 4200'			
										25			NG REC	000			
24. SIZE	TOP		BOT	LINER RECORD		ENT			25. SIZ		_	EPTH SE	-	PACKE	ER SET		
		_									2.875 L-80		9029'				
				<u> </u>													
26. Perforation	record (1	nterval, siz	e, and nur	nder)					LID, SHOT, I INTERVAL					QUEEZE, ETC. MATERIAL USED			
070(1	0.4170.41		.1														
9708-	19,417, 10	otal 1369 ho	bles					9706'	19,417		Acidize and fi	rac in	40 stages	. See deta	iled sum	mary attached	
								DUC							_		
28. Date First			Product	ion Met	hod (Fla	owing, gas lift, p			TION)	Well Status	(Pro	d. or Shul	-in)			
Production 8/1	7/19				Flowi						Pro	ducin	a	,			
Date of Test	Hour	s Tested	Chc	Choke Size Prod'n For				Oil - Bbl Ga			as - MCF		Water - Bbl. Gas - Oil Ratio		il Ratio		
9/17/19	24					Test Period		6	06.5		1094.5		1452.5		180	4.617	
Flow Tubing	Casin	g Pressure		culated 2	24-	Oil - Bbl.	-	Gas	- MCF		Water - Bbl.		Oil Gra	avity - AP	PI - <i>(Cori</i>	r.)	
Press. 574 psi		94 psi		ir Rate									1				
29. Disposition o	f Gas <i>(So</i>	ld, used foi	<i>fuel, veni</i> sold	ed, etc.)		•					,	30. 1	fest Witn	essed By			
31. List Attachm	ents		Direction	al Surve	y, Logs												
32. If a temporary	y pit was	used at the	well, atta	ch a plat	with th	e location of the	tempor	ary pit.				33. R	ig Releas	e Date:	4/18/20	19	
34. If an on-site b	ourial was	used at the	e well, rep	ort the e	xact loc	ation of the on-s	site buri	al:			A		<u> </u>				
Latitude Longitude NAD83																	
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Name Rebecca Deal Title Regulatory Analyst Date 9/23/2019																	
	-	-		hown c	F	<i>h sides of this</i> Printed	-		-		-	-	Knowie	age and	Date		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Souther	astern New Mexico	Northy	Northwestern New Mexico						
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"						
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"						
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"						
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"						
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville						
T. Queen	T. Silurian	T. Menefee	T. Madison						
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert						
T. San Andres	T. Simpson	T. Mancos	T. McCracken						
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte						
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite						
T. Blinebry	T. Gr. Wash	T. Dakota							
T.Tubb	T. Delaware Sand	T. Morrison							
T. Drinkard	T. Bone Springs	T.Todilto							
T. Abo	T	T. Entrada							
T. Wolfcamp	T	T. Wingate							
T. Penn	T	T. Chinle							
T. Cisco (Bough C)	<u> </u>	T. Permian							

OIL OR GAS SANDS OR ZONES

No. 1, from	No. 3, fromto
No. 2, from	No. 4, fromto

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	То	Thickness In Feet	Lithology	From	То	Thickness In Feet	Lithology
			Rustler - 1166 T/Salt - 1491 B/Salt - 5028 Delaware - 5058 Bone Spring - 9062				