Submit 1 Copy To Appropriate District	State of New Mexico	Farme C 102
Office	Energy, Minerals and Natural Resources	Form C-103 Revised July 18, 2013
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, milleruis une Matural Resources	WELL API NO.
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	OIL CONSERVATION DIVISION	30-025-46338
District III - (505) 334-6178	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> (505) 476-3460	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		321651
	ICES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		SAVAGE 2 STATE COM
PROPOSALS.)	_	
1. Type of Well: Oil Well 2. Name of Operator	Gas Well Other	8. Well Number 721H 9. OGRID Number
EOG RESOURCES		7377
3. Address of Operator		10. Pool name or Wildcat
	X 2267, MIDLAND TX 79702	98180 WC-025 G-09 S253309P; UPR WOLFCAMP
4. Well Location Unit Letter C :527 feet from the NORTH line and 1695 feet from the WEST line		
Section 2	11. Elevation (Show whether DR, RKB, RT, GR, etc.,	county -
3520 GL		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK	PLUG AND ABANDON	
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A		
PULL OR ALTER CASING	MULTIPLE COMPL	Г JOB 🛛
CLOSED-LOOP SYSTEM		L CSG DI
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
10/21/19 8-3/4" hole		
10/21/19 Intermediate Hole @ 11,710	' MD, 11,679' TVD	
Casing shoe @ 11,696' MD Ran 7-5/8", 29.7#, ECP-110 BTC SC (0' - 1,025')		
Ran 7-5/8", 29.7#, HCP-110 MO-FXL (1,025' - 11,696') Stage 1: Lead Cement w/ 400 sx Class H (1.20 yld, 15.6 ppg)		
Test casing to 2,200 psi - Good Did not circ cement to surface, TOC @ 7,000' by Calc Stage 2: Bradenhead squeeze w/ 1,000 sx Class C (1.51 yld, 14.8 ppg) TOC @ 600' by Calc		
Stage 3: Top out w/ 170 sx Class C	1.34 yld, 14.8 ppg) TOC @ surface Resume Drilling 6-3/4" hole	
09/m		
Spud Date: 00/20/10	Rig Release Date:	
09/29/19		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
SIGNATURE	TITLE Sr. Regulatory Admini	strator DATE 10/28/19
Type or print name Emily Folfs		ogresources.comONE: 432-848-9163
For State Use Only	Petroleum E	ngineer
APPROVED BY:		
Conditions of Approval (if any):		