B	UNITED STATE EPARTMENT OF THE I UREAU OF LAND MANA	NTER OF	rlsbad H	Field (OMB N Expires: J	APPROVED IO. 1004-0137 anuary 31, 2018
SUNDRY Do not use thi	NOTICES AND REPO is form for proposals to	RTS ON WI		Hobb	NMNM97151	
abandoned well. Use form 3160-3 (APD) for such proposals.					6. If indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2					7. If Unit or CA/Agreement, Name and/or No.	
1. Type of Well					8. Well Name and No. FLAGLER 8 FED 39H	
2. Name of Operator Contact: REBECCA DEAL DEVON ENERGY PRODUCTION CONTRACT: Rebecca.Deal@dvn.com					9. API Well No. 30-025-45261-00-X1	
		3b. Phone No Ph: 405-22	e No. (include area code) -228-8429		10. Field and Pool or Exploratory Area RED HILLS-BONE SPRINGS	
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)				11. County or Parish, State		
Sec 8 T25S R33E SESW 380FSL 2570FWL 32.138901 N Lat, 103.594536 W Lon					LEA COUNTY, NM	
12. CHECK THE AF	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE O	F NOTICE, I	REPORT, OR OTI	HER DATA
TYPE OF SUBMISSION			TYPE OF	F ACTION		
□ Notice of Intent	Acidize	Dee	Deepen		on (Start/Resume)	UWater Shut-Off
Subsequent Report	Alter Casing		raulic Fracturing	🗖 Reclama		Well Integrity
	Casing Repair	•••		Recompl		Other Drilling Operations
Final Abandonment Notice	Change Plans Convert to Injection	D Plug	and Abandon Back	Temporarily Abandon Water Disposal		
Drilling Ops Summary (10/30/19 ? 10/31/19) Spud @	9 05:30. TD 17-1/2" hole @	@ 1164'. RIH	w/ 28 jts 13-3/8'	" 54.50# J-55	BTÇ	
	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 . yld 1.88 cu ft/sk. Tail w/	sk. Disp w/ 17 nin, OK. PT (120 jts 9-5/8" / 170 sx CIH.)	73 bbls BW. Cire csg to 1500 psi f 40# J-55 BTC cs vid 1.33 cu ft/sk.	c 494 sx cmt or 30 mins, sg, set @ Disp w/	P ^{IIII} HOB	BS OCD C 0 5 2019 ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH.	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals	sk. Disp w/ 13 nin, OK. PT o 120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P	c 494 sx cmt or 30 mins, sg, set @ Disp w/ T csg to	DE R	BS OCD C 0 5 2019 ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #4 For DEVON ENERG mitted to AFMSS for proce	sk. Disp w/ 17 nin, OK. PT (120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 492699 verifie Y PRODUCTI	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P Compan, Ser SCILLA PEREZ or	c 494 sx cmt or 30 mins, Bisp w/ Disp w/ T csg to	DE R System S 20PP0402SE)	ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #4 For DEVON ENERG mitted to AFMSS for proce	sk. Disp w/ 17 nin, OK. PT (120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 492699 verifie Y PRODUCTI	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P Compan, Ser SCILLA PEREZ or	c 494 sx cmt or 30 mins, Bisp w/ Disp w/ T csg to	DE P System	ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #/ For DEVON ENERG mitted to AFMSS for proce	sk. Disp w/ 17 nin, OK. PT (120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 492699 verifie Y PRODUCTI	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P Compan, Ser SCILLA PEREZ or	c 494 sx cmt or 30 mins, Sg, set @ Disp w/ T csg to I Information in t to the Hobb h 11/20/2019 (2 ATORY COM	DE R System S 20PP0402SE)	ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (Printed/Typed) REBECCA	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r " hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #/ For DEVON ENERG mitted to AFMSS for proce	sk. Disp w/ 13 nin, OK. PT of 120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 492699 verifie PRODUCTI assing by PRI	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Wel DN COMPAN, se SCILLA PEREZ or Title REGUL Date 11/18/20	c 494 sx cmt or 30 mins, bisp w/ Disp w/ T csg to I Information in to the Hobb in 11/20/2019 (2 ATORY COM	System SopP0402SE) IPLIANCE PROFE	ECEIVED
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (Printed/Typed) REBECCA	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r "hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #/ For DEVON ENERG mitted to AFMSS for proce \DEAL ubmission)	sk. Disp w/ 13 nin, OK. PT of 120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 492699 verifie PRODUCTI assing by PRI	73 bbls BW. Cirr csg to 1500 psi f 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Wel DN COMPAN, se SCILLA PEREZ or Title REGUL Date 11/18/20	c 494 sx cmt or 30 mins, Bisp w/ Disp w/ T csg to I Information int to the Hobb in 11/20/2019 (2 ATORY COM D19 DFFICE US	DE System Sopp0402SE) IPLIANCE PROFE	SSI
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (<i>Printed/Typed</i>) REBECCA Signature (Electronic Si	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r "hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission ## For DEVON ENERG mitted to AFMSS for proce \DEAL ubmission) THIS SPACE FO	sk. Disp w/ 13 nin, OK. PT of 120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 192699 verifier PRODUCTI assing by PRI DR FEDERA	73 bbls BW. Cirr csg to 1500 psi fi 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Well DN COMPAN, set SCILLA PEREZ or Title REGUL Date 11/18/20 L OR STATE (Title ACCEP Jon	c 494 sx cmt or 30 mins, Bisp w/ Disp w/ T csg to I Information int to the Hobb in 11/20/2019 (2 ATORY COM D19 DFFICE US	DE System 32 20PP0402SE) IPLIANCE PROFE E Record Sard	SSI
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (<i>Printed/Typed</i>) REBECCA Signature (Electronic S Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equi	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r "hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #/ For DEVON ENERG mitted to AFMSS for proce A DEAL ubmission) THIS SPACE FO I. Approval of this notice does itable title to those rights in the ct operations thereon. J.S.C. Section 1212. make it a	sk. Disp w/ 12 nin, OK. PT of 120 jts 9-5/8" / 170 sx CIH, s to 5000psi fo 192699 verifie Sy PRODUCTI assing by PRI DR FEDERA	73 bbls BW. Cirr csg to 1500 psi fi 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Wellon COMPAN, set SCILLA PEREZ or Title REGUL Date 11/18/20 L OR STATE (Title ACCEP Jon: Carl: Office	c 494 sx cmt or 30 mins, Disp w/ T csg to I Information int to the Hobb in 11/20/2019 (2 ATORY COM D19 DFFICE US ted for F athon Shep sbad Field O	DE System SopP0402SE) IPLIANCE PROFE E Record Dard ffice	SSI NGX: 2 2 2019
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (Printed/Typed) REBECCA Signature (Electronic St Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equi which would entitle the applicant to conduc Title-18-U.S.C. Section 1001 and Title 43 U States any false, fictitious or fraudulent st (Instructions on page 2)	90 sx cmt, yld 1.34 cu ft/s si, held each test for 10 r "hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission #/ For DEVON ENERG mitted to AFMSS for proce A DEAL ubmission) THIS SPACE FO I. Approval of this notice does itable title to those rights in the ct operations thereon. J.S.C. Section 1212. make it a	sk. Disp w/ 12 nin, OK. PT of 120 jts 9-5/8" 7 170 sx CIH, s to 5000psi for 192699 verifier 97 PRODUCTI 98 FEDERA DR FEDERA DR FEDERA	73 bbls BW. Cirr csg to 1500 psi fi 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Wellon COMPAN, set SCILLA PEREZ or Title REGUL Date 11/18/20 L OR STATE (Title ACCEP JON Cart Office	c 494 sx cmt or 30 mins, Sg, set @ Disp w/ T csg to I Information Int to the Hobb In 11/20/2019 (2 ATORY COM D19 DFFICE US ted for F athon Shep sbad Field O willfully-te mak	E Record ffice e to any department or	SSI NGMc 2 2 2019 agency of the United
(10/30/19 ? 10/31/19) Spud @ csg, set @ 1154.1'. Tail w/ 11 to surf. PT BOPE 250/5000 p OK. (10/31/19 - 11/3/19) TD 12-1/4 5034.7'. Lead w/ 1310 sx CIH, 380 bbls FW. 490 sx cmt to su 14. I hereby certify that the foregoing is Com Name (Printed/Typed) REBECCA Signature (Electronic St Approved By Conditions of approval, if any, are attached certify that the applicant holds legal or equi which would entitle the applicant to conduc Title-18-U.S.C. Section 1001 and Title 43 U States any false, fictitious or fraudulent st (Instructions on page 2)	90 sx cmt, yld 1.34 cu ft/s psi, held each test for 10 r "hole @ 5044'. RIH w/ 1 , yld 1.88 cu ft/sk. Tail w/ urf. Set packoff, tst seals true and correct. Electronic Submission ## For DEVON ENERG mitted to AFMSS for proce A DEAL ubmission) THIS SPACE FO	sk. Disp w/ 12 nin, OK. PT of 120 jts 9-5/8" 7 170 sx CIH, s to 5000psi for 192699 verifier 97 PRODUCTI 98 FEDERA DR FEDERA DR FEDERA	73 bbls BW. Cirr csg to 1500 psi fi 40# J-55 BTC cs yld 1.33 cu ft/sk. or 10min, OK. P by the BLM Wellon COMPAN, set SCILLA PEREZ or Title REGUL Date 11/18/20 L OR STATE (Title ACCEP JON Cart Office	c 494 sx cmt or 30 mins, Sg, set @ Disp w/ T csg to I Information Int to the Hobb In 11/20/2019 (2 ATORY COM D19 DFFICE US ted for F athon Shep sbad Field O willfully-te mak	E Record ffice e to any department or	SSI NGMe 2 2 2019 agency of the United

Additional data for EC transaction #492699 that would not fit on the form

32. Additional remarks, continued

2765 psi for 30min, OK.

.

(11/3/19 - 11/10/19) TD 8 3/4" hole @ 10,177' & 8 1/2" hole @ 14,480'. RIH w/ 325 jts 5-1/2" 17# P110RY csg, set @ 14,462'. Lead w/ 565 sx CIPOZ MIX, yld 3.20 cu ft/sk. Tail w/ 1215 sx CIPOZ MIX, yld 1.50 cu ft/sk. Disp w/ 336 bbls disp. TOC @ 379.5'. Install well cap & tst to 5,000psi, OK. RR @ 08:00.

.


• •

÷ •.

- - -

>





-

. -