

Submit 1 Copy To Appropriate District Office  
District I - (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II - (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III - (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV - (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

HOBBS OCD

Form C-103

Revised July 18, 2013

WELL API NO.

30-025-37621

5. Indicate Type of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name  
SIMS 13 STATE

8. Well Number 2

9. OGRID Number 4323

10. Pool name or Wildcat  
FEATHERSTONE; BONE SPRING, E

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator

CHEVRON USA INC

3. Address of Operator

6301 DEAUVILLE BLVD, MIDLAND, TEXAS 79706

4. Well Location

Unit Letter E : 1650 feet from the NORTH line and 330 feet from the WEST line

Section 13 Township 20S Range 35E NMPM LEA County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3655'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
CLOSED-LOOP SYSTEM ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

THE SUBJECT WELL HAS ROD STRING FAILURE. PLAN TO PERFORM WORKOVER TO RETURN WELL TO PRODUCTION

1. MIRU, RUPU
2. POOH WITH RODS, ATTEMPT TO FISH RODS AND PUMP
3. IF ROD OR COUPLING PART IS IN THE 7/8 SECTION, LD AND REPLACE ALL 7/8 RODS
4. IF IT IS IN THE 3/4 SECTION REPLACE MINIMUM 10 RODS ABOVE AND BELOW PARTED RODS, LD AND REPLACE ANY RODS/COUPLINGS WITH WEAR AND/OR PITTING.
5. CLEAN TUBING ID W/PARAFFIN KNIFE AND FLUSH TUBING. PU RIH W/2 STAGE HVR 1 1/4 PUMP AND RODS.
6. COLLECT PUMP CARDS AND VERIFY PUMP ACTION.
7. RDPU AND TURN OVER TO PRODUCTION.
8. FILE SUBSEQUENT REPORT TO NMOCD

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Cindy Herrera-Murillo

TITLE PERMITTING SPECIALIST

DATE 12/19/2019

Type or print name

CINDY HERRERA-MURILLO

E-mail address:

EEOF@CHEVRON.COM

PHONE: 575-263-0431

For State Use Only

APPROVED BY:

Kerry Fort

TITLE C.O.

A

DATE

12-20-19

Conditions of Approval (if any)