Cimarex Energy Co.

600 N. Marienfeld St.

Suite 600

Midland, TX 79701

MAIN 432,571,7800



December 16, 2019

HOBBS OCD

DEC 1 9 2019

RECEIVED

State of New Mexico
Energy, Minerals and Natural Resources Department
Oil Conservation Division
Mr. Daniel Sanchez, OCD Compliance and Enforcement Manager
1220 South St. Francis Drive
Santa Fe, NM 87505

Re:

Notice of Violation

Cimarex Energy Company of Colorado

Dear Mr. Sanchez,

Please see attached Notice of Violation letter concerning Cimarex Energy Company of Colorado (Cimarex). The Oil Conservation Division (OCD) has provided a notice of violation of the following provisions:

- Inactive wells rule
- Failure to report production

Currently, Cimarex has eight (8) inactive wells, thereby exceeding the minimum allowed. In order to return to compliance, Cimarex intends to plug and abandon two (2) of the wells within the next 30 days:

1. Bondurant Federal #12H 30

3002540182

2. Hudson 31 Federal #3H

3002530551

Intent to plug sundry notices have been submitted to the Bureau of Land Management (BLM) for approval. I anticipate approval within the next week. Cimarex will move forward with plugging the wells as soon as approved paperwork is received. Subsequent plugging operations sundries will be submitted as soon as operations are complete.

Cimarex is also reviewing five (5) additional wells for uphole potential or plug and abandonment:

1.	Cooper 5 #9	3002535990
2.	Eureka 36 State #1	3002533184
3.	Laughlin #1	3002534975
4.	Maduro Unit #8	3002538240
5.	Williams 34 #5	3002535850

Cimarex Energy Co. of Colorado – NOV Page 2

Regarding the missing production reports for the Red Hills Unit #1 well. I have reviewed the NMOCD electronic well file and the Cimarex Red Hills Unit #1 well records and I have found no information to indicate the well was completed as a dual completion in the Penn formation.

The following records indicate an intent to recomplete to the Penn:

- C101 approved 11/16/1990
 - o Intent to Recomplete Penn
- C103 approved 07/15/1993
 - Change of plans well was not completed as a dual in the Penn. Active Wolfcamp pool well.

I believe the 07/15/1993 sundry was an attempt to clean up the well record and remove the Penn as an active completion. No production has been attributed to the Penn as far back as 1994.

Please contact me at 432-620-1936 should you have additional questions or need additional information regarding this issue.

Sincerely,

Tarri Stathan

Manager - Regulatory Compliance

(o) 432-620-1936

(m) 432-287-4995

CC: NMOCD District 1 – Hobbs

NMOCD District 2 - Artesia

State of New Mexico Energy, Minerals and Natural Resources Department

Michelle Lujan Grisham Governor

Sarah Cottrell Propst Cabinet Secretary

Todd E. Leahy, JD, PhD Deputy Cabinet Secretary

December 4, 2019

Cimarex Energy Company of Colorado OGRID# 162683 600 N. Marienfeld Street, Suite 600 Midland, TX 79701 Adrienne Sandoval
Division Director
Oil Conservation Division



NOTICE OF VIOLATION

The Oil Conservation Division (OCD) has determined that <u>CIMAREX ENERGY COMPANY OF COLORADO</u> is violating the following provision(s):

X INACTIVE WELLS (19.15.5.9(A)(4) NMAC)
You are the operator of record for 509 wells and do not h

You are the operator of record for 509 wells and do not have an Agreed Compliance Order. Therefore, you shall not operate more than 7 inactive wells. However, you are operating 8 inactive wells as identified in Exhibit A.

FINANCIAL ASSURANCE (19.15.5.9(A)(1) NMAC)

You failed to post financial assurance for active and inactive wells in the amounts identified in Exhibit B.

X PRODUCTION REPORTS (19.15.7.24 NMAC)

You failed to submit production reports for the month(s) of <u>SEPTEMBER</u> for the wells identified in Exhibit C.

Until you correct the violation(s) described above, OCD may impose the following sanctions: Denial of registration (19.15.9.8(B) NMAC); Denial of change of operator (19.15.9.9(C)(1) NMAC); Denial or revocation of an injection permit (19.15.26.8(A)(2) NMAC); Denial of an application for a drilling permit (19.15.14.10(A) NMAC); and Denial of allowable and authorization to transport (19.15.16.20(A)(4) NMAC).

You must correct the violation(s) described above or sign an Agreed Compliance Order no later than 30 days after the date of this Notice of Violation. If you fail to correct the violation(s) or sign an Agreed Compliance Order as specified above, OCD will apply for a compliance order imposing additional sanctions.

For more information, contact Daniel Sanchez, OCD Compliance and Enforcement Manager, at (505) 476-3493 or <u>Daniel Sanchez@state.nm.us</u>.

Regards,

Daniel Sanchez

Compliance and Enforcement Manager

cc:

OCD District 1

Office of Legal Counsel, EMNRD

1220 South St. Francis Drive, 3rd Floor • Santa Fe, New Mexico 87505 Phone (505) 476-3460 • Fax (505) 476-3462 • www.emnrd.state.nm.us/ocd

Inactive Well List
Total Well Count: 509 Inactive Well Count: 8
Printed On: Wednesday, December 04 2019

District	API	N#B	ULSTR	000 000	Ogrto	Operator	Leaso Type	D.be Mett	Lest Production	Formation/Notes	Statua	TA Exp Cute
1	20 025 40152	DONDURANT FEDERAL ADIDA	D 01 135 32E	D	162600	CHAREX ENERGY CO OF COLDRADO		0	97,72019	DONE SPRING SPUD OF 117011		
1	20 025 35590	COOFER à 6/93	2 05 266 SFE	פ	162033	CHAREX ENERGY CO. OF COLORADO		. 0	02/2017	T ගතන		
1	30 025 33154	EURENA JESTATE HD:11	£ 27 192 ME	F	162633	CHARCK ENERGY EO OF COLUMADO		G	04.2012		Ť	1031 2013
. 1	30 025 3u551	NUDSON IN FEDERALISE)	O 16 125-335	0	£83581	CHAREN ENERGY COLOTAGO		o	C0:2010			
1	30 925 34975	taug lilli filot	N 04 205 37E	н	162633	CHUAREN ENERGY CO. OF COLORADO	_	e	05/2019	TUSD & DRINKARD		
1	36 925 39210	TIME COUCA COO	1 25 195 300	Ł	16260)	CHARTE ENTRGY CO OF COLORADO		G	06.2018	GERMORROW INT TO DISPOSE WATER 67-6/11		
1	30 025 20144	REQ INLE UNIT 1023	K 45 035 NAE	H	162683	CHIAREX ENERGY CO OF COLORADO		G	09.2315	WO/LCYPS		
1	30 025 35550	W.I.N.ES 23 6305	K 24 195 57E	ĸ	162233	CHARTH EHERGY CO OF COLORADO	P	o	65/2013	DUARNED		

WHERE Operator:162683, County:All, District:All, Township:All, Range:All, Section:All, Production(months):15, Excludes Wells Under ACOI, Excludes Wells in Approved TA Period

Well Completions Not Reported on the C115
162683 CIMAREX ENERGY CO. OF COLORADO
Printed On: Wednesday, December 4, 2019
For Production Month: 9 /2019

Property	/ Well Name	ULSTR	Well Type	API.	Pool	WC Status	C104 Approved
300545	RED HILLS UNIT	O-32-255-33E	G	30-025-21038	83580 RED HILLS PENN (GAS)	A	Not Known

Submit to Appropriate District Office State Leese - 6 co Fee Lesse - 5 copies

State of New Mexico Ene. 47. Minerals and Natural Resources Department

Form C-101 Revised 1-1-89

P.O. Box 1980, Hobbs, NM 88240

OIL CONSERVATION DIVISION P.O. Box 2088

API NO. (assigned by OCD on New Wells) 30-025-21036

DISTRICT II P.O. Drawer DD, Artesia, NM 88210

Santa Fe, New Mexico 87504-2088

FEE L STATE XX

DISTRICT III 1000 Rio Brazos Rd., Azzec, NM 87410 6. State Oil & Gas Lease No. K 1459 APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK la. Type of Work: 7. Lease Name or Unit Agreement Name RE-ENTER DEEPEN DRILL PLUG BACK X b. Type of Well: Red Hills Unit WELL X OTHER WELL | 2. Name of Operator 8. Well No. Union Oil Company of California 9. Pool name or Wildcat Red Hills Penn (Gas) Red Hills (Wolfcamp) 3. Address of Operator P. O. Box 671 - Midland, TX 79702 4. Well Location Unit Letter O: 330 Feet From The south Line and 2310 Feet From The east Line **NMPM** Township 10. Proposed Depth 11. Formation 12. Rotary or C.T. 21,321' Dev./Penn.-Atoka 14. Kind & Status Plug. Bond 15. Drilling Contractor 16. Approx. Date Work will start 13. Elevations (Show whether DF, RT, GR, etc.) 3386' GR 1/91 17. PROPOSED CASING AND CEMENT PROGRAM SETTING DEPTH SIZE OF HOLE WEIGHT PER FOOT SACKS OF CEMENT SIZE OF CASING EST. TOP

To abandon the Wolfcamp perforations and recomplete as a dual Devonian/Penn. Atoka gas well.

See attached procedure.

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE DATA ON PRESENT PRODUCTIVE ZONE AND PROPOSED NEW PRODUCTIVE ZONE QIVE BLOWOUT PREVENTER PROGRAM, IF ANY.								
I hereby certify that the information above is true and complete to the best of my knowledge and belief. SKINATURE Charlotte Bleson TITLE Drilling C	Clerk DATE 11-14-90							
TYPEOR PRINT NAME Charlotte Beeson	<u>телерно</u> ме но. <u>(915)682</u> 973							
(This space for State Use) ODGOWAL CONVENTING Y JEERY SEXTON FOLLOGIC CLUBBEZYBOR	NOV 1 6 1950							

CONDITIONS OF APPROVAL, IF ANY:

As stipulated in attached letter

Red Hills Unit No. 1

Abandon the Wolfcamp perforations and recomplete as a dual Devonian/Penn. Atoka gas well.

MIRUDDPU, install 4" blow down line approx.. 250' N.E. of well to burn pit. Anchor 4" line in cement. Load both strings and 7 5/8" csg. w/10# brine.

Set back press. valves in both springs of tubing.

Vent all press. off well head.

Remove tree, nipple up 10,000 psi Hydraulic BOP w/offset rams to pull short string (Wolfcamp west side). (May want to set plug in X Nipple below pkr).

Pick up on long string (east side) should be free. Remove dual hanger from tbg. head. Change to regular rams in BOP. Circ. hole w/10# brine water.

RIH and engage long string, back off tubing as deep as possible.

Engage Otis packoff assembly, jar loose, circulate tubing if possible and watch fore pressure increase. POOH, keeping tubing full at all times.

Pump into Penn perfs and establish injection rate. Squeeze as per Halliburton recommendation. Disp cement w/10 ppg brine water.

RIH w/shoe and wash pipe, cut over dual packer, POOH.

Run cement retainer on wireline and set approx. @ 13,400'.

RIH w/2 7/8" tubing and squeeze Wolfcamp perfs 13,440' to 13,667' as per Halliburton recommendations. Drill out, test squeeze perfs to 1000 psi. Re-squeeze if necessary.

Clean out 6 5/8" and 4 1/2" liner to cement retainer @ 17,590'.

Run GR-CCL-Casing Inspection Log from 17,590 to 14,400' and correlate to Welex Radioacitivity log dated 8-24-64.

Perforate Devonian w/3 1/8" DP csg. gun @ 2 SPF f/17,476-17,492' and 17,528-17,544 (total 32'/66 holes) referencing Welex Radioactivity log dated 8-24-64.

Red Hills Unit #1

RIH & set permanent pkr on WL @ approx. 16,760'. RIH w/2 3/8-" & 2 7/8" tapered tubing string hydro testing in hole to 7000 psi.

Break down perfs 17,476-17,544' w/spot acid @ IBPM and acidize same w/3000 gals 15% HCL w/1000 cu ft N2/bbl and 95 1.3 SG BS to divert @ 3-6 BPM and 6000 psi maximum pressure.

Perf Penn Atoka w/4" DP csg gun @ 2 SPF from 14,607-11, 14,618-32, 14643-52, 14,658-62, 14,706-12, 14,716-21, 14,737-42, 14,748-52, 14758-64, 14,772-76, 14784-88, 14,840, 14,844, 14,852, 14,856 & 14,864'.

Kill Penn perfs. POOH w/2 7/8" tbg & treating pkr. RIH w/2 3/8" & 2 7/8" tapered tbg and dual pkr and 2 7/8" long string hydro testing tbg in hole to 7000 psi. Sting into permanent pkr @ approx. 16,760'. Set dual pkr. Unlatch long string & circ pkr fluid. Latch long string into dual pkr.

RIH w/2 7/8" short string hydro testing tbg in hole to 7000 psi. Latch into pkr. ND BOP. NU wellhead.

ubmit 3 Copies o Approximas Cumot Office	Energy, I us and Na	New Mexico nural Resources	Department) -	Form C-1 Revised 1	
DISTRICT!	OIL CONSERV	ATION DI	VISION	WELL API NO.		
O. Box 1980, Hobbs, NM 82240	P.O. E	Box 2088			30-025-21036	
DISTRICT II P.O. Derwer DD, Artesia, NM 88210	Santa Fe, New M	Aexico 87504-	2088	5. Indicate Type		FEE [
DISTRICT III 000 Rio Brazos R4., Azzec, NM 87410				6. State Oil & C		FEE C
SUNDRY NO	TICES AND REPORTS C	N WELLS				///////
DO NOT USE THIS FORM FOR PF DIFFERENT RESE		DEEPEN OR PLU FOR PERMIT	IG BACK TO A	7. Lesse Name	or Unit Agreement Name	
Type of Well: OR. GAS WELL WELL X	OTHER			F	Red Hills Unit	
Name of Operator			·	& Well No.		
Union Oil Company of Address of Operator	California	···-		1	1	
P. O. Box 671 - Midl	and my 70702			9. Pool same or	rwinden lls (Wolfcamp)	
Well Locance					11101200110/	
11-51-5 A 2	20					
Use Letter	30 Feet From The south	<u>h</u> :	Line and231	O Foot Fr	on The <u>east</u>	1
20	25.0			rearr		1
Unit Letter U : 3	Towaship 25-S		33-E	NMPM	om The <u>east</u> Lea	I
20	Towaship 25-S	Range	33-E 3. RT, GR. etc.)	rearr		
Section 32	Towaship 25-S	Range w wnesser DF, RKI 3386 '	33-E B. RT, GR. esc.) GR	NMPM	lea	
Section 32	Township 25-S	Range w wnesser DF, RKI 3386 '	33-E B. RT. GR. ec.) GR c of Notice, I	NMPM Report, or Oth	lea	
Section 32 1. Check NOTICE OF IN	Township 25-S 10. Elevator (Short Appropriate Box to In	Range www.er OF, RKI 3386' adicate Nature	33-E B. RT. GR. ec.) GR c of Notice, I	NMPM Report, or Oth	Lea	
Section 32 1. Check NOTICE OF IN	Township 25-S 10. Elevation (Short Appropriate Box to In NTENTION TO:	Range WWW.MAST OF, RKI 3386' adicate Nature	33-E B. RT. GR. ec.) GR c of Notice, I	Report, or Oth	Lea Let Data REPORT OF:	
Section 32 (I)	Township 25-S 10. Elevation (Short Appropriate Box to In NTENTION TO: PLUG AND ABANDON	Range 3386' adicate Nature REM X	33-E B. RT. GR. sec.) GR c of Notice, I SUI	Report, or Oth BSEQUENT	Lea Let Data REPORT OF: ALTERING CASIN	G
Section 32 1. Check NOTICE OF IN ERFORM REMEDIAL WORK EMPORABILY ABANDON	Township 25-S 10. Elevation (Short Appropriate Box to In NTENTION TO: PLUG AND ABANDON	Range 3386' adicate Nature REM X	33-E R.RT.GR. sec.) GR C of Notice, I SUI EDIAL WORK MENCE DRILLIN	Report, or Oth BSEQUENT	Lea Let Data REPORT OF: ALTERING CASIN	G
Section 32 1. Check NOTICE OF IN ERFORM REMEDIAL WORK EMPORABLY ABANDON ALL OR ALTER CASING	TOWNS 25-S 10. Elevation (Shows Appropriate Box to Instruction TO: PLUG AND ABANDOR CHANGE PLANS	Range WWALLAW DF, RKE 3386' adicate Nature REM COM CASI	33-E B. RT. GR. ec.) GR COR COR COR CONTROL COR	NMPM Report, or Oth BSEQUENT IGOPHS.	I LEA LET DATA REPORT OF: ALTERING CASIN PLUG AND ABAN	Cooper (////////////////////////////////////
Section 32 Check NOTICE OF IN REFORM REMEDIAL WORK MPORABLY ABANDON LOR ALTER CASING THER: 2 Describe Proposed or Completed Op	TOWNS 25-S 10. Elevation (Shows Appropriate Box to Instruction TO: PLUG AND ABANDOR CHANGE PLANS	Range WWALLAW DF, RKE 3386' adicate Nature REM COM CASI	33-E B. RT. GR. ec.) GR COR COR COR CONTROL COR	NMPM Report, or Oth BSEQUENT IGOPHS.	I LEA LET DATA REPORT OF: ALTERING CASIN PLUG AND ABAN	Coord (I)
Section 32 Check NOTICE OF IN ERFORM REMEDIAL WORK EMPORABLY ABANDON LL OR ALTER CASING THER: 2. Describe Proposed or Completed Op	Township 25-S 10. Elevation (Short Appropriate Box to Instruction TO: PLUG AND ABANDOR CHANGE PLANS erations (Clearly state all pertunent No. 1 as a dual Der C-101 was Nov. 16,	Range W WARLAW DF, RKE 3386' adicate Nature REM CASI CASI CASI OTHI don the Wol vonian/Penr	33-E B. RT. GR. sec.) GR C OF NOTICE, I SUI EDIAL WORK MENCE DRILLIN NG TEST AND C ER: C TOTAL STAND C ACTUAL STAND	Report, or Oth BSEQUENT IGOPHS. CEMENT JOB LICENSE CHARACTER CONTROL OF THE PROPERTY AND ADDRESS CHARACTER CONTROL OF THE PROPERTY AND ADDRESS CHARACTER CONTROL OF THE PROPERTY AND ADDRESS CHARACTER CONTROL OF THE PROPERTY CONTROL OF THE PROPE	I LEA LET DATA REPORT OF: ALTERING CASIN PLUG AND ABAN CONTROL THE COMPLETE THE SUBMITTED TO	Comments G CONNENT A YOUR

I horsely corner that the uni	emilian above in the food compliane to the peak of the Edowledia	e and belie	Drilling Clerk	7-13-93		
TYPE OR PRINT NAME	Charlotte Beeson			(915) TELEPHEND: 685-7607		
(Thus space for State Use)	ORIGINAL SIGNED BY JERRY SEXTON			III 4 K 4000		
APPROVED BY	DISTRICT I SUPERVISOR	. TILE -		JUL 15 1993		

CONDITIONS OF APPROVAL, IF ANY:

-1