Submit 1 Copy To Appropriate District Office	State of New Mexico	Form C-103
District I - (575) 393-6161	Energy, Minerals and Natural Resources	Revised July 18, 2013 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> – (575) 748-1283	OIL CONCERNATION DIVISION	30-025-46443
811 S. First St., Artesia, NM 88210 <u>District III</u> – (505) 334-6178	OIL CONSERVATION DIVISION 1220 South St. Francis Dr.	5. Indicate Type of Lease
1000 Rio Brazos Rd., Aztec, NM 87410	Santa Fe. NAC8	STATE FEE 6. State Oil & Gas Lease No.
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM	HOBBA	325728
SUNDRY NOTICES AND REPORTS ON WEALS 2019		7. Lease Name or Unit Agreement Name
LOO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEFINE ON PLUG BACK TO A		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR STEED PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  Other REC		ADDER 31 STATE
		8. Well Number #744H
2. Name of Operator EOG RESOURCES		9. OGRID Number 7377
3. Address of Operator		10. Pool name or Wildcat
P O BOX 2267, MIDLAND TX 79702		98180 WC-025 G-09 S253309P; UPR WOLFCAMP
4 Well Location		
Unit Letter O : 251feet from the SOUTHline and 2023feet from the EASTline		
Section 31	Township 24S Range 33E	NMPM County LEA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3501 GL		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK   PLUG AND ABANDON   REMEDIAL WORK   ALTERING CASING		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPNS. P AND A		
PULL OR ALTER CASING , MULTIPLE COMPL CASING/CEMENT JOB		
DOWNHOLE COMMINGLE		
CLOSED-LOOP SYSTEM  OTHER:	. □ OTHER: DR	ILL CSG PX
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of		
proposed completion or recompletion.		
10/31/19 20" Conductor @ 115' 12/12/19 12-1/4" Hole	1 6 h.	
12/12/19 Surface Hole @ 1,227' MD, 1,226' TVD Casing shoe @ 1,214' MD		
Ran 9-5/8" 40# J-55 LTC Lead Cement w/ 305 sx Class C (1.82 yld, 13.5 ppg), Trail w/ 115 sx Class C (1.35 yld, 14.8 ppg)		
Test casing to 1,500 psi for 30 min - good Circ 99 sx cement to surface Resume drilling 8-3/4" hole		
as.		
	•	
	,	•
		•
		·
Spud Date: 10/31/19	Rig Release Date:	
10,011.10		
The short of the s		
I hereby certify that the information above is true and complete to the best of my knowledge and belief.		
Tax 8 / 1/1		
SIGNATURE TITLE Sr. Regulatory Administrator DATE 12/19/19		
Type or print name Emily Follis	F-mail address: emily follis@	eogresources.comONE: 432-848-9163
For State Use Only	L-man addicas. Crimy 10mb(w	
	Service Control of the Control of th	oog.coo.oo.oo
ADDROVIDE DV		
APPROVED BY: Conditions of Approval (Fany):		n Engineer DATE 01/07/20