Form 3160-5 (June 2015)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR

**Operator** 

FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018

D'	LIDEALLOEL AND MANIACE	MICHT	· ·	<u> </u>		Expuss. Ju	, was 5 2 i	, 2010			
BUREAU OF LAND MANAGEMENT  SUNDRY NOTICES AND REPORTS ON WELLS  Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						5. Lease Serial No. NMLC030133B					
						6. If Indian, Allottee or Tribe Name					
SUBMIT IN TRIPLICATE - Other instructions on page 2						7. If Unit or CA/Agreement, Name and/or No.					
21 -							8. Well Name and No. MILLARD DECK ESTATE 28 FEDERAL 01				
						9. API Well No.					
CHEVRON USA INCORPORATED E-Mail: howie.lucas@chevered   3a. Address   3b. Phone No. (include are the later)					30-025-38103-00-S1  10. Field and Pool or Exploratory Area						
6301 DEAUVILLE BLVD MIDLAND, TX 79706	1-4044		LANGLIE								
4 Location of Well (Footage, Sec., 7	11. County or Parish, State										
Sec 28 T22S R36E NWNE 96	EIVED)		LEA COUNTY, NM								
12. CHECK THE A	PPROPRIATE BOX(ES) TO	D INDICAT	E NATURE O	F NOTICE, F	EPOR?	r, or oth	ER D	ATA			
TYPE OF SUBMISSION			TYPE OF	FACTION							
☐ Notice of Intent	☐ Acidize ☐	☐ Deep	en	☐ Production	n (Start/	Resume)	w 🗅	ater Shut-C	Off		
Subsequent Report	☐ Alter Casing	☐ Hydraulic Fracturing		☐ Reclamation			■ Well Integrity				
			Construction	Recomplete		Other					
☐ Final Abandonment Notice	☐ Change Plans ☐ Convert to Injection	-	_ •		emporarily Abandon 'ater Disposal						
following completion of the involved testing has been completed. Final A determined that the site is ready for 11/19/19. MOL and RU. Test @ TP 8086'. 11/21/19. TOH a casing successfully t/ 500.psi cement (1,18 yield 15.6 ppg) yield 14.8 ppg) from 5862' - 564110' - 3554'. PUH to 3021'. Chevron and BLM approved from 3276' - 2869'. WOC and Plug #5 spot 30 sxs Class C TOC @ 1266'. Notify P McKe Chevron and BLM approved 560' - 0', circulated cement to	bandonment Notices must be filed inal inspection.  tbg. 11/20/19. LD rods Unabland tally tubing. Set.5.5". CIB for 10 minutes. 11/22/19. Sp. 9150' - 8653'. PUH. 5862'. P. 935'. Plug #3 spot 55 sxs Clast/23/19. Perforate @ 3222'. procedure change. Plug #4 stag at 2843'. Perforate @ 150ement (1.32 yield 14.8 ppg). Sement (1.32 yield 14.8 ppg). Sement @ L. 92 yield 14.8 ppg. Plug #6 sprocedure change. Plug #6. sprocedure change. Plug #6.	only after all not be to release P @ 9150'; pot MLF. Plug #2 spot ass. C cemer unable to espot 40 sxs. From 1549' @ 485'. Unable to espot 70 sxs.	e tubing anchor tag w/ tubing. F ug #1 Spot 55 s 25 sxs Class C nt (1.32 yield 14 establish injectic Class C cement e to establish injectic 1244 (11/24) ble to establish in class C cement	r. Perforate tu Pressure test xs Class H cement (1.32 8.8 ppg) from on rate. t (1.32-yield_1 iection rate. 19 TIH and ta injection_rate.	have been bing	RECLI REC	MATI AMATI ATI	ON PROC TACHED MAT	EDURI		
14. I hereby certify that the foregoing i  Common Name (Printed/Typed) HOWIE L	Electronic Submission #49 For CHEVRON US nitted to AFMSS for processin	SA INCORPL	RÁTED, sent to	the Hobbs on 12/13/2019	•	248SE)			<del></del>		
			·		ACC	CEPTED	FO	REC(	JRD		
Signature (Electronic	Submission)		Date 12/12/2019						<u> </u>		
	THIS SPACE FOR	FEDERA	L OR STATE	OFFICE US	E .	DEC	13	2019			
Approved By			Title			Duckin					
Conditions of approval, if any, are attached to that the applicant holds legal or eq which would entitle the applicant to cond	Office		BU	CARLSBA			NT .				

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2) \*\* BLM REVISED \*\* BLM REVI

Form 3160-5 (August 2007)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

5. Lease Serial No.

NMLC030133B

	DRY NOTICES AND REPO	6. If Indian, Allottee or Tribe	6. If Indian, Allottee or Tribe Name					
	this form for proposals to							
<u> </u>	well. Use Form 3160-3 (Al							
	BMIT IN TRIPLICATE - Other insti	7. If Unit of CA/Agreement, N	7. If Unit of CA/Agreement, Name and/or No					
I. Type of Well				<del></del>				
X Oil Well	Gas Well Other			8. Well Name and No. Millard Deck Estate 28 Federal 01				
2. Name of Operator		······································	9. API Well No.					
•	EVRON USA INCORPORA	red	30-0	025-38103				
3a. Address 3b. P		3b. Phone No. (include area code	) 10. Field and Pool or Explorat	10. Field and Pool or Exploratory Area				
6301 Deauville Blvd, Midland, TX 79706		432-687-7216		Langlie				
4. Location of Well (Footage, Sec., T.,R 96:	.,M., or Survey Description) 5' FNL & 1590' FEL, Sectio	n 28, T22S, R36E	LEA COUNTY	, NEW MEXICO				
12. CHECK 1	HE APPROPRIATE BOX(ES)	TO INDICATE NATURE OF	NOTICE, REPORT OR OTH	ER DATA				
TYPE OF SUBMISSION		TYPE OF	ACTION	TION				
Notice of Intent	Acidize	Deepen	Production (Start/Resume)	Water Shut-Off				
	Alter Casing	Fracture Treat	Reclamation	Well Integrity				
X Subsequent Report	Casing Repair	New Construction	Recomplete	Other				
	Change Plans	X Plug and Abandon	Temporarily Abandon					
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal					
and tally tubing. Set 5.5" ( Plug #1 Spot 55 sxs Class yield14.8 ppg) from 5862' . Perforate @ 3222'. unable cement (1.32 yield 14.8 pp spot 30 sxs Class C cemetag.Perforate @ 485' Una	Fest tbg. 11/20/19. LD rods.UnicIBP @ 9150'; tag w/ tubing. Programmer (1.18 yield 15.6 ppg. 5635'. Plug #3 spot 55 sxs Ce to establish injection rate. Ching) from 3276' - 2869'. WOC aint (1.32 yield 14.8 ppg) from 15 able to establish injection rate. 6560' - 0', circulated cement to s	ressure test casing success  1) 9150' - 8653'. PUH. 5862  1) lass C cement (1.32 yield 1  1) evron and BLM approved p  1) nd tag at 2843'. Perforate (1)  1) 124'. 11/24/19. TIH  1) Chevron and BLM approved	fully t/ 500 psi for 10 minutes.  2'. Plug #2 spot 25 sxs Class ( 4.8 ppg) from 4110' - 3554'. Forocedure change. Plug #4 sp  1500'. Unable to establish in and tag TOC @ 1266'. Notify d procedure change. Plug #6	11/22/19. Spot MLF. C cement (1.32 PUH to 3021'. 11/23/19. ot 40 sxs Class C njection rate. Plug #5 P. McKelvey BLM of spot 70 sxs Class C				
14. I hereby certify that the foregoing is	true and correct. Name (Printed/Type	We	Well Abandonment Engineer, Attorney-in-Fact					
		Title						
Signature		12/12 Date	12/12/2019 Date					
THIS SPACE FOR FEDERAL OR STATE OFFICE USE								
Approved by			<del></del>					
		<u></u>						
Conditions of approval, if any, are attact that the applicant holds legal or equitable entitle the applicant to conduct operation	e title to those rights in the subject leans thereon.	se which would Office	:e	Date				
Title 18 U.S.C. Section 1001 and Title 4 false, fictitious or fraudulent statements		• • • • • • • • • • • • • • • • • • • •	villfully to make to any department or	agency of the United States any				



## 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm

In Reply Refer To: 1310

## Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1 The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filling the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filling the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Melissa Horn Environmental Protection Specialist 575-234-5951

Kelsey Wade Environmental Protection Specialist 575-234-2220

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612