Form 3160-5 (June 2015)	UNITED STATES DEPARTMENT OF THE INTERIOR					FORM APPROVED OMB NO. 1004-0137 Expires: January 31, 2018		
BUREAU OF LAND MANAGEMENT SUNDRY NOTICES AND REPORTS ON WELLOBS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						5. Lease Serial No. NMNM114998		
	SUNDRY NOTICES AND REPORTS ON WELTED BBS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.						r Tribe Name	
SUDMIT IN TOIR IS ATE Other instructions on new 2						7. If Unit or CA/Agree	ement, Name and/or N	lo.
1. Type of Well	her	TECEIVE	8. Well Name and No. SIOUX 25-36 STATE FED COM 88					
2. Name of Oper CAZA OPE	Contact: E-Mail: steve.mon	RIS neering.com		9. API Well No. 30-025-46533-00-X1				
				. (include area code) 5-9729		10. Field and Pool or Exploratory Area WOLFCAMP		
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)						11. County or Parish, State		
	S R35E NWNE 16 N Lat, 103.317558			LEA COUNT			Λ, NM	
12.	CHECK THE AI	PPROPRIATE BOX(ES)	TO INDICA	TE NATURE OI	F NOTICE,	REPORT, OR OTH	IER DATA	
TYPE OF S	SUBMISSION	TYPE OF ACTION						
☐ Notice of	Intent	☐ Acidize	☐ Dee	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-O	ff
☑ Subsequent Report		☐ Alter Casing		☐ Hydraulic Fracturing		ation	☐ Well Integrity	
☐ Final Abandonment Notice		Casing Repair	_	v Construction	□ Recomp	Drilling Operation		ons
		☐ Change Plans ☐ Convert to Injection		g and Abandon	□ Temporarily Abandon□ Water Disposal		0 1	
following contesting has be determined th 12/27/2019 12/28/2019 Cement wit Circulate 20 track and 1 Drilled 12.2 success. TI 3760? with 01/17/2020	pletion of the involved en completed. Final Al at the site is ready for f - Spud Well. - Drilled 17.5? sur th 560sx lead 12.9p 82sx to surface. Pr 0? of new hole. Pe 15? hole to 4874? the top of fish is at 4 an average hole si - Drilled 12.25? ho	face hole to 1155MD. Rappg, 1.99 yield Class C nessure test BOP, good. Terform FIT to 11ppg EMW We got stuck and tried m 4368?. The base of salt is ize of 14? with 25% excepte to 9,145?MD. Ran 9.6	esults in a multipled only after all an 13.3757 J5 eat and 320s) fest casing to /. ultiple times to sat 3860?. Plass which will a 6257 40# HCL	te completion or reco requirements, including 5 54.5# STC casi 6 tail 14.8ppg, 1.3 1500psi, good. Do be retrieve the fish an is to cement fraccount for any h 80 BTC casing to d by the BLM Well	ing to 1141' 12 yield Clas 14 with no 15 on 4368? to 16 on 4368? to 16 washout 15 7,012?MD	new interval, a Form 316 n, have been completed a PMD. as C. noe	0-4 must be filed once	
Name (Printed/Typed) STEVE MORRIS				Title ENGINEER				
Signature	Date 02/12/20							
		THIS SPACE FO	OR FEDERA	1				
_Approved_By_ACCEPTED				JONATHON SHEPARD TitlePETROELUM ENGINEER Date 02/19/			/2020	
certify that the app	ed. Approval of this notice doe uitable title to those rights in th uct operations thereon.	Office Hobbs						
Title 18 U.S.C. See States any false,	ction 1001 and Title 43 fictitious or fraudulent	U.S.C. Section 1212, make it a statements or representations as	a crime for any posts to any matter w	erson knowingly and ithin its jurisdiction.	willfully to m	ake to any department or	agency of the United	
(Instructions on pa	ge 2) ** BLM REV	ISED ** BLM REVISE	D ** BLM RI	EVISED ** BLN	REVISE	O ** BLM REVISE	D ** 10	

Additional data for EC transaction #502870 that would not fit on the form

32. Additional remarks, continued

9.625? 47# HCL BTC to 9,130?MD. ECP set at 4,947?MD and DVT set at 4,945?MD.

Pumped Stage 1 Cement Lead 850sx Tail 200sx Circulated 103sx to surface

Stage 2 Cement Lead 2316sx Tail 150sx Circulated 777sx to surface

Revisions to Operator-Submitted EC Data for Sundry Notice #502870

Operator Submitted

BLM Revised (AFMSS)

Sundry Type:

OTHER SR

DRG SR

Lease:

NMNM114998

NMNM114998

Agreement:

Operator:

CAZA OPERATING 200 N. LORRAINE ST #1550 MIDLAND, TX 79701 Ph: 985-415-9729

CAZA OPERATING LLC 200 NORTH LORRAINE SUITE 1550 MIDLAND, TX 79701 Ph: 432.638.8475

Admin Contact:

STEVE MORRIS ENGINEER E-Mail: steve.morris@morcorengineering.com

STEVE MORRIS ENGINEER E-Mail: steve.morris@morcorengineering.com

Ph: 985-415-9729

Ph: 985-415-9729

Tech Contact:

STEVE MORRIS ENGINEER E-Mail: steve.morris@morcorengineering.com

STEVE MORRIS ENGINEER E-Mail: steve.morris@morcorengineering.com

Ph: 985-415-9729

Ph: 985-415-9729

Location:

State: County: NM LEA

NM LEA

Field/Pool:

DOGIE DRAW / WC-025 G-09

WOLFCAMP

Well/Facility:

SIOUX 25-36 STATE FED COM 8H Sec 25 T25S R35E Mer NMP NWNE 163FNL 1449FEL 32.108194 N Lat, 103.317399 W Lon

SIOUX 25-36 STATE FED COM 8H Sec 25 T25S R35E NWNE 163FNL 1449FEL 32.108356 N Lat, 103.317558 W Lon