

District I

1625 N. French Dr., Hobbs, NM 88240

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

District II 811 S. First St., Artesia, NM 88210

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Oil Conservation Division

Submit one copy to appropriate District Office

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

1220 South St. Francis Dr.
Santa Fe, NM 87505☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address EOG RESOURCES INC PO BOX 2267 MIDLAND, TX 79702		² OGRID Number 7377
		³ Reason for Filing Code/ Effective Date RT 02/05/2020
⁴ API Number 30 - 025-45802	⁵ Pool Name PITCHFORK RANCH; WOLFCAMP, SOUTH	⁶ Pool Code 96994
⁷ Property Code 325178	⁸ Well Number WILD WEASEL 22 FEDERAL COM	⁹ Well Number 708H

II. ¹⁰ Surface Location

UL or lot no. C	Section 22	Township 25S	Range 34E	Lot Idn	Feet from the 413'	North/South NORTH	Feet from the 2529'	East/West line WEST	County LEA
¹¹ Bottom Hole Location									
UL or lot no. N	Section 27	Township 25S	Range 34E	Lot Idn	Feet from the 107'	North/South SOUTH	Feet from the 2419'	East/West line WEST	County LEA
¹² Lse Code S	¹³ Producing Method Code FLOWING	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
372812	EOGRM	OIL
151618	ENTERPRISE FIELD SERVICES	GAS
298751	REGENCY FIELD SRVICES, LLC	GAS
36785	DCP MIDSTREAM	GAS

IV. Well Completion Data T&D - 12474

²¹ Spud Date 10/25/2019	²² Ready Date 02/05/2020	²³ TD 22,840'	²⁴ PBDT 22,840'	²⁵ Perforations 12,729- 22,840'	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12 1/2"	9 5/8"	1018'	430 SXS CL C/CIRC		
8 3/4"	7 5/8"	11,966'	1520 SXS CL C/64' ECHO		
6 3/4"	5 1/2"	22,818'	965 SXS CL H/TOC 12,115' CBL		

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: Kay Maddox

Printed name:
Kay MaddoxTitle:
Regulatory AnalystE-mail Address:
Kay_Maddox@eogresources.comDate:
02/26/2020Phone:
432-686-3658

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

Test Allowable Expires 5/5/2020

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: January 31, 2018**SUNDRY NOTICES AND REPORTS ON WELLS**
*Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.*5. Lease Serial No.
NMNM122624

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
WILD WEASEL 22 FEDERAL COM 708H9. API Well No.
30-025-4580210. Field and Pool or Exploratory Area
PITCHFORK RANCH; WOLFCAMP11. County or Parish, State
LEA COUNTY, NM**SUBMIT IN TRIPLICATE - Other Instructions on page 2**

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other2. Name of Operator
EOG RESOURCES, INCContact: KAY MADDOX
E-Mail: kay_maddox@eogresources.com3a. Address
PO BOX 2267 ATTENTION; KAY MADDOX
MIDLAND, TX 797023b. Phone No. (include area code)
Ph: 432-686-36584. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Sec 22 T25S R34E Mer NMP NENW 413FNL 2529FWL
32.122125 N Lat, 103.458193 W Lon**12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA**

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Production Start-up
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

12/23/2019 RIG RELEASED

12/28/2019 MIRU PREP TO FRAC, TEST VOID 5000 PSI, SEALS & FLANGES TO 8500 PSI

01/10/2020 BEGIN PERF & FRAC

01/28/2020 FINISH 36 STAGES PERF & FRAC 12,729-22,840', 2100 3 1/8" SHOTS FRAC 24,863,880 LBS

PROPPANT, 444,875 BBLS LOAD FLUID

01/29/2020 DRILLED OUT PLUGS AND CLEAN OUT WELLBORE

02/05/2020 OPENED WELL TO FLOWBACK - DATE OF FIRST PRODUCTION

WILL RUN TBG AND GAS LIFT VALVES WITHIN 3-6 MONTHS, WILL SUBMIT SUNDRY AT THAT TIME LISTING TBG DEPTH.

14. I hereby certify that the foregoing is true and correct.

Electronic Submission #504323 verified by the BLM Well Information System
For EOG RESOURCES, INC, sent to the Hobbs

Name (Printed/Typed) KAY MADDOX

Title REGULATORY SPECIALIST

Signature (Electronic Submission)

Date 02/24/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ****

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input checked="" type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			5. Lease Serial No. NMNM122624		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator EOG RESOURCES, INC			Contact: KAY MADDOX E-Mail: KAY_MADDOX@EOGRESOURCES.COM		
3. Address PO BOX 2267 MIDLAND, TX 79702			3a. Phone No. (include area code) Ph: 432-686-3658		
4. Location of Well (Report location clearly and in accordance with Federal requirements)* Sec 22 T25S R34E Mer NMP At surface NENW 413FNL 2529FWL 32.122125 N Lat, 103.458676 W Lon Sec 22 T25S R34E Mer NMP At top prod interval reported below NENW 354FNL 2408FWL 32.122287 N Lat, 103.458584 W Lon Sec 27 T25S R34E Mer NMP At total depth SESW 107FSL 2419FWL 32.094534 N Lat, 103.458537 W Lon			8. Lease Name and Well No. WILD WEASEL 22 FEDERAL COM 708H		
14. Date Spudded 10/25/2019			15. Date T.D. Reached 12/21/2019		
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 02/05/2020			9. API Well No. 30-025-45802		
18. Total Depth: MD 22840 TVD 12676			19. Plug Back T.D.: MD 22840 TVD 12676		
20. Depth Bridge Plug Set: MD TVD			10. Field and Pool, or Exploratory PITCHFORK RANCH; WOLFCAMP,		
21. Type Electric & Other Mechanical Logs Run (Submit copy of each)			11. Sec., T., R., M., or Block and Survey or Area Sec 22 T25S R34E Mer NMP		
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input type="checkbox"/> No <input checked="" type="checkbox"/> Yes (Submit analysis)			12. County or Parish LEA		
23. Elevations (DF, KB, RT, GL)* 3354 GL			13. State NM		

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	9.625 J55	40.0		1018		430		0	
8.750	7.625 HCP110	29.7		11966		1520		64	
6.750	5.500 ICYP110	20.0		22818		965		12115	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WOLFCAMP	12729	22840	12729 TO 22840	3.250	2100	OPEN
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
12729 TO 22840	24,863,880 LBS PROPPANT; 444,875 BBLS LOAD FLUID

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
02/05/2020	02/13/2020	24	→	3606.0	5056.0	9575.0	42.0		FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
76	SI	1097.0	→				1402	POW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #504563 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
SOLD

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
RUSTLER	861		BARREN	RUSTLER	861
T/SALT	1266		BARREN	T/SALT	1266
B/SALT	5107		OIL & GAS	B/SALT	5107
BRUSHY CANYON	8345		OIL & GAS	BRUSHY CANYON	8345
1ST BONE SPRING SAND	10401		OIL & GAS	1ST BONE SPRING SAND	10401
2ND BONE SPRING SAND	10926		OIL & GAS	2ND BONE SPRING SAND	10926
3RD BONE SPRING SAND	12016		OIL & GAS	3RD BONE SPRING SAND	12016
WOLFCAMP	12466		OIL & GAS	WOLFCAMP	12466

32. Additional remarks (include plugging procedure):
PLEASE REFERENCE ATTACHMENTS

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #504563 Verified by the BLM Well Information System.
For EOG RESOURCES, INC, sent to the Hobbs

Name (please print) KAY MADDOX Title REGULATORY SPECIALIST

Signature (Electronic Submission) Date 02/26/2020

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****