Form 3160-5

UNITED STATES	
DEPARTMENT OF THE INTERIOR	
BUREAU OF LAND MANAGEMENT	

FORM APPRO	VED
OMB NO. 1004-	0137
Expires: January 3	1, 201

BI SUNDRY I Do not use thi	PARTMENT OF THE II JREAU OF LAND MANA NOTICES AND REPO S form for proposals to I. Use form 3160-3 (API	GEMENT RTS ON WELLS drill or to re-enter an		Expires: January 31, 2018 erial No. 062949G  n, Allottee or Tribe Name
SUBMIT IN 1	RIPLICATE - Other Inst	ructions on page 2	7. If Unit	or CA/Agreement, Name and/or No
I. Type of Well  S Oil Well Gas Well Oth	er .		8. Well Na MILOR	me and No. ED HUDSON 1
2. Name of Operator LUMAN ORBRIE	Contact:	ABIGAIL ANDERSON mandassociates.com	9. API We 30-04	II No. I-10184-00-\$1
3a. Address 1352 PAGEWOOD AVENUE ODESSA, TX 79761		3b. Phone No. (1) Club cares Ph: 432 540 7761	code) 10. Field a MILNE	nd Pool or Explomiory Area SAND-SAN ANDRES
4. Location of Well (Footage, Sec., T.	, R., M., or Survey Descripted	2020	II. County	or Parish, State
Sec 23 T8S R34E NESE 2310 33.605715 N Lat, 103.428540		MAR 0 6 2020	ROOS	EVELT COUNTY, NM
12. CHECK THE AP	PROPRIATE BOX(ES)	TO PUTCATE NATUR	LE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION	)	TYI	E OF ACTION	
Subsequent Report  Subsequent Report  Final Abandonment Notice  13. Describe Proposed or Completed Ope If the proposal is to deepen directiona Attach the Bond under which the wor following completion of the involved	operations. If the operation res	at details, including estimated give subsurface locations and the Bond No. on file with BL sults in a multiple completion of	ROWALESUBJECT VERALTARQUINAGA  CLAP WAS PISHOS TO  TOTAL OF ANY PROPOSED WOR  TOTAL OF ANY PROPOSED WO	Well Integrity  Other  PENTS AND  MS  And approximate duration thereof.  of all pertinent markers and zones.  outs must be filed within 30 days a Form 3160-4 must be filed once
testing has been completed. Final Ab determined that the site is ready for final Ab determined that the site is ready f	nal inspection. rculate hole w/ MLF, Pres <del>57</del> . WOC & Tag (Yates) 57. WOC & Tag (T/Salt) 17 & circulate to surface, i	sure test csg. Spot 25 st -2735' - 2605' -2395' - 2170'	c cmt @ 4576-4476?.	completed and the operator has

(4. I hereby certify that the	e foregoing is true and correct. Electronic Submission #505338 verifie For LUMAN ORBRIE Committed to AFMSS for processing by MEI	sont t	o the Roswell	•	
Name (Printed/T):ped)	ABIGAIL ANDERSON	Title	REGULATOR	RY	
Signature	(Electronic Submission)	Date	03/03/2020		
	THIS SPACE FOR FEDERA	L OR	STATE OFFI	CE USE	
Approved By Lung	Vo 2	Title	Petroleum	Engineer	Date 3/5/2020
Conditions of approval, if ar certify that the applicant hol	by, are attached. Approval of this notice does not warrant or ds legal or equitable title to those rights in the subject lease icant to conduct operations thereon.	Office	cfc		
Title 18 U.S.C. Section 100	and Title 43 U.S.C. Section 1212, make it a crime for any pe	rson kno	wingly and willfull	ly to make to any departmen	t or agency of the United

(Instructions on page 2) \*\*\* BLM REVISED \*\* DIM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* DIM REVISED \*\* BLM REVISED \*\* DIM REVISED \*\* BLM REVISED \*\* BLM REVISED \*\* DIM REVISED \*\* BLM REV

Obrie Lu	man		
Author:	Abby-BCM & Associates, Inc		
Well Name	Mildred Hudson	Well No.	Ø1
Pool:	Milnecond	API#:	30-041-10184
County	Roosevelt	Location:	Unit I, 2310' FSL & 860' FEL
State	NM	_	Sec 23, T8S, R34E
Spud Date	12/26/1982	Formation:	San Andres
GL	4248'	_	

Description	<u>၂ပ.D.</u>	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	8 5/8		32#	333	9 1/2	250	0
Prod Csg	ž 1/2	J55	9.5	4,708	7 7/8	402	1646+/-

loc					
		With the state of	8 5/8 32# Hole Size:	CSG @ 9 1/2	333
TOC @ 1646' +/.		Perts @	4626 - 4 4 < "	<b>6</b> 541	
	то@ 4712		4, 5 11 5/12 9.5 Hole Size:	CSG @ 7 7/8	4,708

33.60572 -103.42853

Obrie Lu	man		
Author:	Abby-BCM & Associates, inc		
Well Name	Mildred Hudson	Woll No.	<b>#1</b>
Pool:	bnesenilità	API #:	30-041-10184
County	Roquevelt	Location:	Unit I, 2310" FSL & 660" FEL
State	NM		Soc 23, T85, R34E
Spud Date	12/26/1962	Pormation:	Sen Andres
GL.	4248		

Description	ب.Β.	Grade	Weight	Depth	Hole	Cmt Sx	TOC
Surface Csg	6 6/8		32#	333	9 1/2	250	0
Prod Csg	3/12	J55	9.5	4,708	7 7/8	402	1646+/-
	41/2						



HE WAS TO STATE OF THE STATE OF

Partition in Lynns

8 5/8 32# CSG @ 333 Holo Size: 9 1/2

4. Perf & Sqz 36 sx cmt @ 383' & circulate to surface.

100 @ 1646' +/∙

- 3. Spot 25 sx cmt @ 2285-2485'、WOC & Tag (T/Salt) るよ95'-よ170'
- 2. Spot 25 sx cmt @ <del>2705-2805'</del>. WOC & Tag (Yates)
  2735'-2605' (Yates @ 2655')
- 1. Set 5 1/2" CIBP @ 4576'. Circulate hole w/ MLF. Pressure test csg. Spot 25 sx cmt @ 4576-4476'.

Peris @ 4626-4854

4 12 1 CSG @ 4.708 Holo Size: 7 7/8

TD @ 4712'

#### BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification</u>: Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-393-3612.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of brine water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

11.1

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



### United States Department of the Interior

**BUREAU OF LAND MANAGEMENT** 

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.bim.gov/nm



In Reply Refer To: 1310

#### Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored.

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its predisturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any and all contaminants, scrap/trash, equipment, pipelines and powerlines. Strip and remove caliche, contour the location to blend with the surrounding landscape, redistribute the native soils, provide erosion control as needed, rip and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of
  Operations must include adequate measures for stabilization and reclamation of disturbed lands.
  Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD
  process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation

equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos Supervisory Petroleum Engineering Tech 575-234-5909, 575-361-2648 (Cell)

Arthur Arins
Environmental Protection Specialist
575-234-6230

Henryetta Price Environmental Protection Specialist 575-234-5951

Shelly Tucker
Environmental Protection Specialist
575-234-5979

Trishia Bad Bear, Hobbs Field Station Natural Resource Specialist 575-393-3612

## Revisions to Operator-Submitted EC Data for Sundry Notice #505338

**Operator Submitted** 

**BLM Revised (AFMSS)** 

Sundry Type:

ABD NOI

ABD NOI

Lease:

NMLC062949G

NMLC062949G

Agreement:

Operator:

ORBRIE LUMAN 1352 PAGEWOOD AVE ODESSA, TX 79761 Ph: 432-664-4671

**LUMAN ORBRIE** 

E-Meil: abbym@bcmandassociates.com

ABIGAIL ANDERSON REGULATORY E-Mail: abbym@bcmandassociates.com

1352 PAGEWOOD AVENUE ODESSA, TX 79761 Ph: 432-664-4671

ABIGAIL ANDERSON REGULATORY

Admin Contact:

ABIGAIL ANDERSON REGULATORY

E-Mail: abbym@bcmandassociates.com

Ph: 432-580-7161

Ph: 432-580-7161

**Tech Contact:** 

ABIGAIL ANDERSON REGULATORY E-Mail: abbym@bcmandassociates.com

Ph: 432-580-7161

Ph: 432-580-7161

Location: State:

County:

NM ROOSEVELT

NM ROOSEVELT

Field/Pool:

MILNESAND SAN ANDRES

MILNESAND-SAN ANDRES

Well/Facility:

MILDRED HUDSON 1 Sec 23 T8S R34E ODES 231FSL 660FEL 33.605720 N Lat, 103.428530 W Lon

MILDRED HUDSON 1

Sec 23 T8S R34E NESE 2310FSL 660FEL 33.605715 N Lat, 103.428540 W Lon