

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised July 18, 2013

| | | |
|---|--|---|
| SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) | | WELL API NO. 30-025-26192 |
| 1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other <input type="checkbox"/> OCD - HOBBS | | 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 2. Name of Operator MATADOR PRODUCTION COMPANY | | 6. State Oil & Gas Lease No. L-2949 |
| 3. Address of Operator 5400 LBJ FREEWAY, STE 1500, DALLAS, TX 75240 | | 7. Lease Name or Unit Agreement Name PIPELINE 16 STATE |
| 4. Well Location Unit Letter <u>G</u> : 1980 feet from the <u>NORTH</u> line and 1980 feet from the <u>EAST</u> line Section <u>16</u> Township <u>19S</u> Range <u>34E</u> NMPM County <u>LEA</u> | | 8. Well Number 001 |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3791' GR | | 9. OGRID Number 228937 |
| | | 10. Pool name or Wildcat Quail Ridge; Bone Spring |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO: | | SUBSEQUENT REPORT OF: | |
|---|--|--|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input checked="" type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/> | ALTERING CASING <input type="checkbox"/> |
| TEMPORARILY ABANDON <input type="checkbox"/> | CHANGE PLANS <input type="checkbox"/> | COMMENCE DRILLING OPNS. <input type="checkbox"/> | P AND A <input type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/> | MULTIPLE COMPL <input type="checkbox"/> | CASING/CEMENT JOB <input type="checkbox"/> | |
| DOWNHOLE COMMINGLE <input type="checkbox"/> | | | |
| CLOSED-LOOP SYSTEM <input type="checkbox"/> | | | |
| OTHER: <u>P & A</u> <input checked="" type="checkbox"/> | | OTHER: <input type="checkbox"/> | |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Contact NMOCD 24 Hours Prior to Operations
2. Safety Mtg. MIRU, Kill Well, ND WH, NU BOPs, Unseat Packer and TOOH Tubing
3. Set CIBP @ 9,450' and spot 100' of CI 'H' cmt, WOC, and tag
4. Spot 100' of CI 'H' cmt @ 9,200' (TOC), WOC, and tag
5. Perf @ 8,063' and squeeze 100' of CI 'H' cmt, WOC, and tag
6. Perf @ 5,237' and squeeze 100' of CI 'C' cmt, WOC, and tag
7. Spot 100' of CI 'C' cmt @ 3,413' (TOC), WOC, and tag
8. Spot 100' of CI 'C' cmt @ 3,130' (TOC), WOC, and tag
9. Spot 250' of CI 'C' cmt @ 1,747' (TOC), WOC, and tag
10. Spot 100' of CI 'C' cmt @ 451' (TOC), WOC, and tag
11. Verify/Observe casing and annulus filled w/cmt
12. RDMO
13. Cut off wellhead and install above ground marker per NMOCD specifications

*Mud laden fluid mixed at 25sx/100 bbls of water will be spotted between each plug

Spud Date: 01/27/1979

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ava Monroe TITLE Sr. Regulatory Analyst DATE 03/27/20


Type or print name Ava Monroe E-mail address: amonroe@matadorresources.com PHONE: 972-371-5218

For State Use Only

APPROVED BY: Kerry Juth TITLE CO DATE 4-3-20
Conditions of Approval (if any)

Current WBD: 3/26/2020

Spudded: 1/27/1979



P&A Proposal 3/26/2020

Spudded: 1/27/1979

