

Submit 1 Copy To Appropriate District Office
District I - (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II - (575) 748-1283
811 S. First St., Artesia, NM 88210
District III - (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV - (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-24332
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other Injection Well		5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
2. Name of Operator Chevron USA INC		6. State Oil & Gas Lease No.
3. Address of Operator 6301 DEAUVILLE BLVD., MIDLAND, TX 79706		7. Lease Name or Unit Agreement Name Vacuum Grayburg San Andres Unit
4. Well Location Unit Letter <u>M</u> :220 feet from the <u>South</u> line and <u>100</u> feet from the <u>West</u> line Section <u>23</u> Township <u>18S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number: 4
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 4006' GL		9. OGRD Number 4323
		10. Pool name or Wildcat Vacuum Grayburg San Andres

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:
REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☒
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: TEMPORARILY ABANDON ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Chevron USA INC re-abandoned the subject well as follows:

7/13/2020: Nipple down wellhead, NU BOP stack. PU 16 jts of tubing and tag RBP @ 505' and release RBP. L/D tubing and RBP. RDMO Rig.

7/17/2020: MIRU CTU and Cementing Eq. Test BOP. RIH with Ct Tagged packer at 4401'. Pressure tested to 1000 PSI bled to 800 PSI in 2 min's. Passed Bubble Test. Pumped 22 BBLS of MLF. Placed 65 SKS of Class C Cement From 4401' to 3775'. POOH to 3328'. Placed 110 SKS of Class C Cement From 3328' to 2269'. POOH. M/U TCP Gun RIH, Shot Perfs at 1847'. Est an Injection Rate of 1 BPM at 750 PSI. Placed 70 SKS of Class C Cement + 2% C.C. From 1847' to 1332' POOH Disp TOC to 1587' with 6.2 BBLS. WOC. M/U TCP Gun RIH, Shot Perfs at 972'. Attempt an Injection Rate Pressured up to 1000 PSI and held. RIH Tagged TOC at 1536'. Placed 175 SKS of Class C Cement From 1536' to Surface with good cement returns at surface. RDMO CTU.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ricky Villanueva TITLE Well Abandonment Engineer, Attorney-in-Fact DATE 7/22/2020

Type or print name Ricky Villanueva PHONE: 432-352-5440

For State Use Only

APPROVED BY: Kerry Tate TITLE CD DATE 8-27-20
Conditions of Approval (if any):