

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

**CONSERVATION DIVISION**  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

WELL API NO.

5. Indicate Type of Lease  
STATE  FEE

6. State Oil & Gas Lease No.

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

7. Lease Name or Unit Agreement Name

30-025-35705

1. Type of Well:  
OIL WELL  GAS WELL  OTHER  Brine Well

Brine Well

2. Name of Operator  
McCasland Services, Inc.

8. Well No.

1

3. Address of Operator  
PO Box 99 Eunice, NM 88231

9. Pool name or Wildcat

4. Well Location  
Unit Letter J : Feet From The NW/4 Line and Feet From The SE/4 Line  
Section 34 Township 21S Range 37E NMPM Lea County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

**NOTICE OF INTENTION TO:**

**SUBSEQUENT REPORT OF:**

- |  |   |   |  |
|--|---|---|--|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | PLUG AND ABANDON <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>              | ALTERING CASING <input type="checkbox"/>                 |
| TEMPORARILY ABANDON <input type="checkbox"/>   | CHANGE PLANS <input type="checkbox"/>     | COMMENCE DRILLING OPNS. <input type="checkbox"/>    | PLUG AND ABANDONMENT <input checked="" type="checkbox"/> |
| PULL OR ALTER CASING <input type="checkbox"/>  |   | CASING TEST AND CEMENT JOB <input type="checkbox"/> |  |
| OTHER: <input type="checkbox"/>                |   | OTHER: <input type="checkbox"/>                     |  |

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

- 1) M.I.R.U. P.U., Nipple down well head, Install B.O.P. Tbg. stuck.
- 2) R.U. Rotary Wireline, R.I.H. w/ free point, Tbg. free to 1200', could not go below 1202'.
- 3) P.O.O.H.w/ 1232' Tbg. R.I.H. w/ bit, Could not get below 1200'.
- 4) R.I.H. w/ C.I.B.P. set @ 1190'. Dump 10' cement on to C.I.B.P., R.I.H. w/ retrievable pkr, test bridge plug, test casing : casing bad from 512' - 30'. Decided to plug well.
- 5) R.I.H. open ended, tag cement on top of C.I.B.P. @ 1180', pump 112 sks class C cement. P.O.O.H. W.O.C. 5 Hr. R.I.H. Tag top of cement @ 515'. Mix 87 sks. class C cement. P.
- 6) R.I.H. Tag cement @ 45'. Mix 7 sks cement. Fill csg. to surface. Cut well head off. Install dry hole marker & cap.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ray D. Ramsey TITLE Company Rep. DATE 2/23/94

TYPE OR PRINT NAME Ray D. Ramsey TELEPHONE NO.

(This space for State Use)

APPROVED BY Mary W. Wink TITLE FIELD REP II DATE 8/29/2000

CONDITIONS OF APPROVAL, IF ANY:



2000-01-01 18

