

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88211
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

RECEIVED
OCT 07 2010
HOBSOCD

CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-025-34223 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> ✓
6. State Oil & Gas Lease No. E05667
7. Lease Name or Unit Agreement Name North Anderson Ranch 33 ✓
8. Well Number 5 ✓
9. OGRID Number 6137 ✓
10. Pool name or Wildcat Anderson Ranch Wolfcamp, N ✓

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well Gas Well Other

2. Name of Operator
Devon Energy Production Company, LP ✓

3. Address of Operator
20 North Broadway, Oklahoma City, OK 73102 405.552.4615

4. Well Location
Unit Letter L : 1980 feet from the South line and 660 feet from the East line
Section 33 Township 15S Range 32E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
GL - 4311'

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

<p>NOTICE OF INTENTION TO:</p> <p>PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input checked="" type="checkbox"/></p> <p>TEMPORARILY ABANDON <input type="checkbox"/> CHANGE PLANS <input type="checkbox"/></p> <p>PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/></p> <p>DOWNHOLE COMMINGLE <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>		<p>SUBSEQUENT REPORT OF:</p> <p>REMEDIAL WORK <input type="checkbox"/> ALTERING CASING <input type="checkbox"/></p> <p>COMMENCE DRILLING OPNS. <input type="checkbox"/> P AND A <input type="checkbox"/></p> <p>CASING/CEMENT JOB <input type="checkbox"/></p> <p>OTHER: <input type="checkbox"/></p>	
---	--	--	--

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Proposed Plug & Abandonment

- MIRU. POOH w/ tbg. Circulate hole w/ 9.5# mud.
- Spot 25 sx cmt from 7495-7745'. (Top of Abo @ 7620')
- Pull csg stretch on 5 1/2" csg to determine free point. (Estimated TOC @ 6908'). Cut & recover as much csg as possible.
- Spot 50 sx cmt 150' above csg stub - 150' below csg stub ← WOC-TAG
- Spot 50 sx cmt from 5596-5796'. (Top of Glorietta @ 5696')
- Spot 75 sx cmt from 4007-4307'. (Intermediate csg shoe @ 4157') ← WOC - Tag
- Spot 55 sx cmt from 2436-2636'. (Top of Yates @ 2536')
- Spot 55 sx cmt from 1358-1558'. (Top of Salado (salt section) @ 1458')
- Spot 130 sx cmt from 0'-500'.
- Cut csg strings off 3' BGL. Set dry hole marker. RDMO.

Spud Date:

Rig Release Date:

The Oil Conservation Division **Must be notified 24 hours prior** to the beginning of plugging operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Brad Crowdis TITLE ENGINEER DATE 10/5/10

Type or print name BRAD CROWDIS E-mail address: brad.crowdis@dmr.com PHONE: 405-228-8772
For State Use Only

APPROVED BY: [Signature] TITLE STAFF MGR DATE 10-7-10
Conditions of Approval (if any):

OK

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: North Anderson Ranch Unit 33 #5		Field: North Anderson North	
Location: Sec. 33, T15S, R32E, 1980' FSL, 660' FEL		County: Lea	State: NM
Elevation: G.L.- 4311'		Spud Date: 1/8/1998	Compl Date: 3/12/1998
API#: 30-025-34223	Prepared by: Seyi Harris	Date: 02/05/05	Rev: Brad Crowdis Date: 09/27/10

PROPOSED CURRENT

17-1/2" hole
13-3/8", 48# H40 @ 418.75'
 Cmt'd w/ 365 sx PBCZ, 200 sx neat
 Circ 10 sx


11" hole
8-5/8", 32# J55 @ 4157.31'
 Cmt'd w/ 1800 sx cl C, 320 sx Premium
 Circ 318 sx

Estimated (calculated) TOC @ 6908'

Mar 98 Perforate @ 9966' - 9988', 2JSPF 44 holes
 Acidize w/ 2500 gal NEFE anti-sludge acid w/ 20 BS

Perf Wolfcamp @ 9845'-52' (16 holes), 9861'-78'
 (18 holes), 9883'-9904' (22 holes), 9909'-18' (10 holes)
 , 9927'-29' (6 holes), all 2 JSPF 72 holes total
 Acidize w/ 5000 gal 15% NEFE HCl w/ anti-sludge
 w/ 144 ball sealers

7-3/4" Hole
5-1/2", 17# N80 @ 10642'
 Cmt'd w/ 145 sx Interfill H, 522 sx Super mod H



P&A Marker
 Csg strings cut 3' BGL
 Surface plug 0-500' (130 sx)

Cmt plug 1358-1558' (55 sx)
 Top of Salado (Salt Section) - 1458'

Cmt plug 2436-2636' (55 sx)
 Top of Yates - 2536'

Cmt plug 4007-4307' (75 sx)
 Intermediate csg shoe @ 4157'

Cmt plug 5596-5796' (50 sx)
 Top of Glorieta - 5696'

Pull csg stretch on 5 1/2" csg to determine free point. Cut & recover as much csg as possible.
 Cmt stub plug 6750-7050' (50 sx)

Cmt plug 7495-7745' (25 sx)
 Top of Abo - 7620'

CIBP @ 9760 w/ 35' cmt

Wolfcamp Perfs @ 9845 - 9929', 2 JSPF 72 holes

Perfs @ 9966' - 9988', 2JSPF 44 holes

TD: 10655'

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: North Anderson Ranch Unit 33 #5		Field: North Anderson North	
Location: Sec. 33, T15S, R32E, 1980' FSL, 660' FEL		County: Lea	State: NM
Elevation. G.L.- 4311'		Spud Date: 1/8/1998	Compl Date: 3/12/1998
API#: 30-025-34223	Prepared by: Seyi Harris	Date: 02/05/05	Rev: Brad Crowdis Date: 09/27/10

PROPOSED CURRENT

17-1/2" hole
13-3/8", 48# H40 @ 418.75'
 Cmt'd w/ 365 sx PBCZ, 200 sx neat
 Circ 10 sx


11" hole
8-5/8", 32# J55 @ 4157.31'
 Cmt'd w/ 1800 sx cl C, 320 sx Premium
 Circ 318 sx

Estimated (calculated) TOC @ 6908'

Mar 98 Perforate @ 9966' - 9988', 2JSPF 44 holes
 Acidize w/ 2500 gal NEFE anti-sludge acid w/ 20 BS

Perf Wolfcamp @ 9845'-52' (16 holes), 9861'-78'
 (18 holes), 9883'-9904' (22 holes), 9909'-18' (10 holes)
 , 9927'-29' (6 holes), all 2 JSPF 72 holes total
 Acidize w/ 5000 gal 15% NEFE HCl w/ anti-sludge
 w/ 144 ball sealers

7-3/4" Hole
5-1/2", 17# N80 @ 10642'
 Cmt'd w/ 145 sx Interfill H, 522 sx Super mod H



286' of bad csg - 5020-5306'

286 jts 2 7/8" tbg

CIBP @ 9760 w/ 35' cmt

Wolfcamp Perfs @ 9845 - 9929', 2 JSPF 72 holes

Perfs @ 9966' - 9988', 2JSPF 44 holes

TD: 10655'