



COPY TO O. C. C.

HOBBS

Budget Bureau 42-R358.2
Approval expires 12-31-52.

(SUBMIT IN TRIPLICATE)

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

RECEIVED
NOV 1 1953

OIL CONSERVATION COMMISSION
HOBBS OFFICE

Land Office **Las Cruces**
Lease No. **0-6777**
Unit **C**

RECEIVED
NOV 18 1953
U.S. GEOLOGICAL SURVEY
HOBBS, NEW MEXICO

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Federal Mills

November 18

1953

Well No. **1** is located **660** ft. from **N** line and **1980** ft. from **W** line of sec. **21**

N.E. & N.W. & Sec. 11
($\frac{1}{4}$ Sec. and Sec. No.)

95
(Twp.)

36E
(Range)

N.M.P.M.
(Meridian)

Wildcat
(Field)

Lee
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is **not** surveyed. Will be supplied later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Plan to drill to the so-called **rough limestone approx. depth 9600'**.

Casing Program:

13 3/8 O.D. Spiral Weld 36# - 300' or sufficient to case off fresh water sand and cement to surface.

9 5/8 H-40 and J-55 28 and 32# casing 4600' cement with 500 sacks or to surface.

5 1/2 to T.D. 17 and 20# cement with 500 sacks.

If no porosity encountered in rough limestone, will drill to Devonian line approximate depth **12,500'**. Drilling contractor, **Milham Drilling Co.**

Using **Bethlehem 450 Rig** with **3 L.E.O. Engines** with **250 and 350 H.P. Pump** with **129' L.C. Moore Jack-knife Derrick.**

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **Marathon Petroleum Corp. Oil Division**

Address **Drawer #**

Seminole, Texas

By **A. H. Lamm**

Title **Supt.**