

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

OIL CONSERVATION DIVISION

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO. 30-025-29500 ✓
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. LG 4770
7. Lease Name or Unit Agreement Name Internorth ADG State
8. Well No. 1
9. Pool name or Wildcat Undes. Abo
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4142.3' GR

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER RECOMPLETION	2. Name of Operator YATES PETROLEUM CORPORATION
3. Address of Operator 105 South 4th St., Artesia, NM 88210	4. Well Location Unit Letter A : 660 Feet From The North Line and 660 Feet From The East Line Section 25 Township 11S Range 34E NMPM Lea County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 4142.3' GR	

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: Perforate Abo & Treat ☒

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3-7-93. Move on well. Pulled rods and tubing. WIH with on/off tool. Unable to latch on to RBP. POH. Set RBP below Abo interval at 9900'. Spotted 250 gals 20% NEFE acid and tallied out of hole. WIH with perforating gun. Perforated 9161-9165' w/10 (2 SPF) .42" holes. Treated perforations 9161-65' w/500g. 20% NEFE acid. Swab tested well. WIH and perforated 9117-9139' w/18 (2 SPF) - .42" holes as follows: 9117, 18, 21, 22, 30, 31, 37, 38 and 9139'. Straddled perforations 9117-9139' and acidized w/2500g. 20% NEFE acid. Swabbed well. POH with RBP and packer. RIH with anchor on tubing.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Juanita Goodlett TITLE Production Supervisor DATE 3-30-93
TYPE OR PRINT NAME Juanita Goodlett TELEPHONE NO. 505/748-1471

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE APR 02 1993
CONDITIONS OF APPROVAL, IF ANY: