

COUNTY ROOSEVELT FIELD Todd-SA STATE NM
 OPR TEXACO INC. MAP
 5 State of New Mexico "C"
 Sec. 35, T-7-S, R-35-E CO-ORD
 1980' FSL, 660' FEL of Sec. MX 10597
 Spd 8-6-66 CLASS E
 Cmp 9-21-66

CSG & SX - TUBING	FORMATION			
	FORMATION	DATUM	FORMATION	DATUM
7 5/8" 337' 250				
4 1/2" 4350' 500				

LOGS EL GR RA IND HC A
 TD 4350', PBD 4317'
 IP San Andres Perf 4286' Pmpd 1 BOPD + 10 BW. Pot. Based on
 24 hr test, gravity 26., GOR 650.

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. PROP DEPTH 4350' TYPE
 DATE

F.R. 6-23-66
 PD 4350' - SA
 8-8-66 Drlg. 2740'.
 8-15-66 Drlg. 4222'.
 8-22-66 TD 4350', prep perf.
 8-29-66 TD 4350', PBD 4317', swbg.
 Perf 4286-94', 4301-09' W/1 SPF
 Acid (4286-4309') 500 gals 15%
 Swbd 61 BLO, 11 BNO, 12 BLW + 29 BFW/10 hrs.
 Swbd 11 BO + 250 BW/20 hrs.
 Vis-squeezed perfs 4286-4309' W/100 sx.
 Swbd 7 BLO + 16 BFW/20 hrs.
 9-6-66 TD 4350', PBD 4317', swbg.
 Acid (4286-4309') 1000 gals Emulsion Breaker.
 Swbd 63 BLO/5 hrs.
 Acid (4286-4309') 500 gals 15%
 Swbd 25 BLO, 12 BLW + 145 BFW/10 hrs.

9-6-66 Cont.
Squeezed perfs 4286-4309' W/300 sx.
Drid out to 4295'
Notched Casing @ 4286'
Acid (4286') 250 gals 15% BDA
Swbd 23 BLW + 36 BFW/15 hrs, w/sli show
Oil & Gas.

9-12-66 TD 4350', PBD 4317', prep to test on pump.
Swbd 2 BNO + 23 BFW/11 hrs.

9-19-66 TD 4350', PBD 4317', tstg on pump.
Pmpd 2 BO + 18 BFW/48 hrs.

9-26-66 TD 4350', PBD 4317', COMPLETE.
LOG TOPS: Yates 2380', San Andres 3522',
Slaughter 4037'.