

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

30-025-28385

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
B-9385

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name -
2. Name of Operator TEXACO Inc.	8. Farm or Lease Name New Mexico 'AN' State
3. Address of Operator P O Box 728, Hobbs, New Mexico 88240	9. Well No. 12
4. Location of Well UNIT LETTER <u>G</u> <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>2303</u> FEET FROM THE <u>East</u> LINE, SECTION <u>22</u> TOWNSHIP <u>14-S</u> RANGE <u>33-E</u> NMPM.	10. Field and Pool, or Wildcat Saunders Permo Upper
15. Elevation (Show whether DF, RT, GR, etc.) 4208' (GR)	12. County Lea

10. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	Perforate and Treat <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TOTAL DEPTH 10,009'
PLUG BACK TOTAL DEPTH 10,000'
13 3/8" OD 54.5# K-55 CSG SET @ 525'
8 5/8" OD 24# & 32# K-55 CSG SET @ 4200'
5 1/2" OD 17# J-55 CSG SET @ 10,009'

1. Perforate 5 1/2" Csg W/1-JSPF from 9791,-9833', 9882'-9890', & 9928'-9944'.
2. Set Pkr @ 9730'. Acidize perms 9791'-9944' W/6000 Gals 15% NE Acid in 2-Stages using 150# Rock Salt between stages, and 100 Ball Sealers.
3. Install pumping equipment. Potential test and place on production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Asst. Dist. Mgr. DATE 11-14-83

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE NOV 17 1983

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

30-025-28385

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-9385	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator	8. Farm or Lease Name
TEXACO Inc.	New Mexico 'AN' State
3. Address of Operator	9. Well No.
P O Box 728, Hobbs, New Mexico 88240	12
4. Location of Well	10. Field and Pool, or Wildcat
UNIT LETTER G, 1980 FEET FROM THE North LINE AND 2303 FEET FROM THE East LINE, SECTION 22 TOWNSHIP 14-S RANGE 33-E N.M.P.M.	Saunders Permo Upper
15. Elevation (Show whether DF, RT, CR, etc.)	12. County
4208' (GR)	Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TOTAL DEPTH 10,009'
 13 3/8" OD 54.5# K-55 CSG SET @ 525'
 8 5/8" OD 24# & 32# K-55 CSG SET @ 4200'

- RAN 9993' (235 JTS) 5 1/2" OD 17# J-55 & N-80 CASING AND SET @ 10,009'.
- CEMENTED 1ST STAGE W/750 SX LW CEMENT CONTAINING 5# GILSONITE, 1/4# FLOCLELE AND .6% HALID 9 PER SACK. FOLLOWED W/200 SX 50-50 POZMIX-CLASS H CEMENT CONTAINING 5# GILSONITE, 1/4# FLOCELE AND .8% HALID PER SACK.
- WITH DV TOOL OPEN @ 6975' CEMENTED 2ND STAGE W/1200 SX LW CEMENT CONTAINING 5# GILSONITE AND 1/4# FLOCELE PER SACK. CEMENT CIRCULATED. JOB COMPLETE 9:30 PM, 10-24-83. WOC IN EXCESS OF 18 HRS.
- TESTED 5 1/2" CASING TO 2000# FOR 30 MINUTES, 10:30 - 11:00 AM, 10-29-83. TESTED OK. JOB COMPLETE 11:00 AM, 10-29-83.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Asst. Dist. Mgr. DATE 11-9-83

**ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR**

APPROVED BY _____ TITLE _____ DATE NOV 14 1983

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

NOV 10 1983

O.C.D.
HOBBS OFFICE

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

30-025-28385

5a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
B-9385

SUNDRY NOTICES AND REPORTS ON WELLS

DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name -
2. Name of Operator TEXACO Inc.	8. Farm or Lease Name New Mexico 'AN' State
3. Address of Operator P O Box 728, Hobbs, New Mexico 88240	9. Well No. 12
4. Location of Well UNIT LETTER <u>G</u> , <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>2303</u> FEET FROM THE <u>East</u> LINE, SECTION <u>22</u> TOWNSHIP <u>14-S</u> RANGE <u>33-E</u> N.M.P.M.	10. Field and Pool, or Wildcat Saunders Permo Upper
15. Elevation (Show whether DF, RT, GR, etc.) 4208' (GR)	12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TOTAL DEPTH 4200'
13 3/8" OD 54.5# K-55 CSG SET @ 525'

1. RAN 4085' (92 JTS) 8 5/8" OD 24# & 32# K-55 CSG AND SET @ 4200'.
2. CEMENTED W/1800 SX. HLW CEMENT CONTAINING 15# SALT AND 1/4# FLOCELE PER SACK. FOLLOWED W/200 SX. CLASS H CEMENT CONTAINING 1/4# FLOCELE PER SACK. CEMENT CIRCULATED. JOB COMPLETE 4:00 AM, 10-7-83. WOC IN EXCESS OF 18 HRS.
3. TESTED 8 5/8" CASING TO 800# FOR 30 MINUTES, 9:45-10:00 PM, 10-8-83. TESTED OK. JOB COMPLETE 10:00 PM, 10-8-83.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Jerry Sexton TITLE Asst. Dist. Mgr. DATE 10-25-83

ORIGINAL SIGNED BY JERRY SEXTON
DISTRICT I SUPERVISOR

APPROVED BY _____ TITLE _____ DATE OCT 27 1983

CONDITIONS OF APPROVAL, IF ANY:

OCT 26 1983
G. C. B. J.
HOBBS OFFICE

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

30-025-28385

3a. Indicate Type of Lease
State Fee

5. State Oil & Gas Lease No.
B-9385

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name -
2. Name of Operator TEXACO Inc.	8. Farm or Lease Name New Mexico 'AN' State
3. Address of Operator P O Box 728, Hobbs, New Mexico 88240	9. Well No. 12
4. Location of Well UNIT LETTER <u>G</u> , <u>1980</u> FEET FROM THE <u>North</u> LINE AND <u>2303</u> FEET FROM THE <u>East</u> LINE, SECTION <u>22</u> TOWNSHIP <u>14-S</u> RANGE <u>33-E</u> N.M.P.M.	10. Field and Pool, or Wildcat Saunders Permo Upper
15. Elevation (Show whether DF, RT, GR, etc.) 4208' (GR)	12. County Lea

10. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

SPUD 17 1/2" HOLE @ 8:30 AM, 9-28-83
TOTAL DEPTH 525'

1. RAN 510' (14 JTS) 13 3/8" OD 54.5# K-55 CASING AND SET @ 525'.
2. CEMENT W/ 650 SX CLASS H CEMENT CONTAINING 2% CACL. CEMENT CIRCULATED. JOB COMPLETE 8:45 PM, 9-28-83. WOC IN EXCESS OF 18 HRS.
3. TESTED 13 3/8" CASING TO 600# FOR 30 NMINUTES, 8:15 - 8:45 P. M., 9-29-83. TESTED OK. JOB COMPLETE 8:45 P.M., 9-29-83.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Asst. Dist. Mgr. DATE 10-5-83

ORIGINAL SIGNED BY

APPROVED BY JERRY SEXTON TITLE DISTRICT SUPERVISOR DATE OCT 11 1983

CONDITIONS OF APPROVAL, IF ANY:

RECEIVED
OCT 6 1982
C.C.D.
HOBBS OFFICE