


N.



AREA 640 ACRES
LOCATE WELL CORRECTLY

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

RECEIVED
SEP 11 1953
OIL CONSERVATION COMMISSION
HOBBS OFFICE

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

The Ohio Oil Company
(Company or Operator)

J. M. Denton
(Lease)

Well No. 10, in NW ¼ of SW ¼, of Sec. 11, T. 15 S, R. 37 E, NMPM.

Pool, Denton-Wolfcamp Pool, Lea County.

Well is 2080 feet from South line and 890 feet from West line

of Section 11-15-37. If State Land the Oil and Gas Lease No. is _____

Drilling Commenced March 14, 1953 Drilling was Completed May 21, 1953

Name of Drilling Contractor Company tools, rig #4

Address Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head _____ The information given is to be kept confidential until _____, 19_____

OIL SANDS OR ZONES

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
1 3-3/8	48	new	382'	Baker Guide Shoe			
9-5/8	40	new	4772'	Baker Float Collar Shoe			
5-1/2	17	new	9366'				
tbgs. 2-3/8	4.7	new	9225'				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/2	13-3/8	399	400	HOWCO		
12 1/2	9-5/8	4751	2000	"		
7-7/8	5-1/2	9382	170	"		
tbgs. 2-3/8		9195'				

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 5-1/2" casing from 9318-9370; 9155-9235; 9155-9220; 9155-9200.

Acidized w/1000 gals. acid from 9155 to 9200.

Result of Production Stimulation on flowing test well died and would not flow. Installed pump.

Depth Cleaned Out _____

[Handwritten mark]

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from surface feet to 9438 T.D. feet, and from _____ feet to _____ feet.
 Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

on Pump
 Put to Producing August 19, 19 53
 OIL WELL: The production during the first 24 hours was 185.6 barrels of liquid of which 151.56 % was oil; _____ % was emulsion; 34 bbl. xx % water; and _____ % was sediment. A.P.I. Gravity 42 @ 60
 GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of liquid Hydrocarbon. Shut in Pressure _____ lbs.
 Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

- | | | |
|--------------------|-------------------------|----------------------------|
| T. Anhy..... | T. Devonian..... | T. Ojo Alamo..... |
| T. Salt..... | T. Silurian..... | T. Kirtland-Fruitland..... |
| B. Salt..... | T. Montoya..... | T. Farmington..... |
| T. Yates..... | T. Simpson..... | T. Pictured Cliffs..... |
| T. 7 Rivers..... | T. McKee..... | T. Menefee..... |
| T. Queen..... | T. Ellenburger..... | T. Point Lookout..... |
| T. Grayburg..... | T. Gr. Wash..... | T. Mancos..... |
| T. San Andres..... | T. Granite..... | T. Dakota..... |
| T. Glorieta..... | T. <u>Wolfcamp 9115</u> | T. Morrison..... |
| T. Drinkard..... | T. | T. Penn..... |
| T. Tubbs..... | T. | T. |
| T. Abo..... | T. | T. |
| T. Penn..... | T. | T. |
| T. Miss..... | T. | T. |

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1155	1155	Red Beds, Sand Shale surface gravel & Caliche				
1155	2482	1327	Red Beds, Lime, Lime Shells				
2482	3241	759	Salt, Red Beds, Lime & Anhy.				
3241	4304	1063	Gyp, Anhyd. Lime				
4304	4584	280	Lime, Anhydrite.				
4584	7557	2973	Lime				
7557	9438	1881	Lime, Dolomite.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Hobbs, New Mexico Sept. 10, 1953
(Date)

Company or Operator The Ohio Oil Company
 Name A. H. Brown

Address Box 2107, Hobbs, New Mexico
 Position or Title Superintendent