

NUMBER OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
TRANSPORTER	OIL
	GAS
PRODUCTION OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

4-OCC
1-File

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER) Open Addl. pay	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

2-10-65
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Tidewater Oil Company
(Company or Operator)

B. E. Shipp
Lessee

Well No. **1** in **G** (Unit)

By **SE** 1/4 **NE** 1/4 of Sec. **32**, T. **16 S.**, R. **37 E.**, NMPM., **Lovington Paddock** Pool

Los County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Well is presently producing from the Paddock formation thru perforations 6185-6247', and is currently pumping approximately 33 BOPD. It is proposed to open additional Paddock pay as follows:

Pull rods and tubing. Run gauge ring, then perforate 5 1/2" casing with two 3/8" holes each at 6291, 6296, 6304 and 6380'. Run 3 1/2" frac tubing with treating packer. Spot acid across new perforations. Pick up and set packer at approx. 6280'. Acidize new perforations w/1000 gals. acid and attempt to ball out. Acid-frac w/10,000 gals. gelled acid with 1 1/2 sand per gal and follow with 3000 gal acid. Swab and test. Kill well, pull 3 1/2" tubing. Run 2-3/8" tubing, rods and pump.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

Tidewater Oil Company

Original Signed By

By..... **C. L. WADE**

Position..... **Area Supt.**

Send Communications regarding well to:

Name..... **C. L. Wade**

Address..... **Box 249, Hobbs, New Mexico**