

COUNTY	LEA	FIELD	Maljamar	STATE	NM
OPR	CONTINENTAL OIL CO.				MAP
	WI-242 MCA Unit				
	Sec. 19, T-17-S, R-32-E				CO-ORD
	2565' ESL, 25' FWL of Sec.				30-025-22247
	Spd 10-11-67				
	Cmp 11-26-67				
		CLASS		EL	
	FORMATION	DATUM	FORMATION	DATUM	
CSG & SX - TUBING					
7 5/8" 650' 30					
4 1/2" 3945' 250					
LOGS EL GR RA IND HC A					
	TD 3945'				

Grayburg-SA Perfs 3544-3935' - WATER INJECTION WELL

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Roy Smith	PROP DEPTH	3940'	TYPE	RT
DATE				

E.R. 9-14-67
PD 3940' - Grayburg
Contr. - Roy Smith
12-11-67 AMEND WELL NUMBER: Formerly reported as #242.
10-16-67 Drlg. 2890' lm.
10-23-67 TD 3749', prep drill.
Cored 3550-3600', rec 50' being:
4.5' dolo;
2.8' dolo sd.;
36.3' dolo;
4.8' sdy dolo;
1.6' dolo sd, scatt bldg oil throughout.

10-23-67 Cont.
Cored 3600-52', rec 52' being:
9' sd., w/stn & bldg;
14.7' dolo., w/stn & bldg;
28.3' dolo., NS.
Cored 3652-98', rec 46' being:
26.4' dolo., w/stn & bldg;
19.6' dolo., w/NS;
Cored 3698-3749', rec 51' being:
3.9' dolo., w/scatt bldg oil;
5.6' dolo., good poro & stain;
41.5' dolo., w/NS.
10-30-67 TD 3945', WOC.

Cored 3820-72', rec 52' being:
39.2' dolo., scatt stain & bldg;
12.8' dolo., w/NS.
Cored 3872-3920', rec 48' being:
21.2' dolo., w/NS;
26.8' dolo., frac, bldg oil, stain &
poro.
11-6-67 TD 3945', prep MORT
11-13-67 TD 3945', WO Inj. Test.
Perf @ 3544', 3563', 3607', 3615',
3642', 3680', 3701', 3751', 3776',
3824', 3856', 3905', 3915', 3925',
3935' W/1 SPI
Acid (3544-3935') 12,000 gals.
11-16-67 TD 3945', WO Inj. Test.

LEA Maljamar NM Sec. 19-17S-32E
CONTINENTAL OIL CO., #WI-242 MCA Unit Page #3

12-4-67 TD 3945', COMPLETE
Inj. 800 BW in 24 hrs @ 725#.

12-11-67 TD 3945', COMPLETION REPORTED
LOG: Rust 613', Salado 729', Yates 1952',
Queen 2922', Grayburg 3299', SA 3646'.