

COUNTY LEA FIELD Maljamar STATE NM 30-025-23138
 OPR SHENANDOAH OIL CORP. MAP
 8 State "A"
 Sec 9, T-17-S, R-33-E CO-ORD
 2310' FNL, 990' FWL of Sec.
 Spd 5-13-69 CLASS EL [REDACTED]

Cmp 6-15-69	FORMATION		DATUM	
	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING 8 5/8" at 377' w/225 sx 5 1/2" at 4500' w/250 sx				
LOGS EL GR RA IND HC A	TD 4500'			

IP (San Andres) Perfs 4324-4454' P 20 BOPD + 1 BW. Pot based on 24 hr test, GOR 800, Grav 38.4

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. WEK PROP DEPTH 4600' TYPE
 DATE

F.R. 5-13-69
 PD 4600' (San Andres)
 Contractor - WEK
 6-28-69 TD 4500'; MORT
 6-2-69 TD 4500'; RU Pmp
 Perf 4324-31', 4415-22', 4442-54'
 Frac (4415-54') 20,000 gals salt wtr + 20,000# sd
 Frac (4324-31') 6000 gals salt wtr + 6000# sd
 6-16-69 TD 4500'; Ppg 1d
 6-23-69 TD 4500'; COMPLETE
 LOG TOPS: Anhydrite 1423', Yates 2729', Queen
 3713', Grayburg 4048', San Andres 4466'
 6-26-69 COMPLETION REPORTED

LEA
SUN OIL CO.

Inbe NM Sec 9, T-11-S, R-34-E
#1 New Mexico "Q" State Page 2

6-23-69

Continued

LOG TOPS: San Andres 4037', Glorieta 5465',
Tubb 6924', Abo 7716', Wolfcamp 8828',
Bough "C" 9947'

6-26-69

COMPLETION REPORTED

COUNTY	LEA	FIELD	Maljamar	STATE	NM	30-025-23138
OPR	SHENANDOAH OIL CORP.				MAP	
	8 State "A"					
	Sec 9, T-17-S, R-33-E				CO-ORD	
	2310' FNL, 990' FWL of Sec.					
	Spd 5-13-69				CLASS	EL 4205E
	Cmp 6-15-69				FORMATION	DATUM
CSG & SX - TUBING						
8 5/8" at 377' w/225 sx						
5 1/2" at 4500' w/250 sx						
LOGS EL GR RA IND HC A						
				TD 4500'		

IP (San Andres) Perfs 4324-4454' P 20 BOPD + 1 BW. Pot based on 24 hr test, GOR 800, Grav 38.4

Distribution limited and publication prohibited by subscribers' agreement.
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	WEK	PROP DEPTH	4600'	TYPE
DATE				

F.R. 5-13-69
 PD 4600' (San Andres)
 Contractor - WEK

6-28-69 TD 4500'; MORT

6-2-69 TD 4500'; RU Pmp
 Perf 4324-31', 4415-22', 4442-54'
 Frac (4415-54') 20,000 gals salt wtr + 20,000# sd
 Frac (4324-31') 6000 gals salt wtr + 6000# sd

6-16-69 TD 4500'; Ppg 1d

6-23-69 TD 4500'; COMPLETE
 LOG TOPS: Anhydrite 1423', Yates 2729', Queen
 3713', Grayburg 4048', San Andres 4466'

6-26-69 COMPLETION REPORTED