

BTA OIL PRODUCERS


Lovington, 8903 JV-P
 No. 3-SWD
 660' FNL & 760' FEL
 A, Sec. 17, T16S, R37E
 Lea County, NM

Form C-108 Attachment


III. Injection Well Data Sheet

		<u>Hole Size</u>
<u>Surface Casing:</u>	13-3/8" @ 403' w/ 425 sx circ	17-1/2"
<u>Intermediate Casing:</u>	8-5/8" @ 4454' w/1500 sx circ	11"
	5-1/2" @ 11800' w/ 150 sx (Shot off csg @ 11,030', recover 271 jts)	7-7/8"
<u>Total Depth:</u>	11,800'	
<u>Tubing:</u>	2-7/8" fiberglass tubing @ 3200'	
<u>Packer:</u>	Baker Loc-set Packer @ 3200'	
<u>Name of Injection Formation:</u>	Yates	
<u>Injection Interval:</u>	3,300 - 4,000'	
<u>Field:</u>	Undesignated Yates	
<u>Purpose:</u>	The well was drilled by Harvey E. Yates Co. as the East Lovington '17' State #1 to test production from the Pennsylvanian formation in 1988.	
<u>Perforated Intervals:</u>	11,440 - 11,464' Squeezed 11,439 - 11,460' w/100 sx Perf 11,489 - 11,512' Perf 11,455 - 11,456' Set CIBP @ 11,400', cap w/35' cmt Set 25 sx plug @ 11,080' Set 41 sx plug @ 9,838' Set 41 sx plug @ 7,970' Set 39 sx plug @ 6,541' Set 50 sx plug @ 4,554' Set 40 sx plug @ 2,177' Set 10 sx @ surface P&A 10-24-88	

Depth and name of overlying and/or underlying oil and gas zones in this area:
 Strawn 11,368'



V Area of Review Map
 BTA Oil Producers
 Sec 17, T-16-S, R-37-E
 Lea County, NM



DECEMBER 1971

3111