

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

Rotary tools were used from 0 feet to 8901 feet, and from _____ feet to _____ feet.

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Put to Producing.....January 17....., 1965
rate

OIL WELL: The production during the first 24 hours was 160.8 barrels of liquid of which 76.1 % was
was oil; --- % was emulsion; 23.9 % water; and --- % was sediment A.P.I.
Gravity 35⁰

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs. Still too small to measure.

Length of Time Shut in..... - - -

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Northwestern New Mexico

T. Anhy.....		T. Devonian.....		T. Ojo Alamo.....	
2029					
T. Salt.....	2126	T. Silurian.....		T. Kirtland-Fruitland.....	
B. Salt.....	3085	T. Montoya.....		T. Farmington.....	
T. Yates.....	3210	T. Simpson.....		T. Pictured Cliffs.....	
T. 7 Rivers.....	3775	T. McKee.....		T. Menefee.....	
T. Queen.....	4155	T. Ellenburger.....		T. Point Lookout.....	
T. Grayburg.....	---	T. Gr. Wash.....		T. Mancos.....	
T. San Andres.....	4928	T. Granite.....		T. Dakota.....	
T. Glorieta.....	6525	T.		T. Morrison.....	
T. Drinkard.....	---	T.		T. Penn.....	
T. Tubbs.....	7823	T.		T.	
T. Abo.....	8728	T.		T.	
T. Penn.....	8850	T.		T.	
T. Miss.....		T.		T.	

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
2029	2050	50	Anhyd.				
2126	3085	959	Salt				
3210	3775	565	Yates				
3775	4155	380	7 Rivers				
4155	4928	773	Queen				
4928	5085	157	San Andres				
6525	6630	105	Glorieta				
7823	7902	79	Tubbs				
8728	8850	122	Abo				
			Penn.				