

WRS COMPLETION REPORT

COMPLETIONS SEC 23 TWP 19S RGE 34E
 PI# 30-T-0032 02/14/86 30-025-29406-0000 PAGE 1

NMEX LEA * 1980FNL 1980FWL SEC SE NW
 SUPERIOR OIL D DO
 1 GOVERNMENT "23-A"
 3817KB 3805GR LEA
 API 30-025-29406-0000

09/14/1985 10/24/1985 ROTARY OIL
 6400 SN ANDRS HILLIN DR LG 9 RIG SUB 11
 DTD 6200 PB 6160 FM/ID SN ANDRS

LOCATION DESCRIPTION

8 MI SW BUCKEYE, NM

WELL IDENTIFICATION/CHANGES

SEC CHGD FROM #3

CASING/LINER DATA

CSG 8 5/8 @ 488 W/	200 SACKS	01
CSG 5 1/2 @ 6200 W/	3000 SACKS	02

TUBING DATA

TBG 2 7/8 AT 6054

INITIAL POTENTIAL

IPP 42BOPD
 SN ANDRS PERF W/ 39BW
 PERF 5868- 6012 1/IT 5868- 6012 007
 GTY 36.2
 GOR (TSTM)

TYPE	FORMATION	LTH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	RUSTLER		4708 -891	
LOG	QUEEN		4986 -1169	
LOG	PENROSE		5113 -1296	
LOG	GRAYBURG		5461 -1644	

CONTINUED IC# 300257045185

Copyrighted
 Reproduction
 Prohibited



SUPERIOR OIL D DO
 1 GOVERNMENT "23-A"

TYPE	FORMATION	LIH	TOP DEPTH/SUB	BSE DEPTH/SUB
LOG	PREMIER SS		5552 -1735	
LOG	SN ANDRS		6200 -2383	

 PRODUCTION TEST DATA

PTS 1BO 3HRS
 SN ANDRS PERF W/ 1/IT 5868- 6012 GROSS 003
 PERF 5868, 5889, 6002, 6012
 ACID 5868- 6012 6200GALS
 15% DINE FE HCL
 SWBD 1 BO - 67 BLW

SN ANDRS PERF 5868- 6012 004
 SGFR 5868- 6012 69000GALS 120000LBS SAND
 X-LINK GEL 20/40 MESH SD
 FLWD 402 BLW IN 22 HRS THRU 15/64 CK

SN ANDRS PERF 5868- 6012 005
 PPD 150 BLWPD

PTP 35BO 72HRS
 SN ANDRS PERF 5868- 6012 006
 PPD 35 BO - 307 ELW

 LOGS AND SURVEYS /INTERVAL, TYPE/

LOGS	ILL	MSFL	SONL
LOGS	CR	CNL	CBL
LOGS	CEI		

 DRILLING PROGRESS DETAILS

SUPERIOR OIL
 BOX 3901
 MIDLAND, TX 79701
 915-684-0884
 09/09 LOC/1985/
 09/16 DRLG 1030
 09/24 DRLG 5225
 10/02 6200 TD, FSC
 10/07 6200 TD, WOCT
 10/11 6200 TD, PB 6160, SWBG

CONTINUED

COMPLETIONS SEC 23 TWP 19S RGE 34E
PI# 30-T-0032 02/14/86 30-025-29406-0000 PAGE 3

SUPERIOR OIL D DO
1 GOVERNMENT "23-A"

DRILLING PROGRESS DETAILS

10/17 6200 TD, PB 6160, PREP TEST
10/18 6200 TD, PB 6160, TSTG
10/24 6200 TD, PB 6160, TSTG
10/28 6200 TD, PB 6160, TSTG
10/31 6200 TD, PB 6160, WOPT
02/11 TD REACHED 10/02/85 RIG REL 10/06/85
6200 TD, PB 6160
COMP 10/24/85, IPP 42 BO, 39 BWP, GTY
36.2, GOR (TSTM)
PROD ZONE - SAN ANDRES 5868-6012
NO CORES OR DSTS RPTD