State of New Mexico

Ener'

Minerals and Natural Resources Departme

Form C-103 **Revised 1-1-89**

Submit 3 copies to Appropriate District Office

DISTRICT I P.O. Box 1980, Hobbs, NM 88241

DISTRICT II

OIL CONSERVATION DIVISION

2040 Pacheco St. Santa Fe. NM 87505

30-025-34005

WELL API NO.

Ι.		3	U-U	125-340	U
5.	Indicate	Туре	of	Lease	

.		
STATE	FEE	✓

P.O. Box Drawer DD, Artesia, NM 88210	STATE FEE		
<u>DISTRICT III</u>	6. State Oil / Gas Lease No.		
1000 Rio Brazos Rd., Aztec, NM 87410	o. State Sil / Gas Esass No.		
SUNDRY NOTICES AND REPORTS ON WELLS	concerning an anapolic solubility for the plant 450		
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name		
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	W. A. Weir		
1. Type of Well OIL WELL □ GAS OTHER			
2. Name of Operator Amerada Hess Corporation	8. Well No.		
3. Address of Operator D.O. Box 840. Somingle, TV 70350	9. Pool Name or Wildcat		
P.O. Box 840, Seminole, TX 79360	Wildcat; Lower Yeso		
4. Well Location			
Unit Letter O: 990 Feet From The South Line and 2310 Feet From The East Line			
Section <u>26</u> Township <u>019S</u> Range <u>036E</u> NM	PM Lea COUNTY		
10. Elevation (Show whether DF, RKB, RT,GR, etc.) 3664' GR			
11. Check Appropriate Box to Indicate Nature of Notice, Rep	port, or Other Data		
NOTICE OF INTENTION TO: SUE	SUBSEQUENT REPORT OF:		
PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK	ALTERING CASING		
TEMPORARILY ABANDON CHANGE PLANS COMMENCE DRILLING OPER	RATIONS PLUG AND ABANDONMENT		
PULL OR ALTER CASING CASING TEST AND CEMENT	JOB		
OTHER: OTHER:	Progress - Plug-Back.		

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

4-9 thru 4-16-2001

MIRU Key Energy Svc. pulling unit & TOH w/rods & pump. Removed wellhead, installed BOP & TOH w/tbg. TIH w/gauge ring to 7130' & TOH. TIH w/5-1/2" CIBP & set at 7100' (PBD), 4-10-2001. Press. tested CIBP to 800 PSI. Held OK. Schlumberger perf. 5-1/2" csg. in Lower Yeso Zone using 4" csg. gun w/2 SPF at following intervals: 6658' - 6674', 6676' - 6698', & fr. 6712' - 6714'. B.J. Svc. acidized Lower Yeso Zone perfs. fr. 6658' - 6714' w/4000 gal. 15% HCL acid. TIH w/pkr. on 2-7/8" tbg. & set pkr. at 6567'. Removed BOP & installed wellhead. RDPU, cleaned location & began testing well.

I hereby certify that the interphalion above is to	rue chyl complete to the best of my	knowledge and belief.			
SIGNATURE Kay (1)	Millet	TITLE Bus. Svc.	Spec. II	DATE _	08/03/2001
TYPE OR PRINT NAME	Roy L. Wheeler, Jr.			TELEPHONE NO.	915-758-6778
(This space for State Use)			Orig. Stona.	ANG	1 0 2001
APPROVED BY		TITLE	Orig. Signed b. Raul Kautz	DĂTĔ	
CONDITIONS OF APPROVAL, IF AN	IY:		Geologist		DeSoto 2000 1.0