

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I

P.O. Box 1980, Hobbs, NM 88240

DISTRICT II

P.O. Box Drawer DD, Artesia, NM 88210

DISTRICT III

1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico

Energy, Minerals and Natural Resources Department

Form C-105

Revised 1-1-89

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-34011

5. Indicate Type of Lease

STATE ☒

FEE

6. State Oil / Gas Lease

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐

b. Type of Completion:

NEW WELL ☐ WORKOVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF RES. ☐ OTHER HORIZONTAL ☐

2. Name of Operator

TEXACO EXPLORATION & PRODUCTION INC.

3. Address of Operator

205 E. Bender, HOBBS, NM 88240

4. Well Location

Unit Letter F : 2310 Feet From The NORTH Line and 2175 Feet From The WEST Line

Section 23 Township 19-S Range 36-E NMPM LEA COUNTY

10. Date Spudded

4/15/00

11. Date T.D. Reached

4/21/00

12. Date Compl. (Ready to Prod.)

5/1/00

13. Elevations (DF & RKB, RT, GR, etc.)

3727'

14. Elev. Csghead

15. Total Depth

8033'

16. Plug Back T.D.

17. If Mult. Compl. How Many Zones?

18. Intervals

Drilled By

Rotary Tools

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

7400'-7616' MONUMENT ABO

20. Was Directional Survey Made

YES

21. Type Electric and Other Logs Run

TDT

22. Was Well Cored

NO

23. CASING RECORD (Report all Strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENT RECORD	AMOUNT PULLED
8 5/8	24#	1340'	11	600 SACKS	138 CIRC
5 1/2	15.5#	8000'	7 7/8	2775 SACKS	420 CIRC

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	25. TUBING RECORD
					SIZE DEPTH SET PACKER SET
					2-7/8" 7583'

26. Perforation record (interval, size, and number)

7400-7416'

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

AMOUNT AND KIND MATERIAL USED

N/A

28. PRODUCTION

Date First Production

5/17/00

Production Method (Flowing, gas lift, pumping - size and type pump)

PUMPING 2 1/2"X1 1/2"X24'

Well Status (Prod. or Shut-in)

PRODUCING

Date of Test

5-21-00

Hours tested

24

Choke Size

Prod'n For

Test Period

Oil - Bbl.

275

Gas - MCF

204

Water - Bbl.

174

Gas - Oil Ratio

Flow Tubing Press.

Casing Pressure

Calculated 24-

Hour Rate

Oil - Bbl.

Gas - MCF

Water - Bbl.

Oil Gravity - API -(Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

SOLD

Test Witnessed By

30. List Attachments

SURVEY

31. I hereby certify that the information on both sides of this form is true and complete to the best of my knowledge and belief.

SIGNATURE

Engineering Assistant

DATE

7/18/00

TYPE OR PRINT NAME

J. Denise Leake

Telephone No

397-0405




Lateral: 1

Proposed Direction: 270

Dog Leg Severity per: 100 feet

Measured Depth	Inclination	Azimuth	True Vertical Depth	North/South Coordinate	East/West Coordinate	Vertical Section	Dog Leg Severity	Survey Tool
0	0.00	0.00	0.00	0.00	0.00	0.00	0.00	GYRO
100	0.46	226.01	100.00	-0.28	-0.29	0.29	0.46	
200	0.46	213.66	200.00	-0.89	-0.80	0.80	0.10	
300	0.24	216.66	299.99	-1.39	-1.15	1.15	0.22	
400	0.19	209.22	399.99	-1.71	-1.35	1.35	0.06	
500	0.28	197.44	499.99	-2.08	-1.51	1.51	0.10	
600	0.15	212.36	599.99	-2.43	-1.65	1.65	0.14	
700	0.15	204.60	699.99	-2.66	-1.78	1.78	0.02	
800	0.11	216.57	799.99	-2.85	-1.89	1.89	0.05	
900	0.16	205.82	899.99	-3.06	-2.01	2.01	0.06	
1000	0.15	208.48	999.99	-3.30	-2.13	2.13	0.01	
1100	0.11	218.38	1099.99	-3.49	-2.25	2.25	0.05	GYRO
1200	0.10	167.78	1199.99	-3.65	-2.29	2.29	0.09	
1300	0.15	79.23	1299.99	-3.71	-2.14	2.14	0.18	
1400	0.45	85.93	1399.99	-3.66	-1.62	1.62	0.30	
1500	0.41	100.10	1499.99	-3.69	-0.88	0.88	0.11	
1600	0.43	83.16	1599.98	-3.71	-0.16	0.16	0.13	
1700	0.52	94.32	1699.98	-3.70	0.67	-0.67	0.13	
1800	0.50	98.32	1799.98	-3.80	1.55	-1.55	0.04	
1900	0.47	88.12	1899.97	-3.85	2.40	-2.40	0.09	
2000	0.62	90.09	1999.97	-3.83	3.35	-3.35	0.15	
2100	0.70	85.23	2099.96	-3.78	4.50	-4.50	0.10	
2200	0.84	79.43	2199.95	-3.60	5.83	-5.83	0.16	
2300	0.99	74.63	2299.94	-3.23	7.38	-7.38	0.17	
2400	1.30	75.30	2399.92	-2.72	9.31	-9.31	0.31	
2500	1.32	76.54	2499.89	-2.16	11.53	-11.53	0.03	
2600	1.43	76.58	2599.86	-1.60	13.86	-13.86	0.11	
2700	1.52	77.82	2699.83	-1.03	16.37	-16.37	0.10	
2800	1.59	86.09	2799.79	-0.66	19.05	-19.05	0.23	
2900	1.65	94.73	2899.75	-0.68	21.87	-21.87	0.25	
3000	1.74	104.65	2999.71	-1.19	24.77	-24.77	0.31	
3100	1.88	111.51	3099.66	-2.17	27.77	-27.77	0.26	
3200	2.07	119.33	3199.60	-3.66	30.87	-30.87	0.33	
3300	2.18	123.60	3299.53	-5.60	34.03	-34.03	0.19	
3400	2.32	129.77	3399.46	-7.94	37.17	-37.17	0.28	
3500	2.43	132.53	3499.37	-10.67	40.29	-40.29	0.16	
3600	2.54	134.41	3599.28	-13.65	43.43	-43.43	0.14	
3700	2.59	133.61	3699.18	-16.76	46.65	-46.65	0.06	
3800	2.62	136.06	3799.07	-19.97	49.87	-49.87	0.12	
3900	2.67	136.70	3898.97	-23.31	53.06	-53.06	0.06	
4000	2.60	139.81	3998.86	-26.74	56.12	-56.12	0.16	GYRO
4100	2.60	141.22	4098.76	-30.24	59.00	-59.00	0.06	
4200	2.55	142.03	4198.66	-33.76	61.79	-61.79	0.06	
4300	2.46	144.10	4298.56	-37.25	64.42	-64.42	0.13	
4400	2.33	143.77	4398.47	-40.63	66.88	-66.88	0.13	
4500	2.17	140.98	4498.40	-43.74	69.27	-69.27	0.19	
4600	1.96	137.58	4598.33	-46.47	71.62	-71.62	0.24	
4700	1.74	134.89	4698.28	-48.81	73.84	-73.84	0.24	
4800	1.70	133.86	4798.23	-50.91	75.99	-75.99	0.05	
4900	1.29	130.78	4898.20	-52.67	77.91	-77.91	0.42	
5000	1.02	130.66	4998.18	-53.98	79.44	-79.44	0.27	GYRO
5100	0.93	131.39	5098.17	-55.10	80.72	-80.72	0.09	





5200	0.80	132.16	5198.15	-56.11	81.85	-81.85	0.13	
5300	0.51	132.03	5298.15	-56.87	82.70	-82.70	0.29	
5400	0.31	121.89	5398.14	-57.31	83.26	-83.26	0.21	
5500	0.26	100.87	5498.14	-57.50	83.71	-83.71	0.12	
5600	0.26	85.61	5598.14	-57.53	84.16	-84.16	0.07	
5700	0.46	76.12	5698.14	-57.41	84.78	-84.78	0.21	
5800	0.56	82.62	5798.14	-57.25	85.65	-85.65	0.12	
5900	0.92	91.24	5898.13	-57.21	86.94	-86.94	0.38	
6000	2.02	107.15	5998.09	-57.74	89.42	-89.42	1.16	GYRO
6100	3.25	114.86	6097.99	-59.46	93.68	-93.68	1.28	
6200	3.80	117.73	6197.80	-62.19	99.19	-99.19	0.58	
6300	4.18	119.52	6297.55	-65.53	105.29	-105.29	0.40	
6400	4.40	119.83	6397.27	-69.23	111.79	-111.79	0.22	
6500	4.34	112.31	6496.98	-72.58	118.62	-118.62	0.58	
6600	4.59	109.06	6596.68	-75.32	125.90	-125.90	0.36	
6700	4.52	104.69	6696.37	-77.62	133.49	-133.49	0.35	
6800	4.69	107.10	6796.04	-79.83	141.21	-141.21	0.26	
6900	5.16	109.69	6895.67	-82.54	149.35	-149.35	0.52	
7000	5.30	113.27	6995.26	-85.88	157.83	-157.83	0.36	GYRO
7100	5.34	112.68	7094.83	-89.50	166.37	-166.37	0.07	
7141	5.35	112.77	7135.65	-90.98	169.89	-169.89	0.03	GYRO
7170	5.35	112.80	7164.52	-92.02	172.38	-172.38	0.01	
7200	12.10	178.60	7194.21	-95.72	173.75	-173.75	36.76	
7210	16.10	184.60	7203.91	-98.15	173.67	-173.67	42.54	
7220	19.40	189.10	7213.44	-101.17	173.29	-173.29	35.71	
7225	20.90	192.70	7218.13	-102.86	172.97	-172.97	38.91	
7235	23.90	200.40	7227.38	-106.51	171.87	-171.87	41.91	
7245	26.70	208.50	7236.42	-110.38	170.09	-170.09	44.47	
7255	30.10	214.50	7245.22	-114.42	167.59	-167.59	44.35	
7265	34.90	219.40	7253.65	-118.70	164.36	-164.36	54.71	
7275	41.30	224.30	7261.52	-123.28	160.23	-160.23	70.74	
7285	48.50	228.90	7268.60	-128.11	155.10	-155.10	78.95	
7295	55.30	232.80	7274.76	-133.07	148.99	-148.99	74.58	
7305	62.20	236.60	7279.95	-137.99	142.01	-142.01	76.25	
7325	71.70	246.10	7287.79	-146.75	125.88	-125.88	64.49	
7358	72.20	259.80	7298.06	-155.92	95.97	-95.97	39.49	
7389	72.50	266.10	7307.46	-159.54	66.67	-66.67	19.39	
7421	73.30	272.80	7316.88	-159.83	36.10	-36.10	20.17	
7453	74.10	279.50	7325.87	-156.54	5.59	-5.59	20.25	
7484	73.30	285.10	7334.58	-150.20	-23.47	23.47	17.53	
7515	73.20	285.80	7343.51	-142.29	-52.08	52.08	2.19	
7547	74.00	286.20	7352.55	-133.83	-81.59	81.59	2.77	
7579	74.20	286.20	7361.32	-125.25	-111.14	111.14	0.63	
7611	71.80	286.50	7370.67	-116.63	-140.51	140.51	7.55	
7642	71.10	286.20	7380.53	-108.36	-168.71	168.71	2.44	
7674	71.60	286.50	7390.77	-99.82	-197.80	197.80	1.80	
7705	72.10	286.50	7400.42	-91.46	-226.05	226.05	1.61	
7737	73.30	286.50	7409.94	-82.78	-255.34	255.34	3.75	
7768	74.50	285.80	7418.54	-74.50	-283.95	283.95	4.44	
7799	73.30	285.80	7427.13	-66.39	-312.61	312.61	3.87	
7830	71.10	286.20	7436.61	-58.25	-340.98	340.98	7.20	
7862	71.30	286.20	7446.92	-49.80	-370.07	370.07	0.63	
7894	71.80	286.90	7457.05	-41.16	-399.16	399.16	2.60	
7925	71.80	288.60	7466.73	-32.18	-427.21	427.21	5.21	
7957	71.80	288.60	7476.73	-22.48	-456.02	456.02	0.00	

TEXACO
Denver Region

NEW MEXICO "I
Estimate 602021

STATE NCT-2 # 2

© 2000 Texaco Inc. - All Rights Reserved
SURVEY REPORT
Proprietary Information of Texaco Inc.



7989	74.00	289.70	7486.14	-12.45	-484.91	484.91	7.62	
8033	74.00	289.70	7498.26	1.81	-524.73	524.73	0.00	