(October 1990)			JN., E					N DUPLI	£* • other l	01	MB NO	PROVED . 1004-0137 ember 31, 1991
	DEP		MENT C				OR	stru	ctions c	n -		TION AND BERIAL NO.
		BUKE	AU OF LA	ND MAI	NAGEME	:N1				NM-84		
WELL CO				MPLE	TION	REPOR	T AN	D LO	G *	G. IF INDIAN	, ALLO	THE OR TRIBE HAME
is. TYPE OF WI	ELL:	OII. WELL	X GAR WELL		DRY 🗌	M.M.o	Oil	one		7. UNIT AGE	EEMEN.	EMAN T
b. TYPE OF CO NEW 校刊	MPLETION:	DEEP-	C PLMA	bi	FF	P		980				
WELL X	***************************************	EN	DACK PACK		svn.	Outtob	96, NN	88241		8. FARM O	R LEA	SE NAME, WELL NO.
		Γ								Quail 9. API WELL		eral #6
Read & St	D TELEPHON	IE NO.								30-02		116
P. O. Box	x 1518 I	Roswel	1. NM 8	3202-1	518 5	505/622	-3770)		1		L, OR WILDCAT
4. LOCATION OF W	RLL (Report I	ocation c	lcarly and in	accordan	ce with a	y State re	quiremen	ite) *		NE Le	a De	laware
			990' F	EL						11. BEC., T., OR AREA	R., M.,	OR BLOCK AND SURVEY
At top prod. is	nterval report	ed below										
At total depth										Section	on 3	T20S-R34E
				14. r	ERMIT NO		DATE	ISSUED		12. COUNTY (DR	13. STATE
15. DATE SPUDDED	I IR DATE T	D PEAC	HED 17. DA1	T COMP	(Bendu t	n mend) I	<u> </u>			Lea		New Mexico
9-4-97	9-23)-16-9	,	<i>p. uu.</i> ,	IS. ELE		DF, RKB 3'GF	, RT, GE, RTC.)*	10.	LUET. CAGINUMBAD
20. TOTAL DEPTH, MU			CK T.D., MD A		2. IF MUI	TIPLE COM	PL.,	23. INT	ERVAL8	ROTARY TOO!	La	CABLE TOOLS
8360'		8300		1	HOW M			DRI		A11	1	
24. PRODUCING INT	ERVAL(S), OF	THIS COM	I'LETION-TO	, BOTTOM	, NAME (I	MD AND TV	D) •			·	25	WAS DIRECTIONAL SURVEY MADE
000/1	10001 B 1											
8204'8	AND OTHER LA	aware	: 	•	·····					·	<u> </u> 27. ₩/	No
CBT/VDL/G	₽R									1		No
18.						ort all etri	nge set i	n well)				
CABING BIZE/GRADE	_		DEPTH SE		-	i.e size		· -····		EMENTING RECORD		AMOUNT PULLED
13 3/8" 8 5/8"		1	1590° 4993°		- - <u>1</u> /	1/2"				m Plus w/a m Plus w/a		330 sx to surfa
5 1/2"	$-\frac{32\pi}{17\#}$		8360			7/8"				m Plus w/a	[-	200 sx to surfa None
			1 0500		-(770	-	VBA II	emit	m rius w/a	add	Morre
9.			ER RECORD					30.		TUBING RECO	RD	
8128	TOP (MD)	B01	TOM (MD)	BACKS C	EMENT*	SCREEN	(MD)	SIZE	 _	DEPTH SET (MI	<u>') </u>	PACKER SET (MD)
			· - ·					2 7/8	 -	8180'	-	
1. PERFORATION RE	cond (Interva	l, size ar	id number)	·	<u>.</u>	82.	AC	ID, SHOT	FRAC	TURE, CEMENT	SQUE	EZE, ETC.
						DEPTH	NTERVAL	(MD)	A	MOUNT AND KIND	OF M	ATBRIAL USED
8204'8	3228' 4 S	PF 80	holes (.42"	EHD	82041	82	28'		g 7 1/2% N		
												tawa sand in
						 			<u> 30#</u>	x-linked	gel	
3.•	· · · · · · · · · · · · · · · · · · ·					TICTION						
ATB FIRST PRODUCT			N METHOD (F	lowing, g	as lift, pu	mping—eis	e and to	pe of pun	p)	ahut-	(n)	(Producing or
10-16-97	P HOURS TEST	umpin	g CHOKE BIZE	Page's	N. FOR	OIL-BBL		GA8NC	· •	Proc	lucii	ng
10-24-97	24				PERIOD	41		30		241	Ι,	732/1
OW. TUBING PROCE.	CASING PRES		CALCULATED	010	BBI	<u> </u>	-MCF.		WATER-	1	DIL GR	AVITT-API (CORB.)
	<u> </u>		24-HOUR RATE		41		30		24	1		38
. DISPOSITION OF Q	AB (Bold, used	for fuel,	vented, etc.)			<u> </u>				TEST WITNESS	-	
Sold S. LIST OF ATTACH!	HENTE					AC	CEPT	ED FOR	RECC	William .	Palr	ner
		1000	provice	oly o	an t	274	10. SC	DJ DA	VID	da		
Deviation 6. I bereby certify	that the fore	LUGS	previou	ormation	le comple					alf av ilable rec	ords	
	Smit	为										20.07
SIGNED John	C. Maxe	y, Jr	•	_ TI	rle P	<u>etroldu</u>	ım En	gineer BLM		DATE		0-30-97
	17.7		ructions an	d Space	a for A	dditional	Data		se Sid	-)		
	- (11131	STATE OF	- opuci	101 M	aginondi	Dulu (DII 17676	3E 310	5 /		

Fitle 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF PORO drill-stem, tests, inc recoveries): FORMATION	JUS ZONES: (Shinding depth int	terval tested, cus BOTTOM	SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries): FORMATION TOP BOTTOM DESCRIPTION, CONTENTS, ETC.	38. GEO	GEOLOGIC MARKERS	TOP
Brushy Canyon	8204	8228	sand	NAME	MEAS. DEPTH	[
· · · · · · · · · · · · · · · · · · ·				Base Red Bed Yates 7 Rivers Delaware Bone Spring		
				ECHIED THEMSON	6h: HV: E-JAGH LEH DUJE ()	



DRILLING CO., INC. - OIL WELL DRILLING CONTRACTORS

P. D. Box 1498 ROSWELL, NEW MEXICO 88202-1498 505/623-5070 505/746-2719 ROSWELL, NM ARTESIA, NM

September 25, 1997

Read & Stevens, Inc. P.O. Box 1518 Roswell, NM 88202-1518

RE: Quail Federal #6

Gentlemen:

The following is a Deviation Survey on the above referenced well located in Lea County, New Mexico.

327' - 1/2 ⁰	$2,573' - 1 \frac{1}{2}^{\circ}$	3,427' - 1 3/4º	5,911' - 1 3/40
799' - 1/2 ⁰	$3,073' - 2 3/4^{\circ}$	3,833' - 1 3/4 ⁰	6,382' - 1 3/40
1,267' - 1 ^o	3,109' - 2 ⁰	$4,324' - 1 \frac{1}{2}$	$6,882' - 1/2^{\circ}$
1,590' - 2 ⁰	3,204' - 2 ⁰	4,806' - 1 1/2 ^o	$7,382' - 1 \frac{1}{4}^{\circ}$
2,074' - 2 ⁰	3,299' - 2 1/2 ⁰	4,993' - 1 1/4 ⁰	7,854' - 1 ⁰
		5,411' - 1 1/4 ⁰	8,360' - 1 ^o

Sincerely

Gary W. Chappell Contracts Manager

STATE OF NEW MEXICO)

COUNTY OF CHAVES

The foregoing was acknowledged before me this 25th day of September 1997 by Gary W. Chappell.

MY COMMISSION EXPIRES

JUNE 20, 2000

NOTARY PUBLIC