

DUPLICATE

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

(Form C-102)
RECEIVED
NOV 20 1953
OIL CONSERVATION COMMISSION
DISTRICT OFFICE

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK	X	NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION to pull casing (OTHER)	X	NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Midland, Texas
(Place)

November 4, 1953
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the M. B. Weir "B"

The Texas Company

(Company or Operator)

Well No. 5 in M (Unit)

SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Sec. 7, T. 20-S, R. 38-E, NMPM., Undesignated Pool

Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

TD: 9205-Lime

This well was drilled to a total depth of 9205' without encountering oil or gas in commercial quantities; therefore, we desire to cut the 5 1/2" casing at 4300' and pull same. Also, to plug back to 4300' in the following manner:

Set drillable bridge plug at 8250' and dump 5 gallons of hydromite on top. Set drillable bridge plug at 7200' and dump one sack of calseal on top. Set drillable bridge plug at 7050' and dump 10 sacks of cement on top. Set bridge plug at 6850' and dump 1 sack of calseal on top. Set bridge plug at 5400' and dump 1 sack of calseal on top. Set cement plug in top of the 5 1/2" casing at 4300'.

Approved NOV 23 1953, 19.....
Except as follows:

The Texas Company
Company or Operator

By [Signature]

Position Asst. Dist. Supt.
Send Communications regarding well to:

Approved
OIL CONSERVATION COMMISSION

By S. G. Stanley
Title District Office

Name The Texas Company

Address Box 1270, Midland, Texas