



LOCATE WELL CORRECTLY

MAY 18 1962
HOBBS OFFICE OCC

GORDON

1962 MAY 22 AMUNITED STATES

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

U. S. LAND OFFICE New Mexico
SERIAL NUMBER 0289-B
LEASE OR PERMIT TO PROSPECT _____

LOG OF OIL OR GAS WELL

Company John H. Trigg Address P. O. Box 520, Roswell, New Mexico
Lessor or Tract Federal Red Tank Unit Field Wildcat State New Mexico
Well No. 1-22 Sec. 22 T. 22S R. 32E Meridian N.M.P.M. County Lea
Location 1980 ft. XXX of N Line and 660 ft. XXX of W Line of Section 22 Elevation 3686
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Date May 17, 1962 Signed [Signature] Title Geologist

The summary on this page is for the condition of the well at above date.

Commenced drilling April 14, 1962 Finished drilling May 19, 1962

OIL OR GAS SANDS OR ZONES
(Denote gas by G)

No. 1, from _____ to _____ No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From-	To-	
<u>8 5/8</u>	<u>240</u>	<u>3</u>	<u>J-55</u>	<u>630</u>	<u>Texas</u>	<u>Factory</u>			

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
<u>8 5/8</u>	<u>667</u>	<u>325</u>	<u>Pump</u>		

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth set _____
Adapters—Material _____ Size _____

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 7313 feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

DATES

May 17, 1962 Plugged & Abandoned
Retrievable May 10, 1962

The production for the first 24 hours was _____ barrels of fluid of which _____% was oil; _____% emulsion; _____% water; and _____% sediment. Gravity, °Bé. _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

D. T. Smith, Driller George Derrick, Driller
R. D. Blackledge, Driller _____, Driller

FORMATION RECORD

FROM-	TO-	TOTAL FEET	FORMATION
<u>0</u>	<u>870</u>	<u>870</u>	<u>Caliche and red beds</u>
<u>870</u>	<u>1030</u>	<u>160</u>	<u>Anhydrite</u>
<u>1030</u>	<u>4420</u>	<u>3390</u>	<u>Salt and anhydrite</u>
<u>4420</u>	<u>4720</u>	<u>300</u>	<u>Anhydrite</u>
<u>4720</u>	<u>4780</u>	<u>60</u>	<u>Black lime</u>
<u>4780</u>	<u>5500</u>	<u>720</u>	<u>Gray sand with shale and lime stringers</u>
<u>5500</u>	<u>5990</u>	<u>490</u>	<u>Lime and sand</u>
<u>5990</u>	<u>7313</u>	<u>1323</u>	<u>Sand, lime and shale stringers</u>
		<u>7313</u>	<u>T. D. Driller</u>
		<u>7307</u>	<u>T. D. Schlumberger</u>
Log Tops:	<u>Rustler</u>	<u>870</u>	
	<u>Top Salt</u>	<u>1013</u>	
	<u>Base Salt</u>	<u>4408</u>	
	<u>Lamar lime</u>	<u>4719</u>	
	<u>Delaware sd.</u>	<u>4778</u>	

FOLD MARK

