

Submit to Appropriate District Office
 State Lease - 6 copies
 Fee Lease - 5 copies
DISTRICT I
 P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
 P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
 1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
 Energy, Minerals and Natural Resources Department

Form C-105
 Revised 1-1-89

OIL CONSERVATION DIVISION
 P.O. Box 2088
 Santa Fe, New Mexico 87504-2088

WELL API NO.
 30-025-31200

5. Indicate Type of Lease
 STATE FEE

6. State Oil & Gas Lease No.
 313721

7. Lease Name or Unit Agreement Name
 B. F. HARRISON-B-

8. Well No.
 4

9. Pool name or Wildcat
 TEAGUE NORTH ELLENBURGER

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
 OIL WELL GAS WELL DRY OTHER _____

b. Type of Completion:
 NEW WELL WORK OVER DEEPEN PLUG BACK DEEP RESVR OTHER _____

2. Name of Operator
 TEXACO EXPLORATION & PRODUCTION INC.

3. Address of Operator
 P. O. Box 3109, Midland, Texas 79702

4. Well Location
 Unit Letter D: 660 Feet From The NORTH Line and 800 Feet From The WEST Line
 Section 9 Township 23-SOUTH Range 37-EAST NMPM LEA County

10. Date Spudded 04-29-91 11. Date T.D. Reached 05-23-91 12. Date Compl. (Ready to Prod.) 06-21-91 13. Elevations (DF & RKB, RT, GR, etc.) GR-3318', KB-3336' 14. Elev. Casinghead 3318'

15. Total Depth 10402' 16. Plug Back T.D. 10282' 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By Rotary Tools 0 - 10402' Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name 10220' - 10276': ELLENBURGER 20. Was Directional Survey Made YES

21. Type Electric and Other Logs Run GR-SP-DIL-CAL, GR-CNL-LDT, GR-BHC-SONIC 22. Was Well Cored NO

CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13 3/8	54.5#	1180'	17 1/2	1100 SX, CIRC. 284 SX	
9 5/8	40#	3755'	12 1/4	1950 SX, CIRC. 250 SX	
5 1/2	17#	10402'	8 3/4	D. V. TOOL @ 1149'	
				2600 SX, CIRC. 366 SX	
				D. V. TOOL @ 6965'	

LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN

TUBING RECORD

SIZE	DEPTH SET	PACKER SET
2 7/8	10256'	

26. Perforation record (interval, size, and number)
 10220' - 10240', 10252' - 10276': 88 HOLES

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
 DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED
 10220' - 10276' ACIDIZED W/2000 GAL MOD 202
 ACID W/NITROGEN

PRODUCTION

Date First Production 06-04-91 Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING 2.5 X 1.75 X 35 Well Status (Prod. or Shut-in) PRODUCING

Date of Test 07-02-91 Hours Tested 24 Choke Size Prod'n For Test Period Oil - Bbl. 216 Gas - MCF 207 Water - Bbl. 182 Gas - Oil Ratio 958

Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) 44.2

29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD Test Witnessed By RANDY TRAMMELL

30. List Attachments
 DEVIATION SURVEY

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature C. P. Basham / JOK Printed Name C. P. BASHAM Title DRLG. OPNS. MGR. Date 07-09-91

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

T. Anhy 1128'
 T. Salt 1300'
 B. Salt _____
 T. Yates 2832'
 T. 7 Rivers 2946'
 T. Queen 3364'
 T. Grayburg 3646'
 T. San Andres 3975'
 T. Glorieta 4960'
 T. Paddock 5014'
 T. Blinbry 5387'
 T. Tubb 6065'
 T. Drinkard 6268'
 T. Abo 6590'
 T. Wolfcamp _____
 T. Penn _____
 T. Cisco (Bough C) _____

T. Canyon _____
 T. Strawn _____
 T. Atoka _____
 T. Miss _____
 T. Devonian 7531'
 T. Silurian _____
 T. Montoya 9018'
 T. Simpson 9410'
 T. McKee 9800'
 T. Ellenburger 10184'
 T. Gr. Wash _____
 T. Delaware Sand _____
 T. Bone Springs _____
 T. PENROSE 3464'
 T. FUSSELMAN 8824'
 T. JOINS 10132'
 T. _____

Northwestern New Mexico

T. Ojo Alamo _____
 T. Kirtland-Fruitland _____
 T. Pictured Cliffs _____
 T. Cliff House _____
 T. Menefee _____
 T. Point Lookout _____
 T. Mancos _____
 T. Gallup _____
 Base Greenhorn _____
 T. Dakota _____
 T. Morrison _____
 T. Todilto _____
 T. Entrada _____
 T. Wingate _____
 T. Chinle _____
 T. Permian _____
 T. Penn "A" _____

T. Penn. "B" _____
 T. Penn. "C" _____
 T. Penn. "D" _____
 T. Leadville _____
 T. Madison _____
 T. Elbert _____
 T. McCracken _____
 T. Ignacio Otzte _____
 T. Granite _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____
 T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from 10220' to 10240' No. 3, from _____ to _____
 No. 2, from 10252' to 10276' No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.
 No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
2832'	3646'	814'	SAND, DOLOMITE, LIMESTONE				
3646'	6065'	2419'	DOLOMITE & LIMESTONE				
6065'	6268'	203'	SAND & DOLOMITE				
6268'	9410'	3142'	DOLOMITE				
9410'	10184	774'	SAND & LIMESTONE				
10184	-	-	DOLOMITE				