DISTRICT P.O. Box 1980, Hobbs, NM 88241-1980 XSTRICT IL

State of New Mexico Energy, Minerals and Natural Resources Department

Form C-101 Revised February 10,1994 Instructions on back

P.O. Box Drawer DD, Artesia, NM 88211-0719

Submit to Appropriate District Office

OIL CONSERVATION DIVISION

State Lease - 6 Copies

DISTRICT III

P.O. Box 2088

Fee Lease - 5 Copies

1000 Rio Brazos Rd., Aztec, NM 87410 DISTRICT IV P.O. Box 2088, Santa Fe, NM 87504-2088

Santa Fe, New Mexico 87504-2088

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

☐ AMENDED REPORT

Operator Name and Address TEXACO EXPLORATION & PRODUCTION INC.										² OGRID Number 022351		
P.O. Box 3109, Midland Texas 79702									30-0	3 API Number 3 19 1 2		
·						roperty Name				6 Well No.		
	N	<u> </u>	, .		7 Surface	e Locati	on					
Ul or lot no. O	Section 4	Township 23-S	Range 37-E	Lot.ldn	T		North/South Line Feet From The SOUTH 2030		East/West Line EAST		County	
			8 Pmnose	d Bottor	m Hole Loca	ation If	Different From	m Surface				
UI or lot no.	Section	Township	1		ot.idn Feet From T				East/West Line		County	
	NO	Proposed		ED			, k	¹⁰ Proposed F DRTH TEAGUE DI		· · · · · · · · · · · · · · · · · · ·		
1	11 Work Type Code 12 WellType Code 13 Rotary						14 Leas	14 Lease Type Code		¹⁵ Ground Level Elevation 3314'		
¹⁶ Mult	N tiple (es	17	O Proposed Depth 7250'		ROTARY 18 Formation TUBB/DRINKARD/ABO		¹⁹ Contractor		²⁰ Spud Date 4/15/95		I Date	
<u> </u>			21	Propos	sed Casing	and Cei	nent Progran	n				
SIZE O	FHOLE	SIZE OF	CASING	WEIGHT PER FOOT		_			CKS OF CEMENT		EST. TOP	
12 1/4		8 5/8	5/8 24		24#			550 SACK	550 SACKS		SURFACE	
8 3/4		7	7		26 & 32#			3000 SAC	3000 SACKS		SURFACE	
						_				-		
Describe the CEMENTIN SURFACE - PRODUCTI 5% SALT, 1	Delowout prevents OF PROGRA - 350 SACK ION - 2500 S /4# FC (14 PERATES A	ntion program, if an AM: S CLASS C w/ SACKS 35/65 F .2 PPG, 1.35 C	y. Use additional a 4% GEL (13.5 POZ H w/ 6% (F/S, 6.3 GW/S IS QUARTER	i PPG, 1.7 SEL, 5% S S). QUARTE	OSSERTY. 74 CF/S, 9.1 G SALT, 1/4# FC FR SECTION A UAL WILL FOI	W/S). F/I (12.4 PP) AND HAS LLOW.	t productive zoneand 3 200 SACKS CI G, 2.14 CF/S, 11 BEEN FURNISH Expires 6 Inless Drillin	ASS C (14.8 PF .9 GW/S). F/B S HED A COPY OF Months Fro	PG, 1.34 CF/S 500 SACKS 5 FTHIS APPLI	0/50 PO	Z H w/ 2% GEL,	
I hereby certify that the rules and regulations of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.						OIL CONSERVATION DIVISION						
Signature	C	Hale W.	mand			Appro	ved BYRIGINAL	SIGNED BY	JERRY SEX	ron—		
Printed Name C. Wade Howard						Title: DISTRICT I SUPERVISOR						
Title Eng. Assistant							Approval Date MAR 2 7 1995 Expiration Date:					
Date 3/23/95 Telephone 688-4606						Cond	tions of Approval	:				

DECEMED

600 2 4 1865 65770E

Mark to the state of the state

DI:*TRICT 1 P. O. Box 1980, Hobbs, NM 88240

DISTRICT II P. O. Drawer DD, Artesia, NM 88210

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV P. O. Box 2088, Santa Fe, NM 87504-2088 State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

PO Box 2088 Santa Fe, NM 87504-2088 Form C-102 Revised February 10, 1994

Instructions on back

Submit to Appropriate District Office


State Lease-4 copies Fee Lease-3 copies

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Num	iber 2Pool Code	³ Pool Name				
30-035-3	52907. 196315 196313 North Teague Tubb/	North Teague Drinkard-ABO				
Property Code	⁵ Property Name	⁸ Well Number				
16867	R. R. Sims "B"	1				
OGRID No.	BOperator Name	9 Elevation				
59321	TEXACO EXPLORATION & PRODUCTION, IF	NC. 3314'				


UL or lot no.	Section	Township 23-S	Range 37-E	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	4	23-3	3/-		535'	South	2030'	East	Lea
			'' B	<u>ottom Hol</u>	e Location If	Different From	Surface		
UL or lot no.	Section	Томпвћір	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	⁷ County
17Dedicated Acres	13.Joi	nt or Infill	¹ Consolid	lation Code	¹⁵ Order No.	<u></u>			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION.



DRILLING CONTROL CONDITION II-B 3000 WP

FOR AIR DRILLING OR WHERE NITROGEN OR AIR BLOWS ARE EXPECTED



DRILLING CONTROL

MATERIAL LIST - CONDITION II - B

λ	Texaco Wellhead
в .	3000f W.P. drilling spool with a 2" minimum flanged outlet for kill line and 3" minimum flanged outlet for choke line.
c	3000f W.P. Dual ram type preventer, hydraulic operated with 1" steel, 3000f W.P. control lines (where substructure height is adequate, 2 - 3000f W.P. single ram type preventers may be utilized).
D	Rotating Head with fill up outlet and extended Blooie Line.
1,3,4,	2" minimum 3000# W.P. flanged full opening steel gate valve, or Halliburton Lo Torc Plug valve.
2	2" minimum 3000f W.P. back pressure valve.
5,6,9	3" minimum 1000f W.P. flanged full opening steel gate valve, or Halliburton Lo.Torc Plug valve.
12	3" minimum schedule 80, Grade "B", seamless line pipe.
13	2" minimum x 3" minimum 3000s W.P. flanged cross.
10,11	2" minimum 3000f W.P. adjustable choke bodies.
14	Cameron Mud Gauge or equivalent (location optional in choke line).
15	2" minimum 3000f W.P. flanged or threaded full opening steel gate valve, or Halliburton Lo Torc Plug valve.
•	•



TEXACO, INC.



SCALE DATE EST NO. DRG. NO.

DRAWN BY

CHECKED BY

APPROVED BY

EXHIBIT C

The configuration of the second contract from the contract of the contract of

50/51/5

REVED

MAR 2 4 1985 U C 75 HOBBS OFFICE