

MEASURED DEPTH	DRIFT ANGLE D M	DRIFT DIRECTION D M	COURSE LENGTH	TRUE VERTICAL DEPTH	R E C T A N G U L A R C O O R D I N A T E S	DOGLEG SEVERITY
11274.00	2 45	S 20 0 E	94.00	11250.10	172.57 S 397.52 E	0.55
11367.00	2 45	S 23 0 E	93.00	11347.99	176.72 S 399.15 E	0.15
11461.00	3 0	S 20 0 E	94.00	11436.87	181.11 S 400.88 E	0.31
11555.00	2 30	S 17 0 E	94.00	11530.77	185.39 S 402.31 E	0.55
11649.00	2 15	S 20 0 E	94.00	11624.68	189.08 S 403.55 E	0.30
11742.00	2 15	S 15 0 E	93.00	11717.61	192.56 S 404.64 E	0.21
11836.00	2 30	S 12 0 E	94.00	11811.53	196.35 S 405.55 E	0.30
11930.00	2 45	S 5 0 E	94.00	11905.43	200.60 S 406.19 E	0.43
12024.00	3 0	S 5 0 E	94.00	11999.32	205.30 S 406.60 E	0.27
12117.00	2 45	S 9 0 E	93.00	12092.20	209.93 S 407.17 E	0.34
12211.00	3 0	S 4 0 E	94.00	12186.08	214.61 S 407.70 E	0.38
12305.00	2 45	S 9 0 E	94.00	12279.96	219.30 S 408.23 E	0.38
12398.00	2 45	S 7 0 E	93.00	12372.85	223.72 S 408.86 E	0.10
12492.00	2 30	S 8 0 E	94.00	12466.76	227.98 S 409.42 E	0.27
12523.00	2 15	S 12 0 E	31.00	12497.73	229.25 S 409.64 E	0.97
12617.00	2 15	S 11 0 E	94.00	12591.66	232.86 S 410.38 E	0.04
12711.00	2 15	S 17 0 E	94.00	12685.58	236.44 S 411.27 E	0.25
12805.00	2 0	S 11 0 E	94.00	12779.52	239.82 S 412.11 E	0.36
12898.00	2 0	S 6 0 E	93.00	12872.46	243.03 S 412.59 E	0.19
12992.00	1 45	S 5 0 E	94.00	12966.41	246.09 S 412.89 E	0.27
13086.00	1 45	S 11 0 E	94.00	13060.37	248.94 S 413.29 E	0.19
13180.00	1 30	S 30 0 E	94.00	13154.33	251.42 S 414.21 E	0.63
13357.00	1 30	S 3 0 W	177.00	13331.27	255.86 S 415.28 E	0.48
13450.00	1 30	N 78 0 W	93.00	13424.24	257.17 S 413.58 E	2.45
13544.00	1 30	N 20 0 W	94.00	13518.21	255.62 S 411.80 E	1.55
13638.00	1 0	N 27 0 E	94.00	13612.18	253.63 S 411.92 E	1.17
13731.00	1 30	N 40 0 E	93.00	13705.16	251.94 S 413.04 E	0.61
13825.00	1 15	N 55 0 E	94.00	13799.13	250.43 S 414.70 E	0.46
13918.00	1 45	N 58 0 E	93.00	13892.10	249.08 S 416.73 E	0.54
14012.00	1 30	N 48 0 E	94.00	13986.06	247.48 S 418.86 E	0.40

CONTINUED ON NEXT PAGE ...

