

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy _____ 1830 _____	T. Canyon _____	T. Ojo Alamo _____	T. Penn. "B" _____
T. Salt _____ 1920 _____	T. Strawn _____	T. Kirtland-Fruitland _____	T. Penn. "C" _____
B. Salt _____ 2880 _____	T. Atoka _____	T. Pictured Cliffs _____	T. Penn. "D" _____
T. Yates _____ 3007 _____	T. Miss _____	T. Cliff House _____	T. Leadville _____
T. 7 Rivers _____ 3080 _____	T. Devonian _____	T. Menefee _____	T. Madison _____
T. Queen _____ 3760 _____	T. Silurian _____	T. Point Lookout _____	T. Elbert _____
T. Grayburg _____ 3945 _____	T. Montoya _____	T. Mancos _____	T. McCracken _____
T. San Andres _____ 4438 _____	T. Simpson _____	T. Gallup _____	T. Ignacio Otzte _____
T. Glorieta _____ 5805 _____	T. McKee _____	Base Greenhorn _____	T. Granite _____
T. Paddock _____ 5967 _____	T. Ellenburger _____	T. Dakota _____	T. _____
T. Blinbry _____ 6340 _____	T. Gr. Wash _____	T. Morrison _____	T. _____
T. Tubb _____	T. Delaware Sand _____	T. Todilto _____	T. _____
T. Drinkard _____	T. Bone Springs _____	T. Entrada _____	T. _____
T. Abo _____	T. _____	T. Wingate _____	T. _____
T. Wolfcamp _____	T. _____	T. Chinle _____	T. _____
T. Penn _____	T. _____	T. Permian _____	T. _____
T. Cisco (Bough C) _____	T. _____	T. Penn "A" _____	T. _____

OIL OR GAS SANDS OR ZONES

No. 1, from.....4460.....to.....4600.....
 No. 2, from.....6350.....to.....6450.....
 No. 3, from.....to.....
 No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	1830	1830	Red Beds & Sands				
1830	3007	1170	Anhydrite & Salt				
3007	3008	73	Sand				
3080	3450	370	Dolomite & Anhydrite				
3450	3590	140	Sand & Dolomite				
3590	3945	355	Anhydrite Dolomite & Sand				
3945	4402	457	Anhydrite & Dolomite				
4402	4438	36	Siltstone				
4438	5805	1367	Dolomite				
5805	5965	160	Sand & Shale				
5965	6507	542	Dolomite & Shale				