

AE Order Number Banner

Application Number: pMSG2325043933

SWD-2558

Pilot Water Solutions SWD LLC [331374]



September 1, 2023

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Subject: Pilot Water Solutions SWD LLC
Application for Authorization to Inject
Cannon SWD State #1

Mr. Fuge,

Pilot Water Solutions SWD LLC (Pilot) is applying for administrative approval of the attached Application for Authorization to Inject (Form C-108) for their proposed Cannon SWD State #1. The application is requesting authorization to dispose of saltwater from oil and gas production in the area via commercial disposal into the San Andres Formation in Lea County, NM.

Questions regarding this application or the included materials can be directed to Nate Alleman (Pilot Regulatory Advisor Contractor) via telephone at 918-237-0559 or via email at nate.alleman@aceadvisors.com.

Sincerely,

A handwritten signature in black ink that reads "Nathan Alleman".

Nate Alleman
Chief Regulatory Advisor
Ace Energy Advisors

Revised March 23, 2017

RECEIVED:	REVIEWER:	TYPE:	APP NO:
-----------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: Pilot Water Solutions SWD LLC OGRID Number: 331374
 Well Name: Cannon SWD State #1 API: 30-025-
 Pool: SWD; San Andres Pool Code: 96121

SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW

1) TYPE OF APPLICATION: Check those which apply for [A]

A. Location – Spacing Unit – Simultaneous Dedication

☐ NSL ☐ NSP (PROJECT AREA) ☐ NSP (PRORATION UNIT) ☐ SD

B. Check one only for [I] or [II]

[I] Commingling – Storage – Measurement

☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[II] Injection – Disposal – Pressure Increase – Enhanced Oil Recovery

☐ WFX ☐ PMX ☒ SWD ☐ IPI ☐ EOR ☐ PPR

2) NOTIFICATION REQUIRED TO: Check those which apply.

- A. ☒ Offset operators or lease holders
 B. ☐ Royalty, overriding royalty owners, revenue owners
 C. ☒ Application requires published notice
 D. ☒ Notification and/or concurrent approval by SLO
 E. ☐ Notification and/or concurrent approval by BLM
 F. ☒ Surface owner
 G. ☒ For all of the above, proof of notification or publication is attached, and/or,
 H. ☐ No notice required

FOR OCD ONLY

- ☐ Notice Complete
☐ Application Content Complete

3) CERTIFICATION: I hereby certify that the information submitted with this application for administrative approval is accurate and complete to the best of my knowledge. I also understand that no action will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

David Grounds

Print or Type Name

David Grounds
 Signature

09/01/2023

Date

713-307-8752

Phone Number

david.grounds@pilotwater.com

e-mail Address

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL
RESOURCES DEPARTMENT

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

FORM C-108
Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

- I. PURPOSE: _____ Secondary Recovery _____ Pressure Maintenance _____ ☒ Disposal _____ Storage
Application qualifies for administrative approval? _____ ☒ Yes _____ No
- II. OPERATOR: Pilot Water Solutions SWD LLC
ADDRESS: 20 Greenway Plaza, Suite 200, Houston, TX 77046
CONTACT PARTY: David Grounds PHONE: 713-307-8752
- III. WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.
Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? _____ Yes _____ ☒ No
If yes, give the Division order number authorizing the project: _____
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- *X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
- *XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- NAME: David Grounds TITLE: VP - Regulatory Compliance
SIGNATURE: David Grounds DATE: 09/01/2023
E-MAIL ADDRESS: david.grounds@pilotwater.com
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: _____

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office

III. Well Data

A. The following well data must be submitted for each injection well covered by this application. The data must be both in tabular and schematic form and shall include:

- (1) Lease name; Well No.; Location by Section, Township and Range; and footage location within the section.**

Operator: Pilot Water Solutions SWD LLC

Lease/Well Name & Number: Cannon SWD State #1

Legal Location: 2,363' FNL, 1,271' FEL- Unit H – Section 9 T19S R37E – Lea County

- (2) Each casing string used with its size, setting depth, sacks of cement used, hole size, top of cement, and how such top was determined.**

Casing String	Hole Size (in)	Casing Size (in)	Casing Depth (ft)	Sacks Cement (sx)	Top of Cement (ft)	Method Determined
Surface	17-1/2	13-3/8	1,558	2,442	0	Circulation
Production	12-1/4	9-5/8	5,568	1,662	0	Circulation

A wellbore diagram is included in **Attachment 1**.

- (3) A description of the tubing to be used including its size, lining material, and setting depth.**

5-1/2" fiberglass-coated tubing set at 4,237'

- (4) The name, model, and setting depth of the packer used or a description of any other seal system or assembly used.**

Weatherford AS1X Stainless 9-5/8" X 5-1/2" set at 4,237'

B. The following must be submitted for each injection well covered by this application. All items must be addressed for the initial well. Responses for additional wells need be shown only when different. Information shown on schematics need not be repeated.

- (1) The name of the injection formation and, if applicable, the field or pool name.**

Injection Formation Name - San Andres

Pool Name - SWD; San Andres

Pool Code – 96121

- (2) The injection interval and whether it is perforated or open-hole.**

Cased-hole injection between 4,237' - 5,568'

- (3) State if the well was drilled for injection or, if not, the original purpose of the well.**

New drill for injection

- (4) Give the depths of any other perforated intervals and detail on the sacks of cement or bridge plugs used to seal off such perforations.**

None

- (5) Give the depth to and the name of the next higher and next lower oil or gas zone in the area of the well, if any.**

- **Overlying**
 - Yates (2,783')
 - 7 Rivers (3,053')
 - Queen (3,600')
 - Grayburg (3,960')
- **Underlying** - No underlying oil and gas zones present.

Note: the proposed SWD is located on the Central Basin Platform. Therefore, the listed productive zones are limited to those productive zones occurring on the Central Basin Platform.

V. AOR Maps

Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.

The following maps are included in **Attachment 2**:

- ½-Mile AOR/Surface & Mineral Ownership Map
- 2-Mile Oil & Gas Well Map
- 2-Mile Lease Map

VI. AOR List

Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.

Details of the wells within the 0.5-mile AOR are included in **Attachment 2**. No wells within the 0.5-mile AOR penetrate the top of the proposed injection zone.

VII. Operational Information

Attach data on the proposed operation, including:

- (1) Proposed average and maximum daily rate and volume of fluids to be injected;**

Maximum: 25,000 bpd

Average: 15,000 bpd

- (2) Whether the system is open or closed;**

The system will be closed.

- (3) Proposed average and maximum injection pressure;**

Maximum: 847 psi (surface)

Average: approx. 500-600 psi (surface)

- (4) Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water;**

It is anticipated that produced water from Wolfcamp and Bone Spring production wells in the area will be injected into the proposed SWD. Therefore, water analysis from these formations was obtained and is included in **Attachment 3**.

- (5) If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).**

The proposed injection interval for this SWD is the San Andres formation, which is a non-productive zone known to be compatible with formation water from the Wolfcamp and Bone Spring formations. Water analyses of samples collected from the proposed injection formation in the area were obtained and are included in **Attachment 4**.

VIII. Geologic Description

Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.

The proposed injection interval is located in the San Andres formation between the depths of 4,237 and 5,568 feet. The San Andres formation consists of an interbedded carbonate sequence composed of limestone and dolomite. These cycles tend to be mappable within the San Andres and are differentiated by sections of either very high or very low porosity and permeability development. Upper and lower confinement will be provided by tight carbonate facies present within San Andres that occur above and below the porous injection interval. The upper confining interval occurs at the top of the San Andres formation, directly underlying the Grayburg formation, and ranges from 125' – 150' net thickness based on a review of nearby open-hole geophysical logs. The lower confining interval occurs at the bottom of the San Andres formation, directly overlying the Glorieta formation, and ranges from 150' - 200' net thickness based on a review of nearby open-hole geophysical logs.

The base of the lowermost Underground Source of Drinking Water (USDW), identified as the top of the first anhydrite, was determined to occur at the top of the Rustler formation at a depth of 1,533'. Water wells in the area are drilled to a depth of approximately 110' – 150'.

IX. Proposed Stimulation Program

Describe the proposed stimulation program, if any.

A minor acid job utilizing 15-20% hydrochloric acid may be used to cleanup the wellbore.

X. Logging and Test Data

Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).

Logs will be run and submitted to the Division once the well is completed.

XI. Groundwater Wells

Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.

Based on data obtained from the New Mexico Office of the State Engineer (OSE), a total of 12 groundwater wells (4 active, 1 Pending and 7 Plugged) are located within 1 mile of the proposed SWD location. Ten of the water wells within the 1-mile radius do not meet sampling criteria due to their status (i.e. Plugged) or use (i.e. Commercial or O&G Prospecting).

A water sample has been collected and analyzed from one (1) of the fresh, active water wells. Multiple attempts have been made to contact the owner of the second well that meets the sampling criteria; however, approval for sampling has not yet been obtained. Attempts to contact the water well owner and sample the water well will be continued and the associated analysis will be submitted to OCD upon completion.

A map depicting the locations of nearby water wells and details of the water wells within 1-mile, including rationale as to whether they meet the sampling criteria, are included in **Attachment 5**.

XII. No Hydrologic Connection Statement

Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.

A geologic review conducted on offset wireline log data and published regional studies did not identify any faulting in the vicinity of the proposed locations that would allow for the hydraulic communication between the injection interval and overlying USDWs. The base of the lowermost Underground Source of Drinking Water (USDW), identified as the top of the first anhydrite, was determined to occur at the top of the Rustler formation at a depth of 1,533'.

XIII. Proof of Notice

Applicants must complete the "Proof of Notice" section on the reverse side of this form.

All applicants must furnish proof that a copy of the application has been furnished, by certified or registered mail, to the owner of the surface of the land on which the well is to be located and to each leasehold operator within one-half mile of the well location.

A copy of the application was mailed to the Affected Persons, including the OCD District Office, surface owner, leasehold operators within the AOR, and BLM/SLO if they own minerals within the AOR. **Attachment 6** includes a list of the Affected Persons receiving notice of the application and the associated certified mailing receipts (green sheets).

Where an application is subject to administrative approval, a proof of publication must be submitted. Such proof shall consist of a copy of the legal advertisement which was published in the county in which the well is located.

A Public Notice was published in the Hobbs NewsSun, a newspaper of general circulation in the area, and the associated affidavit is included in **Attachment 6**.

Attachment 1

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number	² Pool Code 96121	³ Pool Name SWD; San Andres
⁴ Property Code	⁵ Property Name CANNON SWD STATE	⁶ Well Number #1
⁷ OGRID No. 331374	⁸ Operator Name Pilot Water Solutions SWD LLC	⁹ Elevation 3677.47'

¹⁰ Surface Location



UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
H	9	19 S	37 E		2363	NORTH	1271	EAST	LEA

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<div style="text-align: center;"> ¹⁶ ① D C B A E F G H L K J I M N O P ④ ③ </div>	<div style="text-align: center;"> 2363' 1271' </div>	¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.  08/22/2023 Signature Date Nate Alleman Printed Name nate.alleman@aceadvisors.com E-mail Address
		¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.  07/25/2023 Date of Survey Date Signature and Seal of Professional Surveyor:
		Certificate Number


GEODETIC DATA
NAD 83 NM EAST

CANNON SWD STATE 1
X: 874059.17'
Y: 611172.14'
LAT.: N 32.675497188
LONG.: W -103.25202045

1-Y=613512.04', X=869930.43'
2-Y=613542.28', X=875306.38'
3-Y=608263.22', X=875360.89'
4-Y=608248.91', X=869974.87'

Pilot Water Solutions SWD LLC

Cannon SWD State #1 Wellbore Diagram




Note: Listed depths and cement volumes are approximates based on available information.

NOT TO SCALE

Attachment 2


Cannon SWD State Well No.1 - Area of Review - 2 Miles

(Attachment to NMOCD Form C-108 - Item V)



Cannon SWD State #1 – Surface & Minerals Ownership

(Attachment to NMOCD Form C-108, Application for Authority to Inject.)




1/2-Mile AOR Tabulation for Cannon SWD State #1 (Top of Injection Interval: 4,237')

Well Name	API#	Well Type	Operator	Status	Spud Date	Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?
PRE-ONGARD WELL #001	30-025-05582	G	PRE-ONGARD WELL OPERATOR	Plugged (site released)	11/13/1955	K-09-19S-37E	3,900	No
EAST EUMONT UNIT #027	30-025-05584	O	J R OIL, LTD. CO.	Plugged (not released)	12/12/1956	B-09-19S-37E	3,980	No
EAST EUMONT UNIT #028	30-025-05583	I	J R OIL, LTD. CO.	Active	2/20/1956	A-09-19S-37E	3,975	No
EAST EUMONT UNIT #032	30-025-05588	I	J R OIL, LTD. CO.	Temporary Abandonment	6/26/1956	E-10-19S-37E	4,020	No
EAST EUMONT UNIT #029	30-025-05585	O	J R OIL, LTD. CO.	Active	6/20/1956	D-10-19S-37E	4,080	No
EAST EUMONT UNIT #034	30-025-05592	O	J R OIL, LTD. CO.	Active	7/2/1957	L-10-19S-37E	4,065	No

Notes: No wells within the 1/2-mile AOR penetrate the injection interval.

Cannon SWD State #1 – Leasehold Plat

(Attachment to NMOCD Form C-108, Application for Authority to Inject.)



PILOT WATER
SOLUTIONS™

SOS Consulting, LLC

Attachment 3


Source Formation Water Analysis																							
Well Name	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Formation	Sampled	PH	TDS (Mg/L)	Sodium (Mg/L)	Calcium (MG/L)	Iron (MG/L)	Magnesium (MG/L)	Manganese (MG/L)	Chloride (MG/L)	Bicarbonate (MG/L)	Sulfate (MG/L)
STATE NPA #001	3002503156	32.6879654	-103.5031815	6	19S	35E	L	1980S	660W	LEA	NM	BONE SPRING	1960	7.7	25800.0						14100.0	830.0	1120.0
SHOOTING STAR STATE SWD #001	3002529805	32.7594261	-103.4270935	11	18S	35E	J	1650S	2310E	LEA	NM	BONE SPRING	2001	6.2			15600.0	2.5	981.9		148248.0	244.0	650.0
SINCLAIR STATE #002	3002503123	32.7386246	-103.4561005	21	18S	35E	A	660N	660E	LEA	NM	WOLFCAMP	1960	7.1	60950.0						33568.0	1087.0	3049.0
IRONHOUSE 19 STATE COM #001H	3002540676	32.7266121	-103.499527	19	18S	35E	N	200S	1800W	Lea	NM	BONE SPRING 2ND SAND	2014	6.4	182863.9	58171.0	4944.4	49.0	1892.6	1.4	113954.0	195.2	0.0
IRONHOUSE 19 STATE COM #004H	3002541245	32.7264938	-103.5014343	19	18S	35E	M	150S	1215W	Lea	NM	BONE SPRING 2ND SAND	2014	6.2	189029.2	64016.2	5319.3	38.8	2044.4	1.5	113566.0	158.6	0.0
IRONHOUSE 19 STATE COM #002H	3002541094	32.7271118	-103.4903336	19	18S	35E	M	410S	630E	Lea	NM	BONE SPRING 2ND SAND	2014	6.0	205332.0	72646.0	4828.0	39.0	2316.0	2.0	130450.0	488.0	1503.0
IRONHOUSE 20 STATE COM #001	3002540611	32.7265129	-103.4774857	20	18S	35E	O	200S	1980E	Lea	NM	BONE SPRING 2ND SAND	2014	6.1	186865.0	65638.0	4698.0	16.0	1700.0	1.0	116510.0	1098.0	1804.0
IRONHOUSE 20 STATE #002H	3002540748	32.7265129	-103.4731903	20	18S	35E	P	200S	660E	Lea	NM	BONE SPRING 2ND SAND	2014	6.6	196865.0	66738.0	4631.0	23.0	1790.0	1.0	116580.0	1298.0	1894.0
IRONHOUSE 19 STATE COM #003H	3002541050	32.7264977	-103.4941711	19	18S	35E	O	175S	1810E	Lea	NM	BONE SPRING 2ND SAND	2014	6.2	178457.0	56874.0	6125.0	22.0	1457.0	1.0	125412.0	845.0	849.0
HAMON STATE #001	3002503140	32.7175827	-103.4464035	27	18S	35E	K	2310S	2310W	LEA	NM	BONE SPRING			154510.0						96360.0	430.0	1210.0
LEA 403 STATE #001	3002503126	32.7386093	-103.4518051	22	18S	35E	D	660N	660W	LEA	NM	BONE SPRING	1958	6.7	255451.0						156699.0	327.0	779.0

Attachment 4

Injection Formation Water Analysis																		
Well Name	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Formation	Sampled	PH	TDS (Mg/L)	Chloride (MG/L)	Bicarbonate (MG/L)	Sulfate (MG/L)
B V CULP NCT A #008	3002505640	32.6467896	-103.2919235	19	19S	37E	F	2310N	2239W	LEA	NM	SAN ANDRES			10905	2350	1100	3700
B V CULP NCT A #008	3002505640	32.6467896	-103.2919235	19	19S	37E	F	2310N	2239W	LEA	NM	SAN ANDRES			26735	14500	1370	1020
B V CULP NCT A #008	3002505640	32.6467896	-103.2919235	19	19S	37E	F	2310N	2239W	LEA	NM	SAN ANDRES			40250	20800	1390	3100
B V CULP NCT A #008	3002505640	32.6467896	-103.2919235	19	19S	37E	F	2310N	2239W	LEA	NM	SAN ANDRES			71110	39800	810	3500
B V CULP NCT A #008	3002505640	32.6467896	-103.2919235	19	19S	37E	F	2310N	2239W	LEA	NM	SAN ANDRES			156218	95130	176	771
NORTH MONUMENT G/SA UNIT #001	3002505647	32.6512489	-103.2843475	19	19S	37E	A	660N	660E	Lea	NM	SAN ANDRES	1964	6.0		10200	592	1938
GOODWIN #002	3002520651	32.7204323	-103.2928467	30	18S	37E	F	1980N	1980W	LEA	NM	SAN ANDRES			80467	45060	1492	3315
GOODWIN #002	3002520651	32.7204323	-103.2928467	30	18S	37E	F	1980N	1980W	LEA	NM	SAN ANDRES			69848	39130	1225	3114
NORTH HOBBS UNIT #001	3002505449	32.7530632	-103.21138	13	18S	37E	D	660N	660W	LEA	NM	SAN ANDRES	1960	8.0	12100	4500	504	2300
NORTH HOBBS UNIT #001	3002505449	32.7530632	-103.21138	13	18S	37E	D	660N	660W	LEA	NM	SAN ANDRES			12100	4541	509	2321
BOBBI STATE WF UNIT #006	3002503978	32.7231979	-103.373436	29	18S	36E	B	990N	1650E	LEA	NM	SAN ANDRES			20882	11190	645	1232
STATE NG #001	3002522795	32.7349815	-103.3057404	24	18S	36E	G	1980N	1980E	LEA	NM	SAN ANDRES	1968	6.5	265665	157000	98	5400
STATE NG #001	3002522795	32.7349815	-103.3057404	24	18S	36E	G	1980N	1980E	LEA	NM	SAN ANDRES	1968	6.3	203913	122000	110	3000
GRAHAM STATE NCT F #003	3002512476	32.6149902	-103.3056641	36	19S	36E	J	1980S	1980E	LEA	NM	SAN ANDRES	1900	6.5		16406	611	
NORTHWEST EUMONT UNIT #156	3002504099	32.617733	-103.3518143	33	19S	36E	H	2310N	330E	Lea	NM	SAN ANDRES	1960	7.0		38119	405	4317
GRAHAM STATE NCT F #003	3002512476	32.6149902	-103.3056641	36	19S	36E	J	1980S	1980E	Lea	NM	SAN ANDRES	1964	6.5		16406	611	
GRAHAM STATE NCT F #003	3002512476	32.6149902	-103.3056641	36	19S	36E	J	1980S	1980E	LEA	NM	SAN ANDRES			26344			
E M E SWD #008	3002506017	32.5895042	-103.2725601	8	20S	37E	G	1980N	2310E	LEA	NM	SAN ANDRES	1964	8.5	65365	36905	560	1460
THEODORE ANDERSON #002	3002506139	32.5785942	-103.2758102	17	20S	37E	C	660N	1980W	Lea	NM	SAN ANDRES	1964	6.7		67245	564	489
E M E SWD #008	3002506017	32.5895042	-103.2725601	8	20S	37E	G	1980N	2310E	LEA	NM	SAN ANDRES			65361	36900	560	1460
EUNICE MONUMENT UNIT #031	3002506169	32.5531693	-103.2843781	19	20S	37E	P	660S	660E	LEA	NM	SAN ANDRES			91120	59850	0	722

Attachment 5

Cannon SWD State #1 Water Well Map




9/1/2023, 7:59:28 AM

GIS WATERS PODs

- Active
- Pending
- Capped
- Plugged
- Incomplete
- Sections

1:18,056



City of Hobbs, Bureau of Land Management, Esri, HERE, Garmin, INCREMENT P, NGA, USGS, OSE SLO

Water Well Sampling Table					
Water Well ID	OSE Status	Owner	Available Contact Information	Use	Notes
L 02333	Active	ROGERS INC	J W Rogers Inc Hobbs, NM	Prospecting	O&G Prospecting - not fresh water supply well
L 02602	Plugged	OSCAR BOURG DRILLING COMPANY	Oscar Bourg Drilling Company Po Box 73 Midland, TX	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 03181	Plugged	HUMBLE OIL AND REFINING CO.	Humble Oil And Refining Co. Box 1287 Roswell, NM	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 03185	Plugged	CARPER DRILLING CO.	Carper Drilling Co. Box 978 Midland, TX	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 03208	Plugged	OSCAR BOURG DRLG. CO.	Oscar Bourg Drilling Company C/o O R Musslewhite Box 56 Hobbs, NM	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 03234	Plugged	MAKIN DRILLING COMPANY	Makin Drilling Company Box 1628 Hobbs, NM	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 03378	Pending	MAKIN DRILLING COMPANY	Makin Drilling Company Box 1628 Hobbs, NM	Prospecting	O&G Prospecting - not fresh water supply well
L 03403	Plugged	OSCAR BOURG DRILLING COMPANY	Oscar Bourg Drilling Company C/o O R Musslewhite Box 56 Hobbs, NM	Prospecting	O&G Prospecting - not fresh water supply well
L 06125 POD1	Active	OXY USA INC.	Oxy Usa, Inc. 6 Desta Drive P.o. Box 50250 Midland, TX 79710	Commercial	Commercial - not fresh water supply well
L 03517	Plugged	CACTUS DRILLING COMPANY	Cactus Drilling Company 217 Greenacres Drive Hobbs, NM	Prospecting	Plugged - O&G Prospecting - not fresh water supply well
L 04917	Active	COX	E W Cox 602 East Corbett Street Hobbs, NM	Domestic and livestock watering	Sample collected 8-17-23
L 04466 POD1	Active	COOPER	Jimmie B. Cooper P.o. Box 36 Monument, NM 88265	Irrigation	Unable to contact water well owner after multiple attempts.
Notes:					



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

August 24, 2023

NATE ALLEMAN

ACE ENERGY ADVISORS

501 E. FRANK PHILLIPS BLVD. SUITE 201

BARTLESVILLE, OK 74003

RE: PILOT

Enclosed are the results of analyses for samples received by the laboratory on 08/17/23 10:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-22-15. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first letters of the first and last names being capitalized and prominent.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
L - 06216-POD 2	H234446-01	Water	17-Aug-23 09:10	17-Aug-23 10:20
L - 04917	H234446-02	Water	17-Aug-23 09:20	17-Aug-23 10:20
L - 06216	H234446-03	Water	17-Aug-23 09:00	17-Aug-23 10:20

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

L - 06216-POD 2
H234446-01 (Water)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	215		5.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Chloride*	56.0		4.00	mg/L	1	3081602	AC	17-Aug-23	4500-Cl-B	
Conductivity*	632		1.00	umhos/cm @ 25°C	1	3081722	AC	17-Aug-23	120.1	
pH*	7.73		0.100	pH Units	1	3081722	AC	17-Aug-23	150.1	
Temperature °C	19.9			pH Units	1	3081722	AC	17-Aug-23	150.1	
Resistivity	15.8			Ohms/m	1	3081722	AC	17-Aug-23	120.1	
Sulfate*	57.0		10.0	mg/L	1	3081701	AC	17-Aug-23	375.4	
TDS*	378		5.00	mg/L	1	3081603	AC	22-Aug-23	160.1	
Alkalinity, Total*	176		4.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
TSS*	<2.00		2.00	mg/L	1	3081737	AC	18-Aug-23	160.2	

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Barium*	0.080		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Calcium*	64.3		0.200	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Hardness as CaCO3	207		0.911	mg/L	1	[CALC]	AES	23-Aug-23	2340 B	
Iron*	0.217		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Magnesium*	11.3		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Potassium*	3.00		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Sodium*	44.4		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Strontium*	0.681		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

L - 04917**H234446-02 (Water)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	244		5.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Chloride*	44.0		4.00	mg/L	1	3081602	AC	17-Aug-23	4500-Cl-B	
Conductivity*	604		1.00	umhos/cm @ 25°C	1	3081722	AC	17-Aug-23	120.1	
pH*	7.51		0.100	pH Units	1	3081722	AC	17-Aug-23	150.1	
Temperature °C	19.9			pH Units	1	3081722	AC	17-Aug-23	150.1	
Resistivity	16.6			Ohms/m	1	3081722	AC	17-Aug-23	120.1	
Sulfate*	71.5		10.0	mg/L	1	3081701	AC	17-Aug-23	375.4	
TDS*	376		5.00	mg/L	1	3081603	AC	22-Aug-23	160.1	
Alkalinity, Total*	200		4.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
TSS*	3.00		2.00	mg/L	1	3081737	AC	18-Aug-23	160.2	

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Barium*	0.064		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Calcium*	64.8		0.200	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Hardness as CaCO3	210		0.911	mg/L	1	[CALC]	AES	23-Aug-23	2340 B	
Iron*	<0.050		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Magnesium*	11.7		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Potassium*	2.93		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Sodium*	37.4		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Strontium*	0.684		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

L - 06216**H234446-03 (Water)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories**Inorganic Compounds**

Alkalinity, Bicarbonate	259		5.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Alkalinity, Carbonate	<1.00		1.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
Chloride*	132		4.00	mg/L	1	3081602	AC	17-Aug-23	4500-Cl-B	
Conductivity*	950		1.00	umhos/cm @ 25°C	1	3081722	AC	17-Aug-23	120.1	
pH*	7.32		0.100	pH Units	1	3081722	AC	17-Aug-23	150.1	
Temperature °C	19.9			pH Units	1	3081722	AC	17-Aug-23	150.1	
Resistivity	10.5			Ohms/m	1	3081722	AC	17-Aug-23	120.1	
Sulfate*	66.6		25.0	mg/L	2.5	3081701	AC	17-Aug-23	375.4	
TDS*	528		5.00	mg/L	1	3081603	AC	22-Aug-23	160.1	
Alkalinity, Total*	212		4.00	mg/L	1	3080401	AC	17-Aug-23	310.1	
TSS*	2.00		2.00	mg/L	1	3081737	AC	18-Aug-23	160.2	

Green Analytical Laboratories**Total Recoverable Metals by ICP (E200.7)**

Barium*	0.082		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Calcium*	89.7		0.200	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Hardness as CaCO3	290		0.911	mg/L	1	[CALC]	AES	23-Aug-23	2340 B	
Iron*	0.454		0.050	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Magnesium*	16.1		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Potassium*	3.46		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Sodium*	68.2		1.00	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	
Strontium*	0.927		0.100	mg/L	1	B232484	AES	23-Aug-23	EPA200.7	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3080401 - General Prep - Wet Chem**Blank (3080401-BLK1)**

Prepared & Analyzed: 04-Aug-23

Alkalinity, Carbonate	ND	1.00	mg/L							
Alkalinity, Bicarbonate	5.00	5.00	mg/L							
Alkalinity, Total	4.00	4.00	mg/L							

LCS (3080401-BS1)

Prepared & Analyzed: 04-Aug-23

Alkalinity, Carbonate	ND	2.50	mg/L				80-120			
Alkalinity, Bicarbonate	330	12.5	mg/L				80-120			
Alkalinity, Total	270	10.0	mg/L	250		108	80-120			

LCS Dup (3080401-BSD1)

Prepared & Analyzed: 04-Aug-23

Alkalinity, Carbonate	ND	2.50	mg/L				80-120		20	
Alkalinity, Bicarbonate	330	12.5	mg/L				80-120	0.00	20	
Alkalinity, Total	270	10.0	mg/L	250		108	80-120	0.00	20	

Batch 3081602 - General Prep - Wet Chem**Blank (3081602-BLK1)**

Prepared & Analyzed: 16-Aug-23

Chloride	ND	4.00	mg/L							
----------	----	------	------	--	--	--	--	--	--	--

LCS (3081602-BS1)

Prepared & Analyzed: 16-Aug-23

Chloride	100	4.00	mg/L	100		100	80-120			
----------	-----	------	------	-----	--	-----	--------	--	--	--

LCS Dup (3081602-BSD1)

Prepared & Analyzed: 16-Aug-23

Chloride	104	4.00	mg/L	100		104	80-120	3.92	20	
----------	-----	------	------	-----	--	-----	--------	------	----	--

Batch 3081603 - Filtration**Blank (3081603-BLK1)**

Prepared: 16-Aug-23 Analyzed: 17-Aug-23

TDS	ND	5.00	mg/L							
-----	----	------	------	--	--	--	--	--	--	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 3081603 - Filtration

LCS (3081603-BS1)	Prepared: 16-Aug-23 Analyzed: 17-Aug-23									
TDS	247		mg/L	300		82.3	80-120			

Duplicate (3081603-DUP1)	Source: H234290-05 Prepared: 16-Aug-23 Analyzed: 17-Aug-23									
TDS	6220	5.00	mg/L		6370			2.41	20	

Batch 3081701 - General Prep - Wet Chem

Blank (3081701-BLK1)	Prepared & Analyzed: 17-Aug-23									
Sulfate	ND	10.0	mg/L							

LCS (3081701-BS1)	Prepared & Analyzed: 17-Aug-23									
Sulfate	19.3	10.0	mg/L	20.0		96.6	80-120			

LCS Dup (3081701-BSD1)	Prepared & Analyzed: 17-Aug-23									
Sulfate	19.2	10.0	mg/L	20.0		96.0	80-120	0.623	20	

Batch 3081722 - General Prep - Wet Chem

LCS (3081722-BS1)	Prepared & Analyzed: 17-Aug-23									
pH	2.02		pH Units	2.00		101	90-110			
Conductivity	490		uS/cm	500		98.0	80-120			

Duplicate (3081722-DUP1)	Source: H234446-01 Prepared & Analyzed: 17-Aug-23									
pH	7.75	0.100	pH Units		7.73			0.258	20	
Conductivity	629	1.00	umhos/cm @ 25°C		632			0.476	20	
Resistivity	15.9		Ohms/m		15.8			0.476	20	
Temperature °C	19.9		pH Units		19.9			0.00	200	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

Inorganic Compounds - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 3081737 - Filtration**Blank (3081737-BLK1)**

Prepared: 17-Aug-23 Analyzed: 18-Aug-23

TSS	ND	2.00	mg/L							
-----	----	------	------	--	--	--	--	--	--	--

Duplicate (3081737-DUP1)**Source: H234446-01**

Prepared: 17-Aug-23 Analyzed: 18-Aug-23

TSS	1.00	2.00	mg/L		1.00			0.00	52.7	
-----	------	------	------	--	------	--	--	------	------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD. SUITE 201
BARTLESVILLE OK, 74003

Project: PILOT
Project Number: NONE GIVEN
Project Manager: NATE ALLEMAN
Fax To:

Reported:
24-Aug-23 08:51

Total Recoverable Metals by ICP (E200.7) - Quality Control**Green Analytical Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch B232484 - Total Recoverable by ICP**Blank (B232484-BLK1)**

Prepared: 22-Aug-23 Analyzed: 23-Aug-23

Strontium	ND	0.100	mg/L
Barium	ND	0.050	mg/L
Sodium	ND	1.00	mg/L
Potassium	ND	1.00	mg/L
Iron	ND	0.050	mg/L
Magnesium	ND	0.100	mg/L
Calcium	ND	0.200	mg/L

LCS (B232484-BS1)

Prepared: 22-Aug-23 Analyzed: 23-Aug-23

Sodium	1.67	1.00	mg/L	1.62	103	85-115
Potassium	4.19	1.00	mg/L	4.00	105	85-115
Strontium	2.06	0.100	mg/L	2.00	103	85-115
Magnesium	10.4	0.100	mg/L	10.0	104	85-115
Iron	2.04	0.050	mg/L	2.00	102	85-115
Calcium	2.04	0.200	mg/L	2.00	102	85-115
Barium	1.00	0.050	mg/L	1.00	100	85-115

LCS Dup (B232484-BSD1)

Prepared: 22-Aug-23 Analyzed: 23-Aug-23

Potassium	4.20	1.00	mg/L	4.00	105	85-115	0.171	20
Iron	2.01	0.050	mg/L	2.00	101	85-115	1.34	20
Sodium	1.65	1.00	mg/L	1.62	102	85-115	1.35	20
Calcium	2.03	0.200	mg/L	2.00	101	85-115	0.389	20
Barium	1.01	0.050	mg/L	1.00	101	85-115	0.213	20
Strontium	2.05	0.100	mg/L	2.00	103	85-115	0.286	20
Magnesium	10.4	0.100	mg/L	10.0	104	85-115	0.372	20

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in cursive script, appearing to read "Celey D. Keene", written in black ink.

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

501 E. Frank Phillips Blvd, Suite 201

Company Name: Ace Energy Advisors

Project Manager: Nate Allenman

Address: 501 E. Frank Phillips Blvd, Suite 201

City: Bartlesville State: OK Zip: 74003

Phone #: 918-237-0559 Fax #:

Project #: Project Owner:

Project Name: Pilot

Project Location:

Sampler Name: Nate Allenman

Fax #:

Phone #: 918-237-0559

BILL TO

P.O. #:

Company: Ace Energy Advisors

Attn: Nate Allenman

Address: 501 E. Frank Phillips Blvd, Suite 201

City: Bartlesville

State: OK Zip: 74003

Phone #: 918-237-0559

Fax #:

ANALYSIS REQUEST

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	Cation / Anions	Ba, Fe, Sr	Resistivity	Total Hardness	TSS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :							
H334446	1-06216-PODA	G	2	X						8/17/23	0910	X	X	X	X	X
	1-04917	G	2	X						8/17/23	0920	X	X	X	X	X
	1-06216	G	2	X						8/17/23	0900	X	X	X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors, arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based on any of the above stated reasons or otherwise.

Relinquished By:

Date: 8/17/23

Received By:

Verbal Result: ☐ Yes ☐ No Add'l Phone #:

All Results are emailed. Please provide Email address:

note.allenman@aceadvisors.com

Relinquished By:

Date: 10/20

Received By:

REMARKS:

Delivered By: (Circle One)

Observed Temp. °C

28.8

Sample Condition

CHECKED BY: (Initials)

Turnaround Time:

Standard

☒

Bacteria (only)

Sample Condition

Observed Temp. °C

Sampler - UPS - Bus - Other:

Corrected Temp. °C

Cool Intact

☒

Thermometer ID #140

Rush

☒

Cool Intact

Observed Temp. °C

Corrected Temp. °C

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com

Attachment 6

Affidavit of Publication

STATE OF NEW MEXICO
COUNTY OF LEA

I, Daniel Russell, Publisher of the Hobbs News-Sun, a newspaper published at Hobbs, New Mexico, solemnly swear that the clipping attached hereto was published in the regular and entire issue of said newspaper, and not a supplement thereof for a period of 1 issue(s).

Beginning with the issue dated
August 24, 2023
and ending with the issue dated
August 24, 2023.



Publisher

Sworn and subscribed to before me this
24th day of August 2023.



Business Manager

My commission expires
January 29, 2027

(Seal)
STATE OF NEW MEXICO
NOTARY PUBLIC
GUSSIE RUTH BLACK
COMMISSION # 1087526
COMMISSION EXPIRES 01/29/2027

This newspaper is duly qualified to publish legal notices or advertisements within the meaning of Section 3, Chapter 167, Laws of 1937 and payment of fees for said publication has been made.

LEGAL NOTICE
August 24, 2023

Pilot Water Solutions SWD LLC, 20 Greenway Plaza, Suite 200, Houston, TX 77046, is filing Form C-108 (Application for Authorization to Inject) with the New Mexico Oil Conservation Division seeking administrative approval for commercial saltwater injection into its Cannon SWD State #1. This will be a new well located 2,363' FNL & 1,271' FEL in Section 9 Township 19S Range 37E in Lea County, New Mexico. The purpose of the well is to inject produced water from permitted oil and gas wells in the area for commercial disposal into the San Andres formation at depths of 4,237' - 5,568' at a maximum surface injection pressure of 847 psi and a maximum injection rate of 25,000 barrels of water per day.

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within fifteen (15) days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505. Additional information may be obtained by contacting the operator contact, David Grounds, at 713-307-8752.
#00281927

67117907

00281927

NATE ALLEMAN
ACE ENERGY ADVISORS
501 E. FRANK PHILLIPS BLVD.
SUITE 201
BARTLESVILLE, OK 74006

Statement of Affected Person Notification

A copy of the C-108 application has been provided to the following Affected Persons as notification of the subject Application for Authorization to Inject (C-108).

Entity Name	Entity Address	Mailing Date
Surface Owner		
STATE LAND OFFICE	P.O. Box 1148, Santa Fe, NM 87504	09/01/2023
Mineral Owners (BLM/SLO or Unleased Tracts)		
STATE LAND OFFICE	P.O. Box 1148, Santa Fe, NM 87504	09/01/2023
OCD District		
OCD - DISTRICT 1	1625 N. French Drive, Hobbs, NM 88240	09/01/2023
Applicable Affected Persons		
SOUTHWEST ROYALTIES INC.	6 Desta Drive, Suite 2100 Midland, TX 79705	09/01/2023
CHEVRON USA INC.	6301 Deauville Blvd Midland, TX 79706	09/01/2023
OXY USA INC.	P.O. Box 50250 Midland, TX 797100250	09/01/2023
EOG RESOURCES, INC.	P.O. Box 2267 Midland, TX 79702	09/01/2023
OAKSPRING ENERGY HOLDINGS, LLC	3540 S. Boulevard, Suite 205 Edmond, OK 73012	09/01/2023
XTO HOLDINGS, LLC	22777 Springwoods Village Pkwy Spring, TX 77389	09/01/2023
J R OIL, LTD. CO.	PO Box 2975 Hobbs, NM 88241	09/01/2023
MISSION E&P PARTNERSHIP	1331 Lamar Suite 1455 Houston, TX 77010	09/01/2023

Received by OCD: 9/7/2023 12:22:32 PM
than Alleman
e Energy Advisors
1 Se Fph Blvd Ste 201
RTLESVILLE OK 74003-3931

CERTIFIED MAIL®




9407 1118 9956 2052 9825 94

State Land Office
Po Box 1148
Santa Fe NM 87504-1148

Page 38 of 43
\$4.98
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

than Alleman
e Energy Advisors
1 Se Fph Blvd Ste 201
RTLESVILLE OK 74003-3931

CERTIFIED MAIL®



9407 1118 9956 2052 9825 87

OCD- District 1
1625 N French Dr
Hobbs NM 88240-9273

stamps
com
\$4.98
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

n Alleman
nerg Advisors
e Fph Blvd Ste 201
LESVILLE OK 74003-3931

Received by OCD: 9/7/2023 12:22:32 PM

CERTIFIED MAIL®



9407 1118 9956 2052 9825 32

Southwest Royalties Inc
6 Desta Dr Ste 2100
Midland TX 79705-5556

stamps
\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia



n Alleman
nergy Advisors
e Fph Blvd Ste 201
LESVILLE OK 74003-3931

CERTIFIED MAIL®



9407 1118 9956 2052 9802 55

Chevron USA Inc
6301 Deauville
Midland TX 79706-2964


stamps
\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia



Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

Received by OCD: 9/7/2023 12:22:32 PM

CERTIFIED MAIL®



9407 1118 9956 2059 0325 75

OXY USA Inc
Po Box 50250
Midland TX 79710-0250

stamps
Page 40 of 43
\$1.00
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

CERTIFIED MAIL®



9407 1118 9956 2059 0302 50

EOG Resources, Inc
Po Box 2267
Midland TX 79702-2267

stamps
\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

Released by OCD: 9/7/2023 12:22:32 PM

CERTIFIED MAIL®



9407 1118 9956 2059 0302 05

Oakspring Energy Holdings, LLC
3540 S Boulevard Ste 205
Edmond OK 73013-5543

stamps
\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

CERTIFIED MAIL®



9407 1118 9956 2059 0195 52

XTO Holdings, LLC
22777 Springwoods Village Pkwy
Spring TX 77389-1425

stamps
\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia

Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

Received by OCD: 9/7/2023 12:22:32 PM **CERTIFIED MAIL®**



9407 1118 9956 2059 0302 36

J R Oil, LTD. Co.
Po Box 2975
Hobbs NM 88241-2975

stamps **Page 42 of 43**

\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia



Alleman
Energy Advisors
Fph Blvd Ste 201
ESVILLE OK 74003-3931

CERTIFIED MAIL®



9407 1118 9956 2059 0195 45

Mission E&P Partnership
1331 Lamar St Ste 1455
Houston TX 77010-3148

stamps

\$4.980
US POSTAGE
FIRST-CLASS
FROM 74003
09/01/2023
stamps
endicia



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 263139

CONDITIONS

Operator: Pilot Water Solutions SWD LLC 20 Greenway Plaza, Suite 200 Houston, TX 77046	OGRID: 331374
	Action Number: 263139
	Action Type: [IM-SD] Admin Order Support Doc (ENG) (IM-AAO)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	9/7/2023