

AE Order Number Banner

Application Number: pMSG2325247217

SWD-2566

WaterBridge Stateline LLC [330129]



August 22, 2023

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

Subject: WaterBridge Stateline LLC – Widowmaker Fed SWD #1
Application for Authorization to Inject

To Whom It May Concern,

On behalf of WaterBridge Stateline LLC (WaterBridge), ALL Consulting, LLC (ALL) is submitting the enclosed Application for Authorization to Inject for the Widowmaker Fed SWD #1, a proposed saltwater disposal well, in Eddy County, NM.

Should you have any questions regarding the enclosed application, please contact Oliver Seekins at (918) 382-7581 or oseekins@all-llc.com.

Sincerely,
ALL Consulting

Oliver Seekins

Oliver Seekins
Consultant

Revised March 23, 2017

RECEIVED:	REVIEWER:	TYPE:	APP NO:
-----------	-----------	-------	---------

ABOVE THIS TABLE FOR OCD DIVISION USE ONLY

NEW MEXICO OIL CONSERVATION DIVISION
 - Geological & Engineering Bureau -
 1220 South St. Francis Drive, Santa Fe, NM 87505



ADMINISTRATIVE APPLICATION CHECKLIST

THIS CHECKLIST IS MANDATORY FOR ALL ADMINISTRATIVE APPLICATIONS FOR EXCEPTIONS TO DIVISION RULES AND REGULATIONS WHICH REQUIRE PROCESSING AT THE DIVISION LEVEL IN SANTA FE

Applicant: _____ OGRID Number: _____
 Well Name: _____ API: _____
 Pool: _____ Pool Code: _____

SUBMIT ACCURATE AND COMPLETE INFORMATION REQUIRED TO PROCESS THE TYPE OF APPLICATION INDICATED BELOW

1) **TYPE OF APPLICATION:** Check those which apply for [A]

A. Location – Spacing Unit – Simultaneous Dedication

☐ NSL ☐ NSP (PROJECT AREA) ☐ NSP (PRORATION UNIT) ☐ SD

B. Check one only for [I] or [II]

[I] Commingling – Storage – Measurement

☐ DHC ☐ CTB ☐ PLC ☐ PC ☐ OLS ☐ OLM

[II] Injection – Disposal – Pressure Increase – Enhanced Oil Recovery

☐ WFX ☐ PMX ☐ SWD ☐ IPI ☐ EOR ☐ PPR

2) **NOTIFICATION REQUIRED TO:** Check those which apply.

- A. ☐ Offset operators or lease holders
 B. ☐ Royalty, overriding royalty owners, revenue owners
 C. ☐ Application requires published notice
 D. ☐ Notification and/or concurrent approval by SLO
 E. ☐ Notification and/or concurrent approval by BLM
 F. ☐ Surface owner
 G. ☐ For all of the above, proof of notification or publication is attached, and/or,
 H. ☐ No notice required

FOR OCD ONLY

- ☐ Notice Complete
☐ Application Content Complete

3) **CERTIFICATION:** I hereby certify that the information submitted with this application for administrative approval is **accurate** and **complete** to the best of my knowledge. I also understand that **no action** will be taken on this application until the required information and notifications are submitted to the Division.

Note: Statement must be completed by an individual with managerial and/or supervisory capacity.

 Print or Type Name

Oliver Seekins

Signature

 Date

 Phone Number

 e-mail Address

STATE OF NEW MEXICO
ENERGY, MINERALS AND NATURAL
RESOURCES DEPARTMENT

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, New Mexico 87505

FORM C-108
Revised June 10, 2003

APPLICATION FOR AUTHORIZATION TO INJECT

- I. PURPOSE: _____ Secondary Recovery _____ Pressure Maintenance X Disposal _____ Storage
Application qualifies for administrative approval? X Yes _____ No
- II. OPERATOR: WaterBridge Stateline LLC
ADDRESS: 5555 San Felipe, Ste. 1200 Houston, TX 77056
CONTACT PARTY: Oliver Seekins PHONE: 918.382.7581
- III. WELL DATA: Complete the data required on the reverse side of this form for each well proposed for injection.
Additional sheets may be attached if necessary.
- IV. Is this an expansion of an existing project? _____ Yes X No
If yes, give the Division order number authorizing the project: _____
- V. Attach a map that identifies all wells and leases within two miles of any proposed injection well with a one-half mile radius circle drawn around each proposed injection well. This circle identifies the well's area of review.
- VI. Attach a tabulation of data on all wells of public record within the area of review which penetrate the proposed injection zone. Such data shall include a description of each well's type, construction, date drilled, location, depth, record of completion, and a schematic of any plugged well illustrating all plugging detail.
- VII. Attach data on the proposed operation, including:
1. Proposed average and maximum daily rate and volume of fluids to be injected;
 2. Whether the system is open or closed;
 3. Proposed average and maximum injection pressure;
 4. Sources and an appropriate analysis of injection fluid and compatibility with the receiving formation if other than reinjected produced water; and,
 5. If injection is for disposal purposes into a zone not productive of oil or gas at or within one mile of the proposed well, attach a chemical analysis of the disposal zone formation water (may be measured or inferred from existing literature, studies, nearby wells, etc.).
- *VIII. Attach appropriate geologic data on the injection zone including appropriate lithologic detail, geologic name, thickness, and depth. Give the geologic name, and depth to bottom of all underground sources of drinking water (aquifers containing waters with total dissolved solids concentrations of 10,000 mg/l or less) overlying the proposed injection zone as well as any such sources known to be immediately underlying the injection interval.
- IX. Describe the proposed stimulation program, if any.
- *X. Attach appropriate logging and test data on the well. (If well logs have been filed with the Division, they need not be resubmitted).
- *XI. Attach a chemical analysis of fresh water from two or more fresh water wells (if available and producing) within one mile of any injection or disposal well showing location of wells and dates samples were taken.
- XII. Applicants for disposal wells must make an affirmative statement that they have examined available geologic and engineering data and find no evidence of open faults or any other hydrologic connection between the disposal zone and any underground sources of drinking water.
- XIII. Applicants must complete the "Proof of Notice" section on the reverse side of this form.
- XIV. Certification: I hereby certify that the information submitted with this application is true and correct to the best of my knowledge and belief.
- NAME: Oliver Seekins TITLE: Consultant
SIGNATURE: Oliver Seekins DATE: _____
E-MAIL ADDRESS: oseekins@all-llc.com
- * If the information required under Sections VI, VIII, X, and XI above has been previously submitted, it need not be resubmitted. Please show the date and circumstances of the earlier submittal: _____

DISTRIBUTION: Original and one copy to Santa Fe with one copy to the appropriate District Office

Application for Authorization to Inject
Well Name: Widowmaker Fed SWD #1

III – Well Data *(The Wellbore Diagram is included as Attachment 1)*

A.

(1) General Well Information:

Operator: WaterBridge Stateline LLC (OGRID No. 330129)
Lease Name & Well Number: Widowmaker Fed SWD #1
Location Footage Calls: 2,466 FNL & 618 FWL
Legal Location: Unit Letter E, S11 T20S R27E
Ground Elevation: 3,362'
Proposed Injection Interval: 8,635' - 9,600'
County: Eddy

(2) Casing Information:

Type	Hole Size	Casing Size	Casing Weight	Setting Depth	Sacks of Cement	Estimated TOC	Method Determined
Surface	24"	20"	94.0 lb/ft	575'	585	Surface	Circulation
Intermediate 1	17-1/2"	13-3/8"	54.5 lb/ft	2,500'	1,645	Surface	Circulation
Production Casing	12-1/4"	9-5/8"	53.5 lb/ft	9,700'	2,455	2,300'	CBL
Tubing	N/A	5-1/2"	26.0 lb/ft	8,615'	N/A	N/A	N/A

DV Tool set at: 5,800'

(3) Tubing Information:

5-1/2" (26.0 lb/ft) ceramic-coated tubing with setting depth of 8,615'

(4) Packer Information: Baker Hughes Hornet or equivalent packer set at 8,615'

B.

(1) Injection Formation Name: Cisco

Pool Name: SWD; Cisco

Pool Code: 96099

(2) Injection Interval: Perforated injection between 8,635' - 9,600'

(3) Drilling Purpose: New drill for saltwater disposal

(4) Other Perforated Intervals: No other perforated intervals exist.

(5) Overlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.

- Queen (1,320')
- Bone Spring (6,005')
- Wolfcamp (7,860')

Underlying Oil and Gas Zones: Below are the approximate formation tops for known oil and gas producing zones in the area.

- Strawn (9,760')

V – Well and Lease Maps

The following maps and documents are included in **Attachment 2**:

- 2-mile Oil & Gas Well Map
- 1/2-Mile Well Detail List
- 2-Mile Lease Map
- 2-Mile Mineral Ownership Map
- 2-Mile Surface Ownership Map
- Potash Lease Map

VI – AOR Well List

There are three wells within the 1/2-mile AOR, but none penetrate the proposed injection zone.

A list of the wells within the 1/2-mile AOR is included in **Attachment 2**.

VII – Proposed Operation

- (1) **Proposed Maximum Injection Rate:** 30,000 bpd
Proposed Average Injection Rate: 17,500 bpd
- (2) A closed-loop system will be used.
- (3) **Proposed Maximum Injection Pressure:** 1,727 psi (surface)
Proposed Average Injection Pressure: approximately 1,123 psi (surface)
- (4) **Source Water Analysis:** It is expected that the injectate will consist of produced water from production wells completed in the Wolfcamp, Delaware and Bone Spring formations. Analysis of water from these formations is included as **Attachment 3**.
- (5) **Injection Formation Water Analysis:** The proposed SWD will be injecting water into the Cisco formation which is a non-productive zone known to be compatible with formation water from the Wolfcamp, Delaware and Bone Spring formations. Water analyses from the Cisco formation in the area are included as **Attachment 4**.

VIII – Geologic Description

The proposed injection interval includes the Cisco formation from 8,635' - 9,600' feet. This formation consists of interbedded carbonate rocks including dolomites and limestones. Several thick intervals of porous and permeable carbonate rock capable of taking water are present within the subject formation in the area.

The base of the USDW is the Yates Formation at a depth of approximately 550 feet. Water well depths in the area range from approximately 75-145 feet below ground surface.

Additional geologic information can be found in karst analysis included as **Attachment 6**.

IX – Proposed Stimulation Program

A small cleanup acid job may be used to remove mud and drill cuttings from the formation. However, no other formation stimulation is currently planned.

X – Logging and Test Data

Logs will be submitted to the Division upon completion of the well.

XI – Fresh Groundwater Samples

Based on a review of data from the New Mexico Office of the State Engineer, no groundwater wells are located within 1-mile of the proposed SWD location. As such, no water well samples were collected.

A water well map is included as **Attachment 5**.

XII – No Hydrologic Connection Statement

No faulting is present in the area that would provide a hydrologic connection between the injection interval and overlying USDWs. Additionally, the casing program has been designed to ensure there will be no hydrologic connection between the injection interval and overlying USDWs.

A signed No Hydrologic Connection Statement is included as **Attachment 7**.

XIII – Proof of Notice

A Public Notice was filed with the Carlsbad Current-Argus newspaper and an affidavit is included in **Attachment 8**.

A copy of the application was mailed to the OCD district office, landowner, and all identified affected parties within 1/2-mile of the proposed SWD location. A list of the recipients, as well as delivery confirmations, are included in **Attachment 8**.

Karst Analysis

In addition to the information formally requested as part of the C-108 application, ALL Consulting has included a Karst analysis as **Attachment 6** to address the identified concerns of permitting an SWD in a high-risk Karst area.

Attachments

Attachment 1: Wellbore Diagram

Attachment 2: Area of Review Information:

- 2-mile Oil & Gas Well Map
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- 1.5-mile Deep SWD Map (Devonian/Silurian SWDs)
- 1-mile Well Detail List
- Potash Lease Map

Attachment 3: Source Water Analyses

Attachment 4: Injection Formation Water Analyses

Attachment 5: Water Well Map

Attachment 6: Induced Seismicity Assessment Letter

Attachment 7: Public Notice Affidavit and Notice of Application Confirmations

Attachment 1

- C-102
- Wellbore Diagram

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102

Revised August 1, 2011

Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 96099	Pool Name SWD; CISCO
Property Code	Property Name WIDOWMAKER FED SWD	Well Number #1
OGRID No. 330192	Operator Name WATERBRIDGE STATELINE LLC	Elevation 3362'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
E	11	20 S	27 E		2466	NORTH	618	WEST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres	Joint or Infill	Consolidation Code	Order No.						

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

<p>2" CIPF Y: 580296.98' X: 563895.14' LAT: N 32.595268° LONG: W 104.260087° NAD 83 NM-E</p> <p>CALC. CORNER Y: 580280.30' X: 569177.41' LAT: N 32.595211° LONG: W 104.242935° NAD 83 NM-E</p> <p>SURFACE LOCATION NEW MEXICO EAST NAD 1983 X: 564522.96' Y: 577829.11' LAT: N 32.588483° LONG: W 104.258054° NAD 1927 X: 523342.90' Y: 577767.84' LAT: N 32.588367° LONG: W 104.257545°</p> <p>3" CIPF BLM Y: 575014.33' X: 563864.40' LAT: N 32.580747° LONG: W 104.260198° NAD 83 NM-E</p> <p>3" IPF Y: 574966.89' X: 569157.90' LAT: N 32.580606° LONG: W 104.243013° NAD 83 NM-E</p>	<p>OPERATOR CERTIFICATION</p> <p>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p><u>Oliver Seekins</u> 08/21/2023 Signature Date</p> <p><u>Oliver Seekins</u> Printed Name</p> <p><u>oseekins@all-llc.com</u> E-mail Address</p> <p>SURVEYOR CERTIFICATION</p> <p>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p><u>JULY 17, 2023</u> Date of Survey</p> <p>Signature and Seal of Professional Surveyor: TYLER J. WILLIS, N.M.P.L.S. Certificate Number 25344</p>
---	---



Prepared by:

ALLCONSULTING

Prepared for:

**WATERBRIDGE**

Drawn by: Daniel Arthur

Project Manager: Oliver Seekins

Date: 07/30/2023

Widowmaker FED SWD #1**WaterBridge Stateline LLC****Sec. 11 Town. 20S Rng. 27E****Lat: 32.588483° Long: -104.258054° (NAD 83)**

HORNET Packer

Product Family No. H64682

HORNET EL Packer

Product Family No. H64683

APPLICATION

The mechanically set HORNET™ packer offers ease of operation with quarter-turn right to set and release. Converting it for wireline-setting applications is simple and inexpensive. The HORNET packer provides for landing in compression, tension, or neutral positions. Every component from the jay track, to the internal bypass, to the packing-element system and the upper slip assembly has been developed to ensure the HORNET's setting and releasing reliability.

The HORNET EL packer is run and set on electric line using an E-4™ (Product Family No. H43702) with a slow-set power charge or a J™ setting tool (Product Family No. H41371) and a special wireline adapter kit. An L-10™ type on/off seal nipple is run on top of the packer to connect the tubing to the packer and to house a blanking plug when the packer is used as a temporary bridge plug.

Advantages

Upper Slip Assembly:

- Thoroughly tested across API minimum to maximum casing ID tolerances for each specified casing weight, for setting and releasing reliability
- Slip-wicker configuration providing bidirectional-load support with solid upper cone to support highest tensile loads
- Staged-release action eliminates high-overpull requirement
- Minimal set-down weight required to anchor slips

Internal Bypass Seal:


- Durable bypass seal design provides sealing after unloading, under differential pressures
- No O-ring sealing system

Packing Element System:

- Fully tested to combined ratings at the API's maximum ID tolerance
- Patented enhancements to control overboost
- High-performance, three-piece element system

Lower Slip and Jay Assembly:

- Slips and drag blocks tested to maximum API tolerance ID for positive set and ease of release
- One-quarter-turn right setting and releasing action
- Packoff of packing elements with applied tension or compression
- Spacing in jay ensures opening of internal bypass, before slip releasing action begins—important to both ease of release and safety
- Automatically returns to running position




HORNET Packer
Product Family
No. H64682

HORNET EL Packer
Product Family
No. H64683

Attachment 2

Area of Review Information:

- 2-mile Oil & Gas Well Map
- 1/2-Mile Well Detail List
- 2-mile Lease Map
- 2-mile Mineral Ownership Map
- 2-mile Surface Ownership Map
- Potash Lease Map





- Legend**
- ★ Proposed SWD
 - ☼ Gas, Active (26)
 - ☼ Gas, Plugged (8)
 - Oil, Active (1)
 - Oil, New (17)
 - Oil, Plugged (37)

Source Info: NMOCD O&G Wells updated 3/15/2022
(<https://www.emnrd.nm.gov/ocd/ocd-data/ftp-server/l/>)

O&G Wells Area of Review		
WIDOWMAKER FED SWD #1 Eddy County, New Mexico		
Proj Mgr: Oliver Seekins	July 21, 2023	Mapped by: Ben Bockelmann
Prepared for: 		Prepared by:

AOR Tabulation for Widowmaker Fed SWD #1 (Injection Interval: 8,635'-9,600')							
Well Name	API#	Well Type	Operator	Spud Date	Location (Sec., Tn., Rng.)	Total Vertical Depth (feet)	Penetrate Inj. Zone?
VOYAGER 11 EH FEDERAL COM #001H	30-015-41258	Oil	MEWBOURNE OIL CO	4/9/2013	H-11-20S-27E	6,208	No
PRE-ONGARD WELL #001 Virginia Lee #1	30-015-10025	Plugged	PRE-ONGARD WELL OPERATOR John A. Yates	4/20/1963	A-10-20S-27E	Plugged(1,472)	No
PRE-ONGARD WELL #001 Gallo Federal #1	30-015-26676	Plugged	PRE-ONGARD WELL OPERATOR Manzano Oil Corporation	4/11/1991	C-11-20S-27E	Plugged(4,020)	No
Notes: No wells within a 1/2-mile AOR penetrate the injection interval.							





Legend

- ★ Proposed SWD
- Private minerals
- Subsurface minerals (NMSLO)
- Surface and Subsurface minerals (NMSLO)
- All minerals are owned by U.S. (BLM)

Mineral Ownership
Area of Review

WIDOWMAKER FED SWD #1
Eddy County, New Mexico

Proj Mgr:
Oliver Seekins


July 21, 2023

Mapped by:
Ben Bockelmann



WATERBRIDGE

ALLCONSULTING



Legend

★ Proposed SWD

Surface Ownership

- Bureau of Land Management
- Private
- State

**Surface Ownership
Area of Review**

WIDOWMAKER FED SWD #1

Eddy County, New Mexico

Proj Mgr:
Oliver Seekins

July 21, 2023


Mapped by:
Ben Bockelmann



WATERBRIDGE

ALLCONSULTING

Source Info: BLM Surface Ownership (<https://catalog.data.gov/dataset/blm-new-mexico-surface-ownership>)







Source Info: BLM CFO Potash (https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html)

★ Proposed SWD

-  SOPA 1986
 -  WIPP Facility

Status, Depth Buffer

-  Approved, Half Mile
-  Approved, Quarter Mile
-  Nominated, Half Mile
-  Nominated, Quarter Mile

Status

- Approved
 - Pending
 - Pending NMOCD Order

Potash Leases Area of Review

WIDOWMAKER FED SWD #1

Eddy County, New Mexico

Proj Mgr:
Oliver Seekins

July 21, 2023

Mapped by:
Ben Bockelmann

Prepared for:



WATERBRIDGE

Prepared by:



Attachment 3

Source Water Analysis

Source Water Analysis																	
WaterBridge Stateline LLC																	
Well Name	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
CHAPARRAL ST #002	3001503612	32.6227493	-104.1034851	32	19S	29E	D	660N	660W	EDDY	NM	BURTON NORTH	BONE SPRING	33,760	15,600	290	5,500
STONEWALL DS FEDERAL COM #002	3001521640	32.5426216	-104.1979904	29	20S	28E	J	1980S	1980E	EDDY	NM	AVALON	BONE SPRING	131,898	85,954	635	2,419
AGATE PWU 21 #008H	3001540512	32.63937	-104.088295	21	19S	29E	M	130S	50W	EDDY	NM		BONE SPRING 1ST SAND	-	162,925	549	290
JASPER 32 STATE COM #007H	3001540584	32.6235924	-104.0945587	32	19S	29E	B	340N	1875E	EDDY	NM		BONE SPRING 1ST SAND	213,293	134,925	-	603
DIAMOND PWU 22 #005H	3001540822	32.6514969	-104.0702057	22	19S	29E	D	725N	330W	EDDY	NM		BONE SPRING 1ST SAND	208,209	129,492	-	622
BURTON FLAT DEEP STATE FEDERAL COM #048H	3001540518	32.5435829	-104.1755981	28	20S	28E	I	2310S	400E	EDDY	NM		BONE SPRING 1ST SAND	187,017	109,200	695	-
CERF 10 FEDERAL #003H	3001541058	32.498394	-104.1872559	9	21S	27E	A	1275N	300E	EDDY	NM		BONE SPRING 1ST SAND	195,011	115,854	2,318	-
LONE TREE DRAW 13 STATE #011H	3001542084	32.4871941	-104.1449509	13	21S	27E	C	150N	2130W	EDDY	NM		BONE SPRING 1ST SAND	195,134	113,705	2,403	-
EMERALD PWU 20 #001H	3001538338	32.6525154	-104.1045456	20	19S	29E	D	400N	330W	EDDY	NM		BONE SPRING 2ND SAND	214,079	129,500	110	-
ONYX PWU 29 #003H	3001539373	32.6304665	-104.1045609	29	19S	29E	L	2145S	330W	EDDY	NM		BONE SPRING 2ND SAND	204,175	122,800	98	-
LONE TREE DRAW 13 STATE #007H	3001541650	32.4871902	-104.1454391	13	21S	27E	C	150N	1980W	EDDY	NM		BONE SPRING 2ND SAND	210,720	125,168	183	-
BURTON FLAT DEEP UNIT #054H	3001540503	32.5063286	-104.1687851	2	21S	27E	L	1570S	50W	EDDY	NM		BONE SPRING 2ND SAND	209,153	125,000	769	-
LONGBOARD PWU 20 #001H	3001540025	32.6494904	-104.1044693	20	19S	29E	E	1500N	355W	EDDY	NM		BONE SPRING 3RD SAND	76,582	45,756	-	930
TURQUOISE PWU 27 #010H	3001543321	32.63249412	-104.0721759	28	19S	29E	H	2382N	274E	EDDY	NM		BONE SPRING 3RD SAND	105,001	62,695	-	685
DIAMOND PWU 22 #011H	3001542809	32.64525903	-104.0718382	21	19S	29E	I	2295S	170E	EDDY	NM		BONE SPRING 3RD SAND	117,585	71,782	-	550
CONNIE C STATE #002	3001502301	32.6337662	-104.1241302	25	19S	28E	H	1980N	660E	EDDY	NM	OUTPOST	DELAWARE	55,498	32,420	601	984
SPIKE FEDERAL #001	3001527070	32.561882	-104.1288605	24	20S	28E	G	1650N	1980E	EDDY	NM	RUSSELL	DELAWARE	7,792	4,767	93	31
AVALON DELAWARE UNIT #262	3001524414	32.5386696	-104.2152328	30	20S	28E	O	560S	1980E	EDDY	NM	AVALON	DELAWARE	110,018	105,500	1,320	1,368
INDIAN FLATS BASS FEDERAL #005	3001522671	32.4303894	-104.0584564	35	21S	28E	N	330S	2310W	EDDY	NM	INDIAN FLATS	DELAWARE	144,959	95,968	200	1,883
INDIAN FLATS BASS FEDERAL #006	3001522673	32.4303932	-104.0561905	35	21S	28E	O	330S	2310E	EDDY	NM	INDIAN FLATS	DELAWARE	163,756	110,195	135	1,662
GOLDEN D FEDERAL #002	3001527060	32.488533	-104.004631	8	21S	29E	O	660S	1980E	EDDY	NM	GOLDEN LANE SOUTH	DELAWARE	242,051	173,806	282	782
ZINNIA BKC FEDERAL #001	3001527939	32.5462379	-104.0686035	27	20S	29E	E	1980N	910W	EDDY	NM	BURTON FLAT	DELAWARE/WOLFCAMP	189,739	116,724	427	750
LONE TREE DRAW 13 STATE COM #002H	3001540372	32.4871712	-104.1494293	13	21S	27E	D	150N	750W	EDDY	NM		DELAWARE-BRUSHY CANYON	207,014	127,509	183	1,724
BH MATLOCK #001	3001500109	32.6845169	-104.440567	1	19S	25E	N	660S	1980W	EDDY	NM		WOLFCAMP	20,306	10,360	1,829	940
ANGELL ST #004	3001502280	32.6479454	-104.1791229	21	19S	28E	G	1980N	1980E	EDDY	NM	MILLMAN EAST	WOLFCAMP	118,720	70,200	2,700	1,080
STATE AC COM #001	3001522299	32.5572166	-104.1806107	21	20S	28E	J	1980S	1980E	EDDY	NM	BURTON FLAT NORTH	WOLFCAMP	43,441	26,100	446	100
FED UNION #001	3001502416	32.5527229	-104.1623917	22	20S	28E	O	330S	1650E	EDDY	NM		WOLFCAMP	55,965	32,400	252	2,260

Attachment 4

Injection Formation Water Analysis

Injection Formation Water Analysis																	
WaterBridge Stateline LLC - Cisco Formation																	
Well Name	API	Latitude	Longitude	Section	Township	Range	Unit	Ftgns	Ftgew	County	State	Field	Formation	Tds (mg/L)	Chloride (mg/L)	Bicarbonate (mg/L)	Sulfate (mg/L)
JENNY COM #001	3001526469	32.6635513	-104.5134354	17	19S	25E	E	1750N	660W	EDDY	NM	DAGGER DRAW	CISCO	-	46,850	183	13
DAGGER DRAW #002	3001500116	32.6299515	-104.5175476	30	19S	25E	I	1969S	629E	EDDY	NM	DAGGER DRAW	CISCO	7,858	-	-	-
JOHN AGU #002	3001526468	32.5792274	-104.5523987	14	20S	24E	A	660N	660E	EDDY	NM	DAGGER DRAW	CISCO	216,236	53,321	72,619	952
SPRING SWD #001	3001500129	32.5206604	-104.3944092	4	21S	25E	A	660N	830E	EDDY	NM	SEVEN RIVERS HILLS	CISCO	31,485	17,000	635	2,500
INDIAN BASIN #001	3001510093	32.4758987	-104.5762329	14	21S	23E	K	1650S	1650W	EDDY	NM	INDIAN BASIN	CISCO	8,531	3,238	846	1,700
MARATHON FEDERAL #001	3001510373	32.4613838	-104.5590591	24	21S	23E	K	1650S	1650W	EDDY	NM	INDIAN BASIN	CISCO	162,225	99,300	32	750

Attachment 5

- Water Well Map
- Well Data



Legend

★ Proposed SWD

NMOSE PODs

Status

- Active (0)
- Pending (0)
- Change Location of Well (0)
- Capped (0)
- Plugged (0)
- Incomplete (0)
- Unknown (2)

Water Wells Area of Review

WIDOWMAKER FED SWD #1
Eddy County, New Mexico

Proj Mgr: Oliver Seekins	July 21, 2023	Mapped by: Ben Bockelmann
Prepared for:  WATERBRIDGE		Prepared by: 

Water Well Sampling Rationale						
Waterbridge Stateline LLC - Widowmaker Fed SWD #1						
Water Wells	Owner	Available Contact Information	Use	Location	Sampling Required	Notes
Note: No water wells are present within 1 mile of the proposed SWD location.						

Attachment 6

Karst Analysis



WATERBRIDGE STATELINE LLC – WIDOWMAKER FED SWD #1 RESPONSES TO HIGH-RISK KARST AREAS

Introduction

ALL Consulting (ALL) has been informed by the New Mexico Oil Conservation Division (OCD) that the proposed locations of Waterbridge Stateline LLC's (Waterbridge) Widowmaker Fed SWD #1 Class II saltwater disposal (SWD) well application are within the area OCD has designated as high-risk karst. **Figure 1** is the location of the proposed SWD. OCD has requested that ALL include additional information within these applications to address OCD's concerns with the high-risk karst area. This additional information needs to include:

1. An explanation on how ALL determined the deepest underground sources of drinking water (USDW);
2. An evaluation of the geology to determine that there was no direct evidence of karst features in the immediate area;
3. Provide an affirmative statement that the proposed well designs and confining zones will protect the USDW; and
4. Provide a detailed description of both the upper and lower confining zones above and below the proposed injection interval in the Cisco Formation.

Karst in Southeastern New Mexico

ALL has reviewed more recently published geologic publications on the Capitan Reef Complex and karst areas in southeastern New Mexico and then also examined the well completion records and the closest open hole geophysical logs to the proposed Widowmaker Fed SWD #1 well location. Anthropogenic sinkholes in the Permian salt beds of southeastern New Mexico are often associated with historic oilfield development due to improperly cased oil and water supply wells and salt-solution mining activity (Land 2013). Manmade sinkholes are caused by the dissolution of the salt beds in the Upper Permian Salado Formation by introduction of freshwater or groundwater into the salt beds. **Figure 2** shows the location of these sinkholes in southeastern New Mexico. Naturally occurring sinkholes are often associated with upward migration of groundwater flow from karstic aquifers of regional extent that underlie the Permian evaporite deposits (Land 2013). In the area of Dagger Draw, naturally occurring sinkholes in the Seven Rivers Formation are exposed along the eastern shore of Lake McMillan and are probably confined to a narrow band along the base of the McMillan Escarpment (Cox 1967).




Figure 1. Map Showing the Proposed Location of the Widowmaker Fed SWD #1




Figure 2. Regional Map of the Lower Pecos Region of Southeastern New Mexico Showing Location of Sinkholes (Land 2013)

Geology of the Dagger Draw Area

The surficial and shallow geology in the Dagger Draw area consists of the Tansill Formation, Yates Formation, Seven Rivers Formation, and Queen Formation of the Upper Permian Artesia Group. According to the snip of the surficial geologic map of Cox (1967), the surface geology of the area of the proposed Widowmaker Fed SWD #1 well location is Quaternary alluvium and caliche surficial deposits. **Figure 3** is a snip of this surficial geologic map showing the proposed SWD location in relation to the Quaternary alluvium and caliche surface geology.



Figure 3. Map Showing the Surficial Geology of the Proposed SWD Location (Cox 1967)

Additionally, ALL evaluated and assessed the shallow geology in the area by reviewing open hole geophysical logs. Well API No. 015-10298, which is located southwest of the Widowmaker Fed SWD #1 location, has a shallow gamma ray log section and ALL has identified the shallow geologic formations on this log snip in **Figure 4**.

The Tansill Formation, which overlies the Yates Formation, is primarily thinly bedded dolomite in the carbonate facies and gypsum, red silt, and clay from the evaporite facies (Cox 1967). The Tansill Formation in the Dagger Draw area contains perched water in the evaporite facies (Cox 1967). The Yates Formation consists of about 300 feet of alternating beds of sandstone and dolomite in the carbonate facies and about the same thickness of gypsum, red clay, silt, and sandstone in the evaporite facies (Cox 1967). The Yates Formation yields water to stock wells near the Pecos River between Lake McMillan and Lake Avalon (Cox 1967). Most of these stock wells are in the evaporite facies of the Yates Formation near Rocky Arroyo west of the river and near Dagger Draw east of the Pecos River (Cox 1967). Underlying the Yates Formation is the Seven Rivers Formation. The Seven Rivers Formation consists of about 300 feet of dolomite with a few sandy beds in the carbonate facies and anhydrite, gypsum, red silt, and clay in the

evaporite facies between the uppermost sandstone in the Queen Formation and the basal sandstone of the Yates Formation (Cox 1967). Groundwater moves through solution channels in the Yates Formation east of the Pecos River between Major Johnson Springs and Lake Avalon (Cox 1967).




Figure 4. Gamma Ray Geophysical Log from Well API No. 015-10298 Showing the Tops of the Shallow Formations and Occurrence of Water Zones in the Well

Addressing OCD's High-Risk Karst Area Concerns

Based on ALL's extensive geologic and hydrogeologic evaluation of the Dagger Draw area and Widowmaker Fed SWD #1 proposed well location, below are ALL's responses to these OCD concerns.

1. An explanation on how ALL determined the deepest underground sources of drinking water (USDW).
 - a. **ALL determined the base of the USDW after geological and hydrogeological analysis and evaluation of several open hole geophysical logs and publications within the vicinity of the proposed SWD. Figure 4 shows locations of water zones within the Yates Formation. Figure 5 is a map showing the different groundwater zones and the location of the proposed SWD. Based on ALL's analysis, the base of the USDW will be the bottom of the Yates Formation and using the ground elevations of the proposed SWD the base of the USDW will be approximately 525 to 550 feet below the surface. ALL is proposing that Waterbridge set 20" surface casing to a depth of 575 feet and cement back to the surface to ensure isolation of the base of the USDW.**
2. An evaluation of the geology to determine that there was no direct evidence of karst features in the immediate area.
 - a. **ALL performed an extensive geologic and hydrogeologic assessment of potential high-risk karst in the immediate area of the proposed SWDs in the Dagger Draw. Based on the evaluation of published geologic and hydrogeologic reports and maps, the immediate area of the proposed SWDs does not look to be an area of risk for karst development. Additionally, ALL assessed Google Earth and scanned the immediate area for any evidence of active or inactive surface sinkholes and none were detected. Based on ALL's research on the published reports on the karst, the naturally occurring sinkholes were located farther to the west in the area of Lake McMillan. If during the drilling into the Seven River Formation, circulation is lost due to dissolution of evaporites or solution channels, a drilling mud program may be implemented along with the utilization of lost circulation material (LCM) as needed.**
3. Provide an affirmative statement that the proposed well designs and confining zones will protect the USDW.
 - a. **ALL's proposed well construction and cementing plans will provide multiple layers of protection of the USDW. The surface casing will be set 25 feet below the base of the USDW and cemented back to the surface. An intermediate casing string set into the top of the San Andres Formation and cemented back to the surface and then the production casing will be set through the proposed injection interval in the Cisco Formation and cemented back in two**

stages up into the intermediate casing string for approximately 200 feet. The well construction and cementing plan provide for three layers of isolation and protection of the USDW from any possible migration of injection fluids out of the proposed injection interval. There are multiple confining zones in both shale and in low porosity and low permeable carbonate rocks which will prevent upward migration of injected fluids. Additionally, there is at least 8,085 feet of vertical separation between the top of the Cisco Formation and the base of the USDW. There is no hydrologic connection between the Cisco injection interval and the USDW.

4. Provide a detailed description of both the upper and lower confining zones above and below the proposed injection interval in the Cisco Formation.
 - a. There are multiple shale beds that will serve as upper confinement above the top of the proposed injection interval in the Cisco Formation (Figure 6). Additional confining zones can be located farther above these zones on this open hole geophysical log for API No. 015-10298. There is lower confinement with shale beds at the base of the Cisco Formation (Figure 7) and with the low porosity and low permeability carbonate rocks directly below the Cisco Formation in the upper part of the Strawn Formation, which is also labeled on Figure 7. Both upper and lower confining zones will act as barriers to fluid flow out of the permitted Cisco Formation injection zone.




Figure 5. Map Showing the Location of the Proposed SWD in Relation to the Groundwater in the Permian Formations in the Immediate Area (Cox 1967)

References

Cox, E.R. 1967. "Geology and Hydrology Between Lake McMillan and Carlsbad Springs Eddy County, New Mexico." U.S. Geological Survey Water Supply Paper 1828, <https://pubs.usgs.gov/wsp/1828/report.pdf> (accessed June 9, 2022).;

Land, Lewis. 2013. "Evaporite Karst in the Permian Basin Region of West Texas and Southeastern New Mexico: The Human Impact." 13th Sinkhole Conference, NCKRI Symposium 2, www.researchgate.net/publication/313021019 (accessed June 9, 2022).




Figure 6. Open Hole Geophysical Log of API No. 015-10298 Showing the Upper Confining Zones for the Proposed Cisco Formation SWDs




Figure 7. Lower Confining Zones at the Base of the Cisco Formation and Upper Strawn Formation in the Open Hole Geophysical Log for API No. 015-10298

Tom Tomastik

August 15, 2023

Tom Tomastik

Date

Chief Geologist and Regulatory Specialist

Certified Petroleum Geologist #6354

ALL Consulting, LLC



Attachment 7

No Hydrologic Connection Statement



RE: Waterbridge Operating LLC – Widowmaker Fed SWD #1 application, Eddy County, New Mexico

ALL Consulting LLC (ALL) has performed a thorough hydrologic investigation related to the saltwater disposal well (SWD) listed above. The investigation was conducted to determine if there were any existing or potential connections between the proposed injection intervals in the Cisco Formation and the deepest underground source of drinking water (USDW).

ALL performed an assessment and analysis of the subsurface geophysical log data along with published documents on the groundwater in this vicinity of Eddy County, New Mexico. Based on ALL's assessment and analysis there is containment through multiple confining zones above the Cisco Formation and the USDW and over 8,085 feet of vertical separation between the base of the USDW and the top of the injection interval. Additionally, there is no evidence of extensive faulting that would allow for communication between the USDW and the Cisco Formation.

A handwritten signature in blue ink, appearing to read "Tom Tomastik", is written over a horizontal line.

Tom Tomastik

A handwritten date "9/14/2023" in blue ink is written over a horizontal line.

Date

Chief Geologist and Regulatory Specialist

ALL Consulting LLC

Attachment 8

Public Notice Affidavit and Notice of Application Confirmations

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That WaterBridge Stateline LLC, 5555 San Felipe, Suite 1200, Houston, TX 77056, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Widowmaker Fed SWD #1
Located 11.72 miles northwest of Carlsbad, NM
SW ¼ NW ¼ (UL E) Section 11, Township 20S, Range 27E
2,466 FNL & 618 FWL
Eddy County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Cisco (8,635' – 9,600')

EXPECTED MAXIMUM INJECTION RATE: 30,000 bbls/day

EXPECTED MAXIMUM INJECTION PRESSURE: 1,727 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within 15 days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Oliver Seekins at 918-382-7581.

Carlsbad Current Argus.

PART OF THE USA TODAY NETWORK

Affidavit of Publication

Ad # 0005789320

This is not an invoice

ALL CONSULTING

1718 SOUTH CHEYENNE AVE

TULSA, OK 74119

I, a legal clerk of the **Carlsbad Current Argus**, a newspaper published daily at the City of Carlsbad, in said county of Eddy, state of New Mexico and of general paid circulation in said county; that the same is a duly qualified newspaper under the laws of the State wherein legal notices and advertisements may be published; that the printed notice attached hereto was published in the regular and entire edition of said newspaper and not in supplement thereof in editions dated as follows:

08/09/2023

Nicole Jacobs
Legal Clerk

Subscribed and sworn before me this August 9, 2023:

Kathleen Allen
State of WI, County of Brown
NOTARY PUBLIC

1-7-25
My commission expires

KATHLEEN ALLEN
Notary Public
State of Wisconsin

APPLICATION FOR AUTHORIZATION TO INJECT

NOTICE IS HEREBY GIVEN: That WaterBridge Stateline LLC, 5555 San Felipe, Suite 1200, Houston, TX 77056, is requesting that the New Mexico Oil Conservation Division administratively approve the APPLICATION FOR AUTHORIZATION TO INJECT as follows:

PURPOSE: The intended purpose of the injection well is to dispose of salt water produced from permitted oil and gas wells.

WELL NAME AND LOCATION: Widowmaker Fed SWD #1
Located 11.72 miles northwest of Carlsbad, NM
SW ¼ NW ¼ (UL E) Section 11, Township 20S, Range 27E
2,466 FNL & 618 FWL
Eddy County, NM

NAME AND DEPTH OF DISPOSAL ZONE: Cisco (8,635' - 9,600')
EXPECTED MAXIMUM INJECTION RATE: 30,000 bbls/day
EXPECTED MAXIMUM INJECTION PRESSURE: 1,727 psi (surface)

Objections or requests for hearing must be filed with the New Mexico Oil Conservation Division within 15 days. Any objection or request for hearing should be mailed to the Oil Conservation Division, 1220 South St. Francis Dr., Santa Fe, New Mexico 87505.

Additional information may be obtained by contacting Oliver Seekins at 918-382-7581.
#5789320, Current Argus, August 9, 2023

Ad # 0005789320

PO #: Widowmaker Fed SWD #1
of Affidavits 1

This is not an invoice

Widowmaker Fed SWD #1 - Notice of Application Recipients						
Affected Party Classification	Entity - Proof of Notice	Entity - As Mapped/Exhibited	Address	City	State	Zip Code
Surface / Mineral Owner	Bureau of Land Management New Mexico	N/A	620 E Greene St	Carlsbad	NM	88220
OCD District Office	New Mexico Oil Conservation Division District 2	N/A	506 W Texas	Artesia	NM	88210
Mineral Owner - Affected Party	Commision of Public Lands - State Land Office	N/A	310 Old Santa Fe Trail	Santa Fe	NM	87501
Unit Operator	Curtis W Mewbourne	Curtis W Mewbourne	P.O. Box 5270	Hobbs	NM	88241
Unit Operator / Well Operator	Mewbourne Oil Company	Mewbourne Oil Co	500 W Texas Ave Ste 1020	Midland	TX	79701
BLM - Lessee	Douglas A Fiske	Douglas A Fiske	1831 Dukes Dr	Midland	TX	79705
BLM - Lessee	Fasken Land & Minerals Limited	Fasken Land & Minerals Ltd	6101 Holiday Hill Rd	Midland	TX	79707
BLM - Lessee	Marshall & Winston Incorporated	Marshall & Winston Inc	P.O. Box 50880	Midland	TX	79710
BLM - Lessee	Petro-Quest Oil & Gas Limited Partnership	Petro-Quest O&G LP	P.O. Box 294151	Kerrville	TX	78029
BLM - Lessee	Tascosa Energy Partners Limited Liability Company	Tascosa Energy Partners LLC	901 W Missouri Ave	Midland	TX	79701
BLM - Lessee	Trigg Oil & Gas Limited Partnership	Trigg Oil & Gas LP	P.O. Box 520	Roswell	NM	88202
NMSLO - Lessee	Chevron USA Incorporated	Chevron USA Inc	6301 Deauville Blvd	Midland	TX	79706
Notes: The affected parties above received notification of the C-108 application.						

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3034 90

Commission of Public Lands
State Land Office
310 OLD SANTA FE TRL
SANTA FE NM 87501-2708

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3035 68

Mewbourne Oil Company
500 W TEXAS AVE STE 1020
MIDLAND TX 79701-4279

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3042 20

Chevron USA Incorporated
6301 DEAUVILLE
MIDLAND TX 79706-2964

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3048 17

New Mexico Oil Conservation
Division District 2
506 W TEXAS AVE
ARTESIA NM 88210-2041

Certified Mail® Labels

↑ **Top of the page**

Printed on Recycled Paper
Released to Image: 9/20/2023 11:11 PM
062S0008663991

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3807 43

Fasken Land & Minerals Limited
6101 HOLIDAY HILL RD
MIDLAND TX 79707-1631

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3809 41

Petro-Quest Oil & Gas
Limited Partnership
PO BOX 294151
KERRVILLE TX 78029-4151

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3806 99

Trigg Oil & Gas Limited Partnership
PO BOX 520
ROSWELL NM 88202-0520

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3801 18

Tascosa Energy Partners
Limited Liability Company
901 W MISSOURI AVE
MIDLAND TX 79701-6629

Certified Mail® Labels

Top of the page

Print postage using stamps.com Template SDC-3610

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3801 49


Marshall & Winston Incorporated
PO BOX 50880
MIDLAND TX 79710-0880

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3803 09

Douglas A. Fiske
1831 DUKES DR
MIDLAND TX 79705-1575

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®



9414 8118 9956 2066 3803 78

Curtis W. Mewbourne
PO BOX 5270
HOBBS NM 88241-5270

Place label at top of the center of the envelope and fold at dotted line.

CERTIFIED MAIL®

Certified Mail® Labels

↑ **Top of the page**

Print postage using stamps.com Template SDC-3610
Received by USPS: 9/9/2023 11:11 PM
09/19

ALL Consulting, LLC
1718 S Cheyenne Ave
Tulsa OK 74119

\$7.180
US POSTAGE
FIRST-CLASS
FROM 74119
AUG 28 2023
stamps
endicia
062S000863991

Place label at top of the center of the
envelope and fold at dotted line.

CERTIFIED MAIL®
CERTIFIED MAIL®

Place label at top of the center of the
envelope and fold at dotted line.

CERTIFIED MAIL®
CERTIFIED MAIL®



9414 8118 9956 2066 3048 86

Bureau of Land Management
New Mexico
620 E GREENE ST
CARLSBAD NM 88220-6292

Place label at top of the center of the
envelope and fold at dotted line.

CERTIFIED MAIL®
CERTIFIED MAIL®

Place label at top of the center of the
envelope and fold at dotted line.

CERTIFIED MAIL®
CERTIFIED MAIL®

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 263488

CONDITIONS

Operator: WaterBridge Stateline LLC 5555 San Felipe Houston, TX 77056	OGRID:
	330129
	Action Number:
	263488
Action Type:	
[IM-SD] Admin Order Support Doc (ENG) (IM-AAO)	

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	None	9/9/2023